

# Turn on Script Execution

This policy setting lets you configure the script execution policy, controlling which scripts are allowed to run.

If you enable this policy setting, the scripts selected in the drop-down list are allowed to run.

The "Allow only signed scripts" policy setting allows scripts to execute only if they are signed by a trusted publisher.

The "Allow local scripts and remote signed scripts" policy setting allows any local scrips to run; scripts that originate from the Internet must be signed by a trusted publisher.

The "Allow all scripts" policy setting allows all scripts to run.

If you disable this policy setting, no scripts are allowed to run.

Note: This policy setting exists under both "Computer Configuration" and "User Configuration" in the Local Group Policy Editor. The "Computer Configuration" has precedence over "User Configuration."

If you disable or do not configure this policy setting, it reverts to a per-machine preference setting; the default if that is not configured is "No scripts allowed."

**Supported on:** At least Microsoft Windows 7 or Windows Server 2008 family

Registry Hive	HKEY_LOCAL_MACHINE or HKEY_CURRENT_USER
Registry Path	Software\Policies\Microsoft\Windows\PowerShell
Value Name	EnableScripts
Value Type	REG_DWORD
Enabled Value	1
Disabled Value	0

Execution Policy

0. Allow only signed scripts

Registry Hive	HKEY_LOCAL_MACHINE or HKEY_CURRENT_USER
Registry Path	Software\Policies\Microsoft\Windows\PowerShell
Value Name	ExecutionPolicy
Value Type	REG_SZ
Value	AllSigned

1. Allow local scripts and remote signed scripts

Registry Hive	HKEY_LOCAL_MACHINE or HKEY_CURRENT_USER
Registry Path	Software\Policies\Microsoft\Windows\PowerShell
Value Name	ExecutionPolicy
Value Type	REG_SZ
Value	RemoteSigned

2. Allow all scripts

Registry Hive	HKEY_LOCAL_MACHINE or HKEY_CURRENT_USER
Registry Path	Software\Policies\Microsoft\Windows\PowerShell
Value Name	ExecutionPolicy
Value Type	REG_SZ
Value	Unrestricted



powershellexecutionpolicy.admx

Administrative Templates (Computers)

Control Panel

Network

Printers

Start Menu and Taskbar

System

Windows Components

ActiveX Installer Service

Add features to Windows 8.1

Application Compatibility

App Package Deployment

App Privacy

App runtime

AutoPlay Policies

Backup

Biometrics

BitLocker Drive Encryption

Camera

Cloud Content

Connect

Credential User Interface

Data Collection and Preview Builds

Delivery Optimization

Desktop Gadgets

Desktop Window Manager

Device and Driver Compatibility

Device Registration

Digital Locker

Edge UI

Event Forwarding

Event Logging

Event Log Service

Event Viewer

File Explorer

File History

Find My Device

Game Explorer

Handwriting

HomeGroup

Internet Explorer

Internet Information Services

Location and Sensors

Maintenance Scheduler

Maps

MDM

Messaging

Microsoft account

Microsoft Defender Antivirus

Microsoft Defender Application Guard

Microsoft Defender Exploit Guard

Microsoft Edge

Microsoft FIDO Authentication

Microsoft Secondary Authentication Factor

	➤ Microsoft User Experience Virtualization
	➤ NetMeeting
	➤ News and interests
	➤ OneDrive
	➤ Online Assistance
	➤ OOBE
	➤ Parental Controls
	➤ Portable Operating System
	➤ Presentation Settings
	➤ Push To Install
	➤ Remote Desktop Services
	➤ RSS Feeds
	➤ Search
	➤ Security Center
	➤ Shutdown Options
	➤ Smart Card
	➤ Software Protection Platform
	➤ Sound Recorder
	➤ Speech
	➤ Store
	➤ Sync your settings
	➤ Tablet PC
	➤ Task Scheduler
	➤ Tenant Restrictions
	➤ Text Input
	➤ Windows Calendar
	➤ Windows Color System
	➤ Windows Customer Experience Improvement Program
	➤ Windows Defender SmartScreen
	➤ Windows Error Reporting
	➤ Windows Game Recording and Broadcasting
	➤ Windows Hello for Business
	➤ Windows Ink Workspace
	➤ Windows Installer
	➤ Windows Logon Options
	➤ Windows Mail
	➤ Windows Media Center
	➤ Windows Media Digital Rights Management
	➤ Windows Media Player
	➤ Windows Messenger
	➤ Windows Mobility Center
	▼ Windows PowerShell
	<a href="#">Set the default source path for Update-Help</a>
	<a href="#">Turn on Module Logging</a>
	<a href="#">Turn on PowerShell Script Block Logging</a>
	<a href="#">Turn on PowerShell Transcription</a>
	Turn on Script Execution
	➤ Windows Reliability Analysis
	➤ Windows Remote Management (WinRM)
	➤ Windows Remote Shell
	➤ Windows Security
	➤ Windows Update
	➤ Work Folders

Administrative Templates (Users) ▼	
➤	Configuration Manager
➤	Control Panel
➤	Desktop

➤	Network
➤	Shared Folders
➤	Start Menu and Taskbar
➤	System
▼	Windows Components
—	➤ Add features to Windows 8.1
—	➤ Application Compatibility
—	➤ App runtime
—	➤ Attachment Manager
—	➤ AutoPlay Policies
—	➤ Backup
—	➤ Calculator
—	➤ Cloud Content
—	➤ Credential User Interface
—	➤ Data Collection and Preview Builds
—	➤ Desktop Gadgets
—	➤ Desktop Window Manager
—	➤ Digital Locker
—	➤ Edge UI
—	➤ File Explorer
—	➤ File Revocation
—	➤ IME
—	➤ Instant Search
—	➤ Internet Explorer
—	➤ Location and Sensors
—	➤ Microsoft Edge
—	➤ Microsoft Management Console
—	➤ Microsoft User Experience Virtualization
—	➤ Multitasking
—	➤ NetMeeting
—	➤ Network Sharing
—	➤ OOBE
—	➤ Presentation Settings
—	➤ Remote Desktop Services
—	➤ RSS Feeds
—	➤ Search
—	➤ Sound Recorder
—	➤ Store
—	➤ Tablet PC
—	➤ Task Scheduler
—	➤ Windows Calendar
—	➤ Windows Color System
—	➤ Windows Defender SmartScreen
—	➤ Windows Error Reporting
—	➤ Windows Hello for Business
—	➤ Windows Installer
—	➤ Windows Logon Options
—	➤ Windows Mail
—	➤ Windows Media Center
—	➤ Windows Media Player
—	➤ Windows Messenger
—	➤ Windows Mobility Center
—	▼ Windows PowerShell
—	— <a href="#">Set the default source path for Update-Help</a>
—	— <a href="#">Turn on Module Logging</a>
—	— <a href="#">Turn on PowerShell Script Block Logging</a>
—	— <a href="#">Turn on PowerShell Transcription</a>
—	— <a href="#">Turn on Script Execution</a>
—	➤ Windows Update

Work Folders

[Enable auto-subscription](#)