

UAC bypass (GUI)

Displays Windows Event Logs in a GUI window.

#### Paths:

C:\Windows\System32\eventvwr.exe C:\Windows\SysWOW64\eventvwr.exe

## **Resources:**

- <a href="https://enigma0x3.net/2016/08/15/fileless-uac-bypass-using-event/wr-exe-and-registry-hijacking/">https://enigma0x3.net/2016/08/15/fileless-uac-bypass-using-event/wr-exe-and-registry-hijacking/</a>
- <a href="https://github.com/enigma0x3/Misc-PowerShell-Stuff/blob/master/Invoke-EventVwrBypass.ps1">https://github.com/enigma0x3/Misc-PowerShell-Stuff/blob/master/Invoke-EventVwrBypass.ps1</a>
- https://twitter.com/orange\_8361/status/1518970259868626944

## **Acknowledgements:**

- Matt Nelson (@enigma0x3)
- Matt Graeber (@mattifestation)
- Orange Tsai (<u>@orange\_8361</u>)

### **Detections:**

- Sigma: proc creation win uac bypass eventvwr.yml
- Sigma: registry\_set\_uac\_bypass\_eventvwr.yml
- Sigma: <u>file\_event\_win\_uac\_bypass\_eventvwr.yml</u>
- Elastic: <u>privilege\_escalation\_uac\_bypass\_event\_viewer.toml</u>
- Splunk: eventvwr\_uac\_bypass.yml
- IOC: eventwwr.exe launching child process other than mmc.exe
- IOC: Creation or modification of the registry value HKCU\Software\Classes\mscfile\shell\open\command

# **UAC** bypass

1. During startup, eventwwr.exe checks the registry value HKCU\Software\Classes\mscfile\shell\open\command for the location of mmc.exe, which is used to open the eventwwr.msc saved console file. If the location of another binary or script is added to this registry value, it will be executed as a high-integrity process without a UAC prompt being displayed to the user.

eventvwr.exe

**Use case:** Execute a binary or script as a high-integrity process without a UAC prompt.

Privileges required: User

Operating systems: Windows vista, Windows 7, Windows 8, Windows 8.1, Windows 10

ATT&CK® technique: T1548.002: Bypass User Account Control

Tags: Application: GUI

2. During startup, eventvwr.exe uses .NET deserialization with %LOCALAPPDATA%\Microsoft\EventV~1\RecentViews file. This file can be created using https://github.com/pwntester/ysoserial.net

ysoserial.exe -o raw -f BinaryFormatter - g DataSet -c calc > RecentViews & copy RecentViews
%LOCALAPPDATA%\Microsoft\EventV~1\RecentViews & eventvwr.exe

**Use case:** Execute a command to bypass security restrictions that limit the use of command-line

interpreters.

Privileges required: Administrator

**Operating systems:** Windows 7, Windows 8, Windows 8.1, Windows 10

ATT&CK® technique: T1548.002: Bypass User Account Control

Tags: Application: GUI