



Sign in

redcanaryco / atomic-red-team Public

Notifications

Fork 2.8k

Star 9.7k

<> Code

Issues 6

Pull requests 4

Actions

Wiki

Security

Insights

atomic-red-team / atomics / T1518.001 / T1518.001.md



210 lines (87 loc) · 5.62 KB

T1518.001 - Security Software Discovery

Description from ATT&CK

Adversaries may attempt to get a listing of security software, configurations, defensive tools, and sensors that are installed on a system or in a cloud environment. This may include things such as firewall rules and anti-virus. Adversaries may use the information from [Security Software Discovery](<https://attack.mitre.org/techniques/T1518/001>) during automated discovery to shape follow-on behaviors, including whether or not the adversary fully infects the target and/or attempts specific actions.

Example commands that can be used to obtain security software information are `netsh`, `reg query` with `Reg`, `dir` with `cmd`, and `Tasklist`, but other indicators of discovery behavior may be more specific to the type of software or security system the adversary is looking for. It is becoming more common to see macOS malware perform checks for LittleSnitch and KnockKnock software.

Adversaries may also utilize cloud APIs to discover the configurations of firewall rules within an environment.(Citation: Expel IO Evil in AWS) For example, the permitted IP ranges, ports or user accounts for the inbound/outbound rules of security groups, virtual firewalls established within

AWS for EC2 and/or VPC instances, can be revealed by the `DescribeSecurityGroups` action with various request parameters. (Citation: `DescribeSecurityGroups` - Amazon Elastic Compute Cloud)

Atomic Tests

- [Atomic Test #1 - Security Software Discovery](#)
- [Atomic Test #2 - Security Software Discovery - powershell](#)
- [Atomic Test #3 - Security Software Discovery - ps \(macOS\)](#)
- [Atomic Test #4 - Security Software Discovery - ps \(Linux\)](#)
- [Atomic Test #5 - Security Software Discovery - Sysmon Service](#)
- [Atomic Test #6 - Security Software Discovery - AV Discovery via WMI](#)

Atomic Test #1 - Security Software Discovery

Methods to identify Security Software on an endpoint

when successfully executed, the test is going to display running processes, firewall configuration on network profiles and specific security software.

Supported Platforms: Windows

auto_generated_guid: f92a380f-ced9-491f-b338-95a991418ce2

Attack Commands: Run with `command_prompt` !

```
netsh.exe advfirewall show allprofiles
tasklist.exe
tasklist.exe | findstr /i virus
tasklist.exe | findstr /i cb
tasklist.exe | findstr /i defender
tasklist.exe | findstr /i cylance
```



Atomic Test #2 - Security Software Discovery - powershell

Methods to identify Security Software on an endpoint

when successfully executed, powershell is going to processes related AV products if they are running.

Supported Platforms: Windows

auto_generated_guid: 7f566051-f033-49fb-89de-b6bacab730f0

Attack Commands: Run with **powershell** !

```
get-process | ?{$_.Description -like "*virus*"}  
get-process | ?{$_.Description -like "*carbonblack*"}  
get-process | ?{$_.Description -like "*defender*"}  
get-process | ?{$_.Description -like "*cylance*"}
```



Atomic Test #3 - Security Software Discovery - ps (macOS)

Methods to identify Security Software on an endpoint when successfully executed, command shell is going to display AV/Security software it is running.

Supported Platforms: macOS

auto_generated_guid: ba62ce11-e820-485f-9c17-6f3c857cd840

Attack Commands: Run with **sh** !

```
ps aux | egrep 'Little\ Snitch|CbOxSensorService|falcond|nessusd|santad|CbDefense'
```



Atomic Test #4 - Security Software Discovery - ps (Linux)

Methods to identify Security Software on an endpoint when successfully executed, command shell is going to display AV/Security software it is running.

Supported Platforms: Linux

auto_generated_guid: 23b91cd2-c99c-4002-9e41-317c63e024a2

Attack Commands: Run with **sh** !

```
ps aux | egrep 'falcond|nessusd|cbagentd|td-agent|packetbeat|filebeat|auditbeat|os'
```

Preview

Code

Blame

Raw



Atomic Test #5 - Security Software Discovery - Sysmon Service

Discovery of an installed Sysinternals Sysmon service using driver altitude (even if the name is changed).

when successfully executed, the test is going to display sysmon driver instance if it is installed.

Supported Platforms: Windows

auto_generated_guid: fe613cf3-8009-4446-9a0f-bc78a15b66c9

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
fltmc.exe | findstr.exe 385201
```

Atomic Test #6 - Security Software Discovery - AV Discovery via WMI

Discovery of installed antivirus products via a WMI query.

when successfully executed, the test is going to display installed AV software.

Supported Platforms: Windows

auto_generated_guid: 1553252f-14ea-4d3b-8a08-d7a4211aa945

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
wmic.exe /Namespace:\\root\SecurityCenter2 Path AntiVirusProduct Get displayName /I
```

