






Sign in


 [The-DFIR-Report](#) / [Sigma-Rules](#) Public


 Notifications


 Fork 31


 Star 188


 Code


 Issues

 Pull requests 4

 Actions

 Projects

 Security

 Insights

[Sigma-Rules](#) / [win_mofcomp_execution.yml](#) 







28 lines (28 loc) · 697 Bytes


Code

Blame

Raw







```
1  title: MOFComp Execution
2  id: fd7aed23-7585-44fb-9920-5da82c740e6e
3  status: Experimental
4  description: Detects abuse of mofcomp to load WMI classes i.e. to create WMI event subscriptions
5  author: _pete_0, TheDFIRReport
6  references:
7    - https://thedfirreport.com/2022/07/11/select-xmrig-from-sqlserver/
8  date: 2022/07/11
9  modified: 2022/07/11
10 logsource:
11   category: process_creation
12   product: windows
13 detection:
14   selection:
15     Image|endswith:
16       - '\mofcomp.exe'
17     ParentImage|endswith:
18       - '\cmd.exe'
19       - '\powershell.exe'
20   condition: selection
21 fields:
22   - ParentCommandLine
23 falsepositives:
24   - System administrator activities
25 level: high
26 tags:
```

```
27     - attack.execution
28     - attack.t1546.003
```