



```
go build .
```

```
./azurehound -u "MattNelson@contoso.onmicrosoft.com" -p "
```

```
./azurehound -j "ey..." list users --tenant "contoso.onmi
```

```
./azurehound -u "MattNelson@contoso.onmicrosoft.com" -p "
```

```
$body = @{
    "client_id" =      "1950a258-227b-4e31-a9cf-717495945f"
    "resource" =      "https://graph.microsoft.com"
}
$UserAgent = "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_1"
$headers=@{}
$headers["User-Agent"] = $UserAgent
$authResponse = Invoke-RestMethod `
    -UseBasicParsing `
    -Method Post `
    -Uri "https://login.microsoftonline.com/common/oauth2"
    -Headers $headers `
    -Body $body
$authResponse
```

```
$body=@{
    "client_id" = "1950a258-227b-4e31-a9cf-717495945fc2"
    "grant_type" = "urn:ietf:params:oauth:grant-type:device_code"
    "code" = $authResponse.device_code
}
$Tokens = Invoke-RestMethod `
    -UseBasicParsing `
    -Method Post `
    -Uri "https://login.microsoftonline.com/Common/oauth2"
    -Headers $Headers `
    -Body $body
$Tokens
```

```
./azurehound -r "0.ARwA6Wg..." list --tenant "contoso.onm
```

a78dff38