SS64 CMD > How-to >

## Shell: folder shortcuts

 $Shell\ folder\ shortcuts\ can\ be\ used\ directly\ in\ the\ Windows\ File\ Explorer\ Address\ bar:\ shell: Desktop$ 

Description \$	Shell: folder shortcut \$		Equivalent •		System +	User
Display installed Windows Updates	shell:AppUpdatesFolder		Control Panel → Programs and Features -	Control Panel → Programs and Features → Installed updates		
Open the user's Start  Menu\Administrative Tools folder (if any)	shell:Administrative Tools		%LocalAppData%\Microsoft\Windows\ Menu\Programs\Administrative Tool = C:\Users\ <username>\AppData\Local\Mi Menu\Programs\Administrative Tools</username>		Use folde	
Open All Users Start Menu\Administrative Tools folder	shell:Common Administrative Tools		Menu\Programs\Administrative Tool	%ProgramData%\Microsoft\Windows\Start Menu\Programs\Administrative Tools\ =C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Administrative Tools		
Open the Public Application Data folder	shell:Common AppData		%ProgramData% = C:\ProgramData			
Open the user's Application Data folder	shell:AppData		%AppData% = C:\Users\ <username>\AppD</username>	%AppData% = C:\Users\ <username>\AppData\Roaming\</username>		
Open the user's Application Data folder	shell:Local AppDa	ıta	%LocalAppData% = C:\Users\ <username></username>	\AppData\Local\		User folde
Apps folder	shell:appsFolder					
Open the Temporary Internet Files folder	shell:Cache		%LocalAppData%\Microsoft\Windows\	iNetCache\ soft\Windows\iNetCache	Internet Explorer	User folde
Open the user's certificates folder	shell:System		( SS64 )	ates\ crosoft\System Certificates		User folde
Open the Client Side Cache Offline Files folder, if supported	shell:CSCFolo	SS64.con	n asks for your consent to use your			User folde
Open the folder where files are stored before being burned to disc	shell:CD Burn	o Personal	personal data to:  lised advertising and content, advertising and content	cn\Burn\ soft\Windows\Burn\Burn		User folde
Open the user's Windows Contacts folder	shell:Contact	measure	ement, audience research and services development  d/or access information on a device	ername>\Contacts		User
Open the Internet Explorer Cookies folder	shell:Cookie	Learn m		etCookies\ soft\Windows\iNetCookies	Internet Explorer	folde
Open the user's Credentials folder	shell:Creden	(cookies, unique	ata will be processed and information from your device identifiers, and other device data) may be stored by,	crosoft\Credentials	User folder	User folde
Open the list of Network Connections	shell:Connec	used specifically	shared with 134 TCF vendor(s) and 63 ad partner(s), or by this site or app.		Control Panel	
Display the Control Panel	shell:Contro	interest, which yo	ou can object to by managing your options below. Look for om of this page to manage or withdraw consent in privacy		Control Panel	
Open the user's encryption keys folder	shell:Cryptol		consent Consent	crosoft\Crypto		User folde
Open the user's desktop folder	shell:Deskto		Manage options	<pre>top + %Public%\Desktop\</pre>	Public folder	User folde
Open the Public Desktop	shell:Common				System folder	
Opens the user's AppData\Roaming\Microsoft\Protect folder	shell:DpAPIKeys		%AppData%\Microsoft\Protect\ = C:\Users\ <username>\AppData\Roamino</username>	g\Microsoft\Protect		User folde
Open the Public Documents folder	shell:Common Docu	uments	%Public%\Documents\ = C:\Users\Public\Documents		System folder	
Open the user's downloads folder	shell:Downloads		%UserProfile%\Downloads\ = C:\Users	\ <username>\Downloads </username>	System	User folde
Open the Public Downloads folder	shell:CommonDownloads		= C:\Users\Public\Downloads			
Open the Internet Explorer Favorites folder	shell:Favorites		= C:\Users\ <username>\Favorites</username>			
Open the Fonts folder	shell:Fonts		%SystemRoot%\Fonts = C:\Windows\Fonts	System folder		
Open the user folder of downloaded Sidebar Gadgets  Open the default Sidebar Cadgets	shell:Gadgets	lants			Internet Explorer	
Open the default Sidebar Gadgets folder	shell:Default Gad	igets			System folder	
Open the User's Game Evplorer			%I ocal AnnData% Microsco (th Himton)	CamaEvnlanan)	System folder	User
Open the user's Game Explorer folder	shell: GameTasks		= C:\Users\ <username>\AppData\Local\Mi</username>	<pre>%LocalAppData%\Microsoft\Windows\GameExplorer\ = C:\Users\<username>\AppData\Local\Microsoft\Windows\GameExplorer %LocalAppData%\Microsoft\Windows\History\</username></pre>		
Open the User's History folder	shell:History	1 do	%LocalAppData%\Microsoft\Windows\ = C:\Users\ <username>\AppData\Local\Mi</username>		0 1	User folde
Open the HomeGroup folder	shell:HomeGroupFo	caer			System folder	

Open the HomeGroup folder for the currently logged-on user (if any)	shell:HomeGroupC	urrentUserFolder				System folder	
Launches Internet Explorer Applets and applications	shell:InternetFo	lder				Internet Explorer	
Open the hidden ImplicitAppShortcuts folder	shell:ImplicitAppShortcuts		%AppData%\Microsoft\InternetExplorer\ImplicitAppShortcuts\ = C:\Users\ <username>\AppData\Roaming\Microsoft\Internet Explorer\ImplicitAppShortcuts</username>			Internet Explorer	User folder
Open the Libraries folder	shell:Libraries		Libraries				
Open the Documents library	shell:DocumentsLibrary		Libraries\Documents			Library	
Display public libraries, if any	shell:PublicLibraries		%Public%\Libraries\=	= C:\Users\Public\Li	braries	Library	
Display your Music library	shell:MusicLibrary		Libraries\Music			Library	
Open the Public Music folder	shell:CommonMusic		%Public%\Music\ = C:\Users\Public\Music			Multimedia	
Open the user's Music folder	shell:My Music		%UserProfile%\Music\ = C:\Users\ <username>\Music</username>				User folder
Open the Sample Music folder	shell:SampleMusic shell:PhotoAlbums		%Public%\Music\Sample Music\ = C:\Users\Public\Music\SampleMusic			Multimedia	
Open the user's Pictures\Slide Shows folder (if present)							
Account Pictures	Shell:AccountPic		%AppData%\Microsoft\Windows\Account Pictures\ = C:\Users\ <username>\AppData\Roaming\Microsoft\Windows\Account Pictures</username>				
Display your Pictures library	shell:PicturesLi	orary	Libraries\Pictures (previously My Pictures) = C:\Users\ <username>\Pictures</username>			Library	User folder
Open the Public Pictures folder	shell:CommonPicto	ures	%Public%\Pictures\=	C:\Users\Public\Pic	tures	Multimedia	
Open the Sample Pictures folder	shell:SamplePict	ures	%Public%\Pictures\Sa Pictures	mple Pictures\:	= C:\Users\Public\Pictures\Sample	Multimedia	
Open the Windows Photo Gallery Original Images folder, if installed	shell:Original T					Multimedia	
Display your Videos library	shell:Videos		( SS64 )			Library	
Open the user's Links folder	shell:Links	SS64.com ask	s for your consent to	use vour	me>\Links		User folder
Open the Computer folder	shell:MyComp		personal data to:	y		System folder	
Open the user's Network Places folder	shell:NetHoo	measurement, audience research and services development crosoft\Windows\Network Shortcuts					User folder
Open the Network Places folder	shell:Networ				System folder		
Display links provided by your PC manufacturer (if any)	shell:OEM Li				System folder		
Open the user's Documents folder	shell:Person	(cookies, unique identifie	ers, and other device data) may be stored by, with 134 TCF vendor(s) and 63 ad partner(s), or		sername>\Documents		User folder
Open the user's printer shortcuts folder	shell:PrintHo	Some vendors may procinterest, which you can c			Shortcuts\ crosoft\Windows\Printer Shortcuts		User folder
Open the user's profile folder	shell:Profile	a link at the bottom of the	ns page to manage of withdraw co	nsencin privacy			User folder
Access shortcuts pinned to the Start menu or Taskbar	shell:User P:				er\Quick Launch\User Pinned\ crosoft\Internet Explorer\Quick		User folder
Open the user's \Music\Playlists folder	shell:Playli						
Open the folder holding all user profiles	shell:UserProfiles		C:\Users			System folder	
Open the Printers folder	shell:PrintersFolder		Control Panel → Printers			System folder	
Open the user's Start Menu Programs folder	shell:Programs		%AppData%\Microsoft\Windows\Start Menu\Programs\ = C:\Users\ <username>\AppData\Roaming\Microsoft\Windows\Start Menu\Programs</username>				User folder
Open the Public Start Menu Programs folder	shell:Common Programs		%ProgramData%\Microsoft\Windows\Start Menu\Programs\ =C:\ProgramData\Microsoft\Windows\Start Menu\Programs			System folder	
Open the Control Panel "Install a program from the network" applet	shell:AddNewProgramsFolder		Control Panel → Get Programs from the network			Control Panel	
Open the Control Panel "Uninstall or change a program" applet	shell:ChangeRemoveProgramsFolder		Control Panel → Uninstall or change a program			Control Panel	
Open the Program Files folder	shell:ProgramFiles		%ProgramFiles% = C:\Program Files			System folder	
Open the Program Files\Common Files folder	shell:ProgramFilesCommon		%ProgramFiles%\Common Files\ = C:\Program Files\Common Files			System folder	
Display 32-bit programs stored on 64-bit Windows, or the \Program Files folder on 32-bit Windows	shell:ProgramFilesX86		%ProgramFiles(x86)% = C:\ProgramFiles(x86)			System folder	
Open the Common Files for 32-bit programs stored on 64-bit Windows, Or the Program Files\Common Files folder on 32-bit Windows	shell:ProgramFiles <b>Common</b> X86		%ProgramFiles(x86)%\Common Files\ = C:\ProgramFiles (x86)\Common Files			Internet Explorer	

Open the Public Game Explorer folder	shell:PublicGameTasks	%ProgramData%\Microsoft\Windows\Games=C:\ProgramData\Microsoft\Windows\Games		System folder	
Open the Users\Public folder (Shared files)	shell:Public	%Public% = C:\Users\Public		Public folder	
Open the Quick Launch folder (disabled by default)	shell:Quick Launch	%AppData%\Microsoft\Internet Explo = C:\Users\ <username>\AppData\Roaming\ Launch</username>		User folder	
Open the user's Recent Documents folder	shell:Recent	%AppData%\Microsoft\Windows\Recent = C:\Users\ <username>\AppData\Roaming\</username>		User folder	
Open the Recycle Bin	shell:RecycleBinFolder	"Recycle Bin"		System folder	
Open the Windows Resources folder (themes are stored here)	shell:ResourceDir	%SystemRoot%\Resources\ = C:\Window	is\Resources	System folder	
Display the user's Ringtones folder	shell:Ringtones	%LocalAppData%\Microsoft\Windows\F = C:\Users\ <username>\AppData\Local\Mic</username>			User folder
Open the Public ringtones folder.	shell:CommonRingtones	%ProgramData%\Microsoft\Windows\Rington =C:\ProgramData\Microsoft\Windows\Rington		System folder	
Open the Saved Games folder	shell:SavedGames	%UserProfile%\Saved Games\ = C:\Use	rs\ <username>\Saved Games</username>		User folder
Open the saved searches folder	shell:Searches	%UserProfile%\Searches\=C:\Users\<	username>\Searches		User folder
Open the Windows Search tool	shell:SearchHomeFolder	Windows Explorer Search box		System folder	
Open the user's Send To folder	shell:SendTo	%AppData%\Microsoft\Windows\SendTo = C:\Users\ <username>\AppData\Roaming\</username>			User folder
Open the user's Start Menu folder	shell:Start Menu	%AppData%\Microsoft\Windows\Start	crosoft\Windows\Start Menu		User folder
Open the Public Start Menu folder	shell:Common	( SS64 )	rt Menu\ enu	System folder	
Open the user's Startup folder		ks for your consent to use your personal data to:	enu\Programs\Startup\ crosoft\Windows\Start		User folder
Open the Public Startup folder		dvertising and content, advertising and content audience research and services development	rt Menu\Programs\Startup\ enu\Programs\Startup	System folder	
Display Sync Centre	shell:SyncCe	ccess information on a device		Windows Sync Centre	
Display Sync Centre Conflicts	(cookies, unique identifie	Your personal data will be processed and information from your device (cookies, unique identifiers, and other device data) may be stored by,		Windows Sync Centre	
Display Sync Centre Results	shell: SyncRe: used specifically by this some vendors may procinterest, which you can o	cess your personal data on the basis of legitimate object to by managing your options below. Look for		Windows Sync Centre	
Open the Sync Centre Setup options	a link at the bottom of th	a link at the bottom of this page to manage or withdraw consent in privacy		Windows Sync Centre	
Open the Windows System folder	shell:System		rstem32	System folder	
Open the Windows System folder for 32-bit files on 64-bit Windows, Or \Windows\System32 on 32-bit Windows	shell:System:		sWOW64	System folder	
Open the user's Templates folder	shell:Templates	%AppData%\Microsoft\Windows\Templa = C:\Users\ <username>\AppData\Roaming\</username>		User folder	
Open the Public Templates folder	shell:Common Templates	%ProgramData%\Microsoft\Windows\Te =C:\ProgramData\Microsoft\Windows\Temp	System folder		
Display further user tiles	shell:Roaming Tiles	%LocalAppData%\Microsoft\Windows\F = C:\Users\ <username>\AppData\Local\Mic</username>		User folder	
Display your user tiles (the images you can use for your account)	shell:UserTiles	%UserProfile%\AppData\Roaming\Mici = C:\Users\ <username>\AppData\Roaming\</username>		User folder	
Open the Public user tiles folder	shell:PublicUserTiles	%ProgramData%\Microsoft\User Account F	System folder		
Open the user's Videos folder	shell:My Video	%UserProfile%\Videos\ = C:\Users\ <use< td=""><td></td><td>User folder</td></use<>		User folder	
Open the Public Video folder	shell:CommonVideo	%Public%\Videos\ = C:\Users\Public\Vide	Multimedia		
Open the Sample Videos folder	shell:SampleVideos	%Public%\Videos\Sample Videos\=C	Multimedia		
Open the Windows installation folder (usually \Windows)	shell:Windows	%SystemRoot% = C:\Windows		System folder	

Unless indicated otherwise, all the shortcuts above work in all versions of Windows from Vista upwards.

## Command Line

From the command line shell: shortcuts can be passed to Explorer.exe:

C:\> explorer.exe shell:desktop

You can also pass a variable or string:

C:\> explorer.exe %ProgramFiles%

The START command also accepts shell: shortcuts with spaces but they have to be quoted like so:

C:\> start "" "shell:my music"

C:\> start "" %UserProfile%\Music\

In PowerShell:

[Environment]::GetFolderPath('MyVideos')

Where 'MyVideos' may be any of the constants defined under: [Enum]::GetNames([System.Environment+SpecialFolder])

### Shortcuts

To create a shortcut to any of the shell folders above: Right click the Desktop > New Shortcut and set the location/target to explorer.exe followed by the shell: option

For example:

explorer.exe shell:PrintersFolder

Alternatively you can use a variable/string:

explorer.exe "%ProgramData%\Microsoft\Windows\Start Menu\"

Non admin users will find it difficult to create a Shell: shortcut directly on the Task bar, it can be done but requires creating the shortcut in: %USERPROFILE%\AppData\Roaming\Microsoft\Internet Explorer\Quick Launch\User Pinned\TaskBar It can then be dragged into the taskbar.

Create a 'God mode' shortcut (a full set of Control Panel options) by setting the shortcut target to:

%WinDir%\explorer.exe shell:::{ED7BA470-8E54-465E-825C-99712043E01C}

"You go away for a long time and return a different per

#### **Related commands**

How-to: ms-settings - Shortcuts to settings.

How-to: RUN commands Start → Run commands.

EXPLORER - Open Windows Explorer. How-to: List of ClassIDs (clsid).

How-to: User Shell Folders - Profile, Start Menu - Location

How-to: Env. Variables - List of environment variables.

(SS64)

# SS64.com asks for your consent to use your personal data to:



Personalised advertising and content, advertising and content measurement, audience research and services development

Store and/or access information on a device

Your personal data will be processed and information from your device (cookies, unique identifiers, and other device data) may be stored by, accessed by and shared with 134 TCF vendor(s) and 63 ad partner(s), or used specifically by this site or app.

Some vendors may process your personal data on the basis of legitimate interest, which you can object to by managing your options below. Look for a link at the bottom of this page to manage or withdraw consent in privacy and cookie settings.

①

-2024 SS64.com e rights reserved