.. /Odbcconf.exe ☆ Star 7,060

Execute (DLL)

Used in Windows for managing ODBC connections

Paths:
C:\Windows\System32\odbcconf.exe
C:\Windows\SysWOW64\odbcconf.exe

Resources:
- https://gist.github.com/NickTyrer/6ef02ce3fd623483137b45f65017352b
- https://github.com/woanware/application-restriction-bypasses
- https://www.hexacorn.com/blog/2020/08/23/odbcconf-lolbin-trifecta/

Acknowledgements:
- Casey Smith (@subtee)
- Adam (@Hexacorn)

Detections:
- Sigma: proc_creation_win_odbcconf_response_file.yml
- Sigma: proc_creation_win_odbcconf_response_file_susp.yml
- Elastic: defense_evasion_unusual_process_network_connection.toml
- Elastic: defense_evasion_network_connection_from_windows_binary.toml

Execute

1. Execute DllREgisterServer from DLL specified.

```
odbcconf /a {REGSVR c:\test\test.dll}
```

Use case:	Execute dll file using technique that can evade defensive counter measures
Privileges required:	User
Operating systems:	Windows vista, Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
ATT&CK® technique:	T1218.008: Odbcconf
Tags:	Execute: DLL

2. Install a driver and load the DLL. Requires administrator privileges.

```
odbcconf INSTALLDRIVER "lolbas-project|Driver=c:\test\test.dll|APILevel=2"
odbcconf configsysdsn "lolbas-project" "DSN=lolbas-project"
```

Use case:	Execute dll file using technique that can evade defensive counter measures
Privileges required:	User
Operating systems:	Windows vista, Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
ATT&CK® technique:	T1218.008: Odbcconf
Tags:	Execute: DLL

3. Load DLL specified in target .RSP file. See the Code Sample section for an example .RSP file.

```
odbcconf -f file.rsp
```

Use case:	Execute dll file using technique that can evade defensive counter measures
Privileges required:	Administrator
Operating systems:	Windows vista, Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
ATT&CK® technique:	T1218.008: Odbcconf