





[Home](#) > [Google Workspace](#) > [Admin console](#) > [Reference](#)

Was this helpful?  

Admin Audit Activity Events - Domain Settings

[Send feedback](#)

On this page ▼

Domain Settings

- Account Automatic Renewal Change
- Add Application
- Add Application to Whitelist
- Advertisement Option Change
- Alert Creation
- Alerts

CHANGE_ACCOUNT_AUTO_RENEWAL

Parameters

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new renewal strategy. Possible values:

- NON_AUTO_RENEWAL
- RENEWAL_BY_LICENSES
- RENEWAL_BY_USERS

.

Sample request

APP_ID

string

Application ID.

APPLICATION_ENABLED

string

Application enabled.

APPLICATION_NAME

string

The application's name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=ADD_APPLICATION&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Application ID.

APPLICATION_NAME

string

The application's name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=ADD_APPLICATION_TO_WHITELIST
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Application **{APPLICATION_NAME}** with id **{APP_ID}** has been added to
whitelist for the domain

string

The previous advertising option.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_ADVERTISEMENT_OPTION  
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Advertisement option for your organization changed from *{OLD_VALUE}* to
{NEW_VALUE}

Alert Creation

Alert **{ALERT_NAME}** has been created

Alert Criteria Change

Event details

Event name

CHANGE_ALERT_CRITERIA

Parameters

ALERT_NAME
string

The name of the alert.

Sample request

ALERT_NAME

string

The name of the alert.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=DELETE_ALERT&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Alert **{ALERT_NAME}** has been deleted

Alert Receivers Change

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=ALERT_RECEIVERS_CHANGED&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Alert receivers for *{ALERT_NAME}* changed from *{OLD_VALUE}* to
{NEW_VALUE}

Alert Rename

Event details

Event details

Admin Console message format

Alert *{OLD_VALUE}* has been renamed to *{NEW_VALUE}*

Alert Status Change

Event details

Event name

ALERT_STATUS_CHANGED

Parameters

ALERT_NAME

string

The name of the alert.

Alias Creation

Event details

Event name

ADD_DOMAIN_ALIAS

Parameters

DOMAIN_ALIAS

string

The new domain alias. For more information about a domain alias, see the [administration help center](#).

DOMAIN_NAME

string

Event name

REMOVE_DOMAIN_ALIAS

Parameters

DOMAIN_ALIAS

string

The removed domain alias. For more information about a domain alias, see the [administration help center](#).

DOMAIN_NAME

string

The primary domain name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=REMOVE_DOMAIN_ALIAS&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

The domain alias. For more information about a domain alias, see the [administration help center](#).

DOMAIN_NAME

string

The primary domain name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=SKIP_DOMAIN_ALIAS_MX&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Skipped MX record setup of alias *{DOMAIN_ALIAS}* of domain
{DOMAIN_NAME}

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=VERIFY_DOMAIN_ALIAS_MX&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Verified MX record of alias *{DOMAIN_ALIAS}* of domain *{DOMAIN_NAME}*

Alias Verification

Event details

Event name

- META_TAG
- HTML_FILE

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=VERIFY_DOMAIN_ALIAS&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
{DOMAIN_ALIAS} verified as an alias of {DOMAIN_NAME} using
{DOMAIN_VERIFICATION_METHOD}
```

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=TOGGLE_OAUTH_ACCESS_TO_ALL_APIS
&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

OAuth access for all APIs changed to *{NEW_VALUE}* for your organization

Allow Admin Password Reset

Event details

Event name

TOGGLE_ALLOW_ADMIN_PASSWORD_RESET

Parameters

API Access Change

Event details

Event name

ENABLE_API_ACCESS

Parameters

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new value, either `true` or `false`.

API Client Access Authorize

Event details

Event name

AUTHORIZE_API_CLIENT_ACCESS

Parameters

API_CLIENT_NAME

string

API Client Name.

API_SCOPES

string

The API scopes.

DOMAIN NAME

Event details

Event name

REMOVE_API_CLIENT_ACCESS

Parameters

API_CLIENT_NAME

string

The API client name. For more information about managing API client access, see the [administration help center](#).

DOMAIN_NAME

string

The primary domain name.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all

Parameters

APP_LICENSES_ORDER_NUMBER

string

Order number used to redeem licenses.

APPLICATION_NAME

string

The application's name.

CHROME_NUM_LICENSES_PURCHASED

integer

Number of licences purchased.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHROME_LICENSES_REDEEMED&maxResults=10
```

`string`

The primary domain name.

`NEW_VALUE`

`string`

The new `SETTING_NAME` value that was set during this event.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=TOGGLE_AUTO_ADD_NEW_SERVICE
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Automatic addition for new services and pre-release features for your organization changed to `{NEW_VALUE}`

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_PRIMARY_DOMAIN&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Primary domain name changed from *{DOMAIN_NAME}* to *{NEW_VALUE}*

Change Whitelist Setting

Event details

Event name

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_WHITELIST_SETTING&maxResults=10
&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

{SETTING_NAME} changed from *{OLD_VALUE}* to *{NEW_VALUE}* for the domain

Communication Preferences Setting Change

Event details

Event name

COMMUNICATION_PREFERENCES_SETTING_CHANGE

Parameters

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=COMMUNICATION_PREFERENCES_SETTING_CHANGE
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
{SETTING_NAME} setting in Communication Preferences changed from
{OLD_VALUE} to {NEW_VALUE} (Domain Name : {DOMAIN_NAME})
```

Conflict Account Action Change

Event details

Event name

CHANGE_CONFLICT_ACCOUNT_ACTION

The previous conflict resolution action.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_CONFLICT_ACCOUNT_ACTION  
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Conflict account action for *{DOMAIN_NAME}* changed from *{OLD_VALUE}* to
{NEW_VALUE}

Contact for Feedback Setting Change

Event details


```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=ENABLE_FEEDBACK_SOLICITATION
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Can contact for feedback setting for your organization changed from
{OLD_VALUE} to {NEW_VALUE}

Contact Sharing Change

Event details

Event name

TOGGLE CONTACT SHARING

Admin Console message format

Contact sharing changed to *{NEW_VALUE}*

Create MDM vendor enrollment token

Event details

Event name

CREATE_PLAY_FOR_WORK_TOKEN

Parameters

PLAY_FOR_WORK_TOKEN_ID
string

The MDM vendor enrollment token.

Complete request

Parameters

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new value, either `true` or `false`. To learn more about custom logos, see the [administration help center](#).

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=TOGGLE_USE_CUSTOM_LOGO&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_CUSTOM_LOGO&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

New custom logo uploaded for your organization

Data Localization For Russian Federation Change

Event details

Event name

CHANGE_DATA_LOCALIZATION_FOR_RUSSIA

/applications/admin?eventName=CHANGE_DATA_LOCALIZATION_FOR_RUSSIA
&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Setting for Data Localization for Russian Federation changed from
{OLD_VALUE} to {NEW_VALUE}

Data Localization Setting Change

Event details

Event name

CHANGE_DATA_LOCALIZATION_SETTING

Parameters

NEW_VALUE

Admin Console message format

Setting for Data Localization changed from `{OLD_VALUE}` to `{NEW_VALUE}`

Data Protection Officer Contact Information Change

Part of an audit log event for contact info update for Data Protection Officer. This is used as an indicator of what kind of event log this message is.

Event details

Event name

CHANGE_DATA_PROTECTION_OFFICER_CONTACT_INFO

Parameters

INFO_TYPE

string

The previous `SETTING_NAME` value that was replaced during this event.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?
eventName=CHANGE_DATA_PROTECTION_OFFICER_CONTACT_INFO&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Data Protection Officer `{INFO_TYPE}` changed from `{OLD_VALUE}` to
`{NEW_VALUE}`

Delete MDM vendor enrollment token

Admin Console message format

MDM vendor enrollment token (*{PLAY_FOR_WORK_TOKEN_ID}*) deleted

DNS console login details viewed

Event details

Event name

VIEW_DNS_LOGIN_DETAILS

Parameters

DOMAIN_NAME
string

The primary domain name.

Parameters

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new locale.

OLD_VALUE

string

The previous locale.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_DOMAIN_DEFAULT_LOCALE
```

string

The primary domain name.

NEW_VALUE

string

The new default timezone.

OLD_VALUE

string

The previous default timezone.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_DOMAIN_DEFAULT_TIMEZONE
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

NEW_VALUE

string

The new domain name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_DOMAIN_NAME&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Change of domain name for {DOMAIN_NAME} to {NEW_VALUE} started

Domain Pre-release Setting Change

/applications/admin?eventName=TOGGLE_ENABLE_PRE_RELEASE_FEATURES
&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Pre-release features for your organization was set to {NEW_VALUE}

Domain Support Message Change

Event details

Event name

CHANGE_DOMAIN_SUPPORT_MESSAGE

Parameters

DOMAIN_NAME

Admin Console message format

Support message for your organization changed from `{OLD_VALUE}` to `{NEW_VALUE}`

Domains added to Trusted Domains

Event details

Event name

ADD_TRUSTED_DOMAINS

Parameters

DOMAIN_NAME
string

The primary domain name.

REMOVE_TRUSTED_DOMAINS

Parameters

DOMAIN_NAME
string

The primary domain name.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=REMOVE_TRUSTED_DOMAINS&maxResults=10
&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Domains {DOMAIN_NAME} removed from Trusted Domains list

string

The previous `SETTING_NAME` value that was replaced during this event.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_EDU_TYPE&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Educational organization type changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Enable OAuth Consumer Key

Event details

/applications/admin?eventName=TOGGLE_ENABLE_OAUTH_CONSUMER_KEY
&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Enabling OAuth consumer key changed to {NEW_VALUE} for your organization

Enable SSO Change

Event details

Event name

TOGGLE_SSO_ENABLED

Parameters

DOMAIN_NAME

Enforce SSL Change

Event details

Event name

TOGGLE_SSL

Parameters

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new value, either `true` or `false`.

Event details

Event name

CHANGE_EU_REPRESENTATIVE_CONTACT_INFO

Parameters

INFO_TYPE

string

Part of an audit log event for contact info update for EU Representative or Data Protection Officer. This will be used to state what kind of information was changed: email, name, phone or address. It's the INFO_TYPE placeholder in 'EU Representative {INFO_TYPE} changed from {OLD_VALUE} to {NEW_VALUE}'. Possible values:

- ADDRESS
The address is expected to be a physical address of a person or institution.
- EMAIL_ID
The email_id here will be a regular email address in the form abc@xyz.com.
- FULL_NAME

Admin Console message format

EU Representative *{INFO_TYPE}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Generate Transfer Token

Event details

Event name

GENERATE_TRANSFER_TOKEN

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=GENERATE_TRANSFER_TOKEN&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

The primary domain name.

NEW_VALUE

string

The new background color.

OLD_VALUE

string

The previous background color.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_LOGIN_BACKGROUND_COLOR  
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

string

The new border color.

OLD_VALUE

string

The previous border color.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_LOGIN_BORDER_COLOR&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Login border color for your organization changed from *{OLD_VALUE}* to
{NEW_VALUE}

OLD_VALUE

string

The previous activity trace value.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_LOGIN_ACTIVITY_TRACE  
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Marketplace Login audit setting in *{DOMAIN_NAME}* changed from
{OLD_VALUE} to *{NEW_VALUE}*

MDM vendor enrollment

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=PLAY_FOR_WORK_ENROLL&maxResults=10
&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Enrolled for *{PLAY_FOR_WORK_MDM_VENDOR_NAME}* mobile device management
services using token (*{PLAY_FOR_WORK_TOKEN_ID}*)

MDM vendor unenrollment

Event details

Event name

PLAY_FOR_WORK_UNENROLL

Parameters

MX Record Verification Claim

Event details
Event name
MX_RECORD_VERIFICATION_CLAIM
Parameters
DOMAIN_NAME
string
The primary domain name.
USER_EMAIL
string
Primary email address of user who claimed to verify the MX records for the DOMAIN_NAME.
Sample request

Parameters

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new value, either `true` or `false`.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=TOGGLE_NEW_APP_FEATURES&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

string

The new value, either `true` or `false`.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=TOGGLE_USE_NEXT_GEN_CONTROL_PANEL  
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

The setting to enable the new Admin Console changed to *{NEW_VALUE}* for your organization

OAuth Certificate Upload

New OAuth certificate uploaded for your organization

OAuth Consumer Secret Regenerate

Event details

Event name

REGENERATE_OAUTH_CONSUMER_SECRET

Parameters

DOMAIN_NAME
string

The primary domain name.

Sample request

DOMAIN_NAME

string

The primary domain name.

NEW_VALUE

string

The new value, either `true` or `false`.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=TOGGLE_OPEN_ID_ENABLED&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

OpenId federated login for `{DOMAIN_NAME}` changed to `{NEW_VALUE}`

The new organization name.

OLD_VALUE

string

The previous organization name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_ORGANIZATION_NAME&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Organization name changed from {OLD_VALUE} to {NEW_VALUE}

`string`

The previous value, either `true` or `false`.

`ORG_UNIT_NAME`

`string`

The organizational unit (OU) name (path).

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=TOGGLE_OUTBOUND_RELAY&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Outbound relay for your organization changed to *{NEW_VALUE}*

OLD_VALUE

string

The previous password length.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_PASSWORD_MAX_LENGTH&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Password maximum length for *{DOMAIN_NAME}* changed from *{OLD_VALUE}* to
{NEW_VALUE}

Password Minimum Length Change

OLD_VALUE

string

The previous password length.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_PASSWORD_MIN_LENGTH&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Password minimum length for `{DOMAIN_NAME}` changed from `{OLD_VALUE}` to
`{NEW_VALUE}`

Primary Admin Change

The previous email address.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=UPDATE_DOMAIN_PRIMARY_ADMIN_EMAIL  
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Primary admin for your organization changed from *{OLD_VALUE}* to
{NEW_VALUE}

Receive Email Notification Setting Change

Event details

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=ENABLE_SERVICE_OR_FEATURE_NOTIFICATIONS
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Receive email notification setting for your organization changed from
{OLD_VALUE} to {NEW_VALUE}

Remove Application 

Event details

Event name

REMOVE_APPLICATION

Admin Console message format

Application `{APPLICATION_NAME}` with id `{APP_ID}` has been removed from the domain

Remove Application from Whitelist

Event details

Event name

REMOVE_APPLICATION_FROM_WHITELIST

Parameters

APP_ID

string

Application ID.

Renew Domain Registration Setting Change

Event details
Event name
CHANGE_RENEW_DOMAIN_REGISTRATION
Parameters
DOMAIN_NAME
string
The primary domain name.
NEW_VALUE
string
The domain's new registration value.
OLD_VALUE

Event details

Event name

CHANGE_RESELLER_ACCESS

Parameters

NEW_VALUE

string

The new SETTING_NAME value that was set during this event.

OLD_VALUE

string

The previous SETTING_NAME value that was replaced during this event.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_RESELLER_ACCESS&maxResults=10
```

The new `SETTING_NAME` value that was set during this event.

`OLD_VALUE`

`string`

The previous `SETTING_NAME` value that was replaced during this event.

`SKU_NAME`

`string`

The SKU name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_RESELLER_ACCESS_FOR_SKU
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=RULE_ACTIONS_CHANGED&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Rule actions for **{RULE_NAME}** changed

Rule Creation

Event details

Event name

CREATE_RULE

Parameters

Event details

Event name

CHANGE_RULE_CRITERIA

Parameters

RULE_NAME

string

The name of the rule.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=CHANGE_RULE_CRITERIA&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format


```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=DELETE_RULE&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Rule **{RULE_NAME}** has been deleted

Rule Rename

Event details

Event name

RENAME_RULE

Parameters

Rule Status Change

Event details
Event name
RULE_STATUS_CHANGED
Parameters
NEW_VALUE
string
The new SETTING_NAME value that was set during this event.
OLD_VALUE
string
The previous SETTING_NAME value that was replaced during this event.

Event details

Event name

ADD_SECONDARY_DOMAIN

Parameters

DOMAIN_NAME

string

The primary domain name.

SECONDARY_DOMAIN_NAME

string

The new additional domain name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=ADD_SECONDARY_DOMAIN&maxResults=10
```

string

The primary domain name.

SECONDARY_DOMAIN_NAME

string

The removed secondary domain name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=REMOVE_SECONDARY_DOMAIN&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

{SECONDARY_DOMAIN_NAME} deleted as a secondary domain of *{DOMAIN_NAME}*

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all  
/applications/admin?eventName=SKIP_SECONDARY_DOMAIN_MX&maxResults=10  
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Skipped MX record setup of secondary domain *{SECONDARY_DOMAIN_NAME}* of
domain *{DOMAIN_NAME}*

Secondary Domain MX Verification

Event details

Event name

Admin Console message format

Verified MX records of secondary domain `{SECONDARY_DOMAIN_NAME}` of domain `{DOMAIN_NAME}`

Secondary Domain Verification

Event details

Event name

VERIFY_SECONDARY_DOMAIN

Parameters

DOMAIN_NAME

string

The primary domain name.

Secondary Email Change

Event details
Event name
UPDATE_DOMAIN_SECONDARY_EMAIL
Parameters
DOMAIN_NAME
string
The primary domain name.
NEW_VALUE
string
The new email address.
OLD_VALUE

Event details

Event name

CHANGE_SSO_SETTINGS

Parameters

DOMAIN_NAME

string

The primary domain name.

Sample request

```
GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_SSO_SETTINGS&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Admin Console message format

Customer support PIN generated

Update rule

Update rule event name.

Event details

Event name

UPDATE_RULE

Parameters

RULE_NAME
string

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see the [Google Developers Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2024-08-21 UTC.

[Blog](#)

[X \(Twitter\)](#)

[Code Samples](#)

[Codelabs](#)

[Videos](#)

[Google Workspace for Developers](#)
[Platform overview](#)
[Developer products](#)
[Developer support](#)

[Tools](#)
[Admin console](#)
[Apps Script Dashboard](#)
[Google Cloud console](#)
[APIs Explorer](#)

[Connect](#)
[Blog](#)
[Newsletter](#)
[X \(Twitter\)](#)
[YouTube](#)

