





Contact Us

Start free

Cloud Data Loss Prevention (Cloud DLP) is now a part of Sensitive Data Protection. The API name remains the same: Cloud Data Loss Prevention API (DLP API). For information about the services that make up Sensitive Data Protection, see [Sensitive Data Protection overview](#).

Sensitive Data Protection > Documentation > Reference

Was this helpful?  

Method: projects.content.reidentify



[Send feedback](#)

On this page

[HTTP request](#)

[Path parameters](#)

[Request body](#)

[Response body](#)

Contact Us

Start free

northamerica-northeast2

northamerica-south1

southamerica-east1

southamerica-west1

us-central1

us-east1

us-east4

us-east5

us-south1

us-west1

us-west2

us-west3

us-west4

us-west8

The URLs use [gRPC Transcoding](#) syntax.

Path parameters

Parameters

parent

string

Contact Us

Start free

```
{
  "reidentifyConfig": {
    object (DeidentifyConfig)
  },
  "inspectConfig": {
    object (InspectConfig)
  },
  "item": {
    object (ContentItem)
  },
  "inspectTemplateName": string,
  "reidentifyTemplateName": string,
  "locationId": string
}
```

Fields

reidentifyConfig

Contact Us

Start free

Template to use. Any configuration directly specified in `inspectConfig` will override those set in the template. Singular fields that are set in this request will replace their corresponding fields in the template. Repeated fields are appended. Singular sub-messages and groups are recursively merged.

reidentifyTemplateName

string

Template to use. References an instance of `DeidentifyTemplate`. Any configuration directly specified in `reidentifyConfig` or `inspectConfig` will override those set in the template. The `DeidentifyTemplate` used must include only reversible transformations. Singular fields that are set in this request will replace their corresponding fields in the template. Repeated fields are appended. Singular sub-messages and groups are recursively merged.

locationId

string

Deprecated. This field has no effect.

Contact Us

Start free

Experiment with authorization and field settings. For help, check the [APIs Explorer documentation](#).

Request parameters

parent

string

[Show standard parameters](#) ▾

Request body

```
{  
  + Add request body parameters  
}
```

For suggestions, press control+space or click one of the blue "add" circles.



[Sign in](#)

[Contact Us](#)

[Start free](#)

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see the [Google Developers Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2024-10-22 UTC.


Why Google	Products and pricing	Solutions	Resources	Engage
Choosing Google Cloud	Google Cloud pricing	Infrastructure modernization	Google Cloud Affiliate Program	Contact sales
Trust and security	Google Workspace pricing	Databases	Google Cloud documentation	Find a Partner
Modern Infrastructure Cloud	See all products	Application modernization	Google Cloud quickstarts	Become a Partner
Multicloud		Smart analytics	Google Cloud Marketplace	Events
Global infrastructure		Artificial Intelligence	Learn about cloud computing	Podcasts
		Security		Developer Center
				Press Corner



[Sign in](#)

[Contact Us](#)

[Start free](#)

 Language ▼

cloud.google.com uses cookies from Google to deliver and enhance the quality of its services and to analyze traffic. [Learn more.](#)