We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. Privacy Statement Third-Party Cookies

Accept   Reject   Manage cookies

Microsoft Ignite

Nov 19–22, 2024

Register now >

Learn

Discover ⌄   Product documentation ⌄   Development languages ⌄   Topics ⌄

Sign in

Windows App Development   Explore ⌄   Development ⌄   Platforms ⌄   Troubleshooting   Resources ⌄   Dashboard

Filter by title

Active Directory Schema
Active Directory Schema Terminology
› Classes
⌄ Attributes
  Attributes
  ⌄ All attributes
    All attributes
    Account-Expires
    Account-Name-History
    ACS-Aggregate-Token-Rate-Per-User
    ACS-Allocable-RSVP-Bandwidth
    ACS-Cache-Timeout
    ACS-Direction
    ACS-DSBM-DeadTime
    ACS-DSBM-Priority
    ACS-DSBM-Refresh
    ACS-Enable-ACS-Service
    ACS-Enable-RSVP-Accounting
    ACS-Enable-RSVP-Message-Logging
    ACS-Event-Log-Level
    ACS-Identity-Name
    ACS-Max-Aggregate-Peak-Rate-Per-User
    ACS-Max-Duration-Per-Flow
    ACS-Maximum-SDU-Size
    ACS-Max-No-Of-Account-Files
    ACS-Max-No-Of-Log-Files
    ACS-Max-Peak-Bandwidth
    ACS-Max-Peak-Bandwidth-Per-Flow
    ACS-Max-Size-Of-RSVP-Account-File
    ACS-Max-Size-Of-RSVP-Log-File
    ACS-Max-Token-Bucket-Per-Flow
    ACS-Max-Token-Rate-Per-Flow
    ACS-Minimum-Delay-Variation
    ACS-Minimum-Latency
    ACS-Minimum-Policed-Size

··· / Security and Identity / Active Directory Schema /

All attributes

Article • 02/10/2023 • 4 contributors

Feedback

The following attributes are defined by Active Directory.

- Account-Expires
- Account-Name-History
- ACS-Aggregate-Token-Rate-Per-User
- ACS-Allocable-RSVP-Bandwidth
- ACS-Cache-Timeout
- ACS-Direction
- ACS-DSBM-DeadTime
- ACS-DSBM-Priority
- ACS-DSBM-Refresh
- ACS-Enable-ACS-Service
- ACS-Enable-RSVP-Accounting
- ACS-Enable-RSVP-Message-Logging
- ACS-Event-Log-Level
- ACS-Identity-Name
- ACS-Max-Aggregate-Peak-Rate-Per-User
- ACS-Max-Duration-Per-Flow
- ACS-Maximum-SDU-Size
- ACS-Max-No-Of-Account-Files
- ACS-Max-No-Of-Log-Files
- ACS-Max-Peak-Bandwidth
- ACS-Max-Peak-Bandwidth-Per-Flow
- ACS-Max-Size-Of-RSVP-Account-File
- ACS-Max-Size-Of-RSVP-Log-File
- ACS-Max-Token-Bucket-Per-Flow
- ACS-Max-Token-Rate-Per-Flow
- ACS-Minimum-Delay-Variation
- ACS-Minimum-Latency
- ACS-Minimum-Policed-Size
- ACS-Non-Reserved-Max-SDU-Size
- ACS-Non-Reserved-Min-Policed-Size
- ACS-Non-Reserved-Peak-Rate
- ACS-Non-Reserved-Token-Size
- ACS-Non-Reserved-Tx-Limit
- ACS-Non-Reserved-Tx-Size

ACS-Non-Reserved-Max-SDU-Size

ACS-Non-Reserved-Min-Policed-Size

ACS-Non-Reserved-Peak-Rate

ACS-Non-Reserved-Token-Size

⊟ Download PDF

- ACS-Permission-Bits
- ACS-Policy-Name
- ACS-Priority
- ACS-RSVP-Account-Files-Location
- ACS-RSVP-Log-Files-Location
- ACS-Server-List
- ACS-Service-Type
- ACS-Time-Of-Day
- ACS-Total-No-Of-Flows
- Additional-Information
- Additional-Trusted-Service-Names
- Address
- Address-Book-Roots
- Address-Book-Roots2
- Address-Entry-Display-Table
- Address-Entry-Display-Table-MSDOS
- Address-Home
- Address-Syntax
- Address-Type
- Admin-Context-Menu
- Admin-Count
- Admin-Description
- Admin-Display-Name
- Admin-Multiselect-Property-Pages
- Admin-Property-Pages
- Allowed-Attributes
- Allowed-Attributes-Effective
- Allowed-Child-Classes
- Allowed-Child-Classes-Effective
- Alt-Security-Identities
- ANR
- Application-Name
- Applies-To
- App-Schema-Version
- Asset-Number
- Assistant
- associatedDomain
- associatedName
- Assoc-NT-Account
- attributeCertificateAttribute
- Attribute-Display-Names
- Attribute-ID
- Attribute-Security-GUID
- Attribute-Syntax
- Attribute-Types
- audio
- Auditing-Policy
- Authentication-Options
- Authority-Revocation-List
- Auxiliary-Class
- Bad-Password-Time
- Bad-Pwd-Count
- Birth-Location
- bootFile
- bootParameter
- Bridgehead-Server-List-BL
- Bridgehead-Transport-List
- buildingName

- Builtin-Creation-Time
- Builtin-Modified-Count
- Business-Category
- Bytes-Per-Minute
- CA-Certificate
- CA-Certificate-DN
- CA-Connect
- Canonical-Name
- Can-Upgrade-Script
- carLicense
- Catalogs
- Categories
- Category-Id
- CA-Usages
- CA-WEB-URL
- Certificate-Authority-Object
- Certificate-Revocation-List
- Certificate-Templates
- Class-Display-Name
- Code-Page
- COM-ClassID
- COM-CLSID
- COM-InterfaceID
- Comment
- Common-Name
- COM-Other-Prog-Id
- Company
- COM-ProgID
- COM-Treat-As-Class-Id
- COM-Typelib-Id
- COM-Unique-LIBID
- Content-Indexing-Allowed
- Context-Menu
- Control-Access-Rights
- Cost
- Country-Code
- Country-Name
- Create-Dialog
- Create-Time-Stamp
- Create-Wizard-Ext
- Creation-Time
- Creation-Wizard
- Creator
- CRL-Object
- CRL-Partitioned-Revocation-List
- Cross-Certificate-Pair
- Current-Location
- Current-Parent-CA
- Current-Value
- Curr-Machine-Id
- DBCS-Pwd
- Default-Class-Store
- Default-Group
- Default-Hiding-Value
- Default-Local-Policy-Object
- Default-Object-Category
- Default-Priority
- Default-Security-Descriptor

- Delta-Revocation-List
- Department
- departmentNumber
- Description
- Desktop-Profile
- Destination-Indicator
- dhcp-Classes
- dhcp-Flags
- dhcp-Identification
- dhcp-Mask
- dhcp-MaxKey
- dhcp-Obj-Description
- dhcp-Obj-Name
- dhcp-Options
- dhcp-Properties
- dhcp-Ranges
- dhcp-Reservations
- dhcp-Servers
- dhcp-Sites
- dhcp-State
- dhcp-Subnets
- dhcp-Type
- dhcp-Unique-Key
- dhcp-Update-Time
- Display-Name
- Display-Name-Printable
- DIT-Content-Rules
- Division
- DMD-Location
- DMD-Name
- DN-Reference-Update
- Dns-Allow-Dynamic
- Dns-Allow-XFR
- DNS-Host-Name
- Dns-Notify-Secondaries
- DNS-Property
- Dns-Record
- Dns-Root
- Dns-Secure-Secondaries
- DNS-Tombstoned
- documentAuthor
- documentIdentifier
- documentLocation
- documentPublisher
- documentTitle
- documentVersion
- Domain-Certificate-Authorities
- Domain-Component
- Domain-Cross-Ref
- Domain-ID
- Domain-Identifier
- Domain-Policy-Object
- Domain-Policy-Reference
- Domain-Replica
- Domain-Wide-Policy
- drink
- Driver-Name
- Driver-Version

- DSA-Signature
- DS-Core-Propagation-Data
- DS-Heuristics
- DS-UI-Admin-Maximum
- DS-UI-Admin-Notification
- DS-UI-Shell-Maximum
- Dynamic-LDAP-Server
- EFSPolicy
- E-mail-Addresses
- Employee-ID
- Employee-Number
- Employee-Type
- Enabled
- Enabled-Connection
- Enrollment-Providers
- Entry-TTL
- Extended-Attribute-Info
- Extended-Chars-Allowed
- Extended-Class-Info
- Extension-Name
- Extra-Columns
- Facsimile-Telephone-Number
- File-Ext-Priority
- Flags
- Flat-Name
- Force-Logoff
- Foreign-Identifier
- Friendly-Names
- From-Entry
- From-Server
- Frs-Computer-Reference
- Frs-Computer-Reference-BL
- FRS-Control-Data-Creation
- FRS-Control-Inbound-Backlog
- FRS-Control-Outbound-Backlog
- FRS-Directory-Filter
- FRS-DS-Poll
- FRS-Extensions
- FRS-Fault-Condition
- FRS-File-Filter
- FRS-Flags
- FRS-Level-Limit
- FRS-Member-Reference
- FRS-Member-Reference-BL
- FRS-Partner-Auth-Level
- FRS-Primary-Member
- FRS-Replica-Set-GUID
- FRS-Replica-Set-Type
- FRS-Root-Path
- FRS-Root-Security
- FRS-Service-Command
- FRS-Service-Command-Status
- FRS-Staging-Path
- FRS-Time-Last-Command
- FRS-Time-Last-Config-Change
- FRS-Update-Timeout
- FRS-Version
- FRS-Version-GUID

- FRS-Working-Path
- FSMO-Role-Owner
- Garbage-Coll-Period
- gecos
- Generated-Connection
- Generation-Qualifier
- gidNumber
- Given-Name
- Global-Address-List
- Global-Address-List2
- Governs-ID
- GPC-File-Sys-Path
- GPC-Functionality-Version
- GPC-Machine-Extension-Names
- GPC-User-Extension-Names
- GPC-WQL-Filter
- GP-Link
- GP-Options
- Group-Attributes
- Group-Membership-SAM
- Group-Priority
- Groups-to-Ignore
- Group-Type
- Has-Master-NCs
- Has-Partial-Replica-NCs
- Help-Data16
- Help-Data32
- Help-File-Name
- Hide-From-AB
- Home-Directory
- Home-Drive
- host
- houseIdentifier
- Icon-Path
- Implemented-Categories
- IndexedScopes
- Initial-Auth-Incoming
- Initial-Auth-Outgoing
- Initials
- Install-Ui-Level
- Instance-Type
- International-ISDN-Number
- Inter-Site-Topology-Failover
- Inter-Site-Topology-Generator
- Inter-Site-Topology-Renew
- Invocation-Id
- ipHostNumber
- ipNetmaskNumber
- ipNetworkNumber
- ipProtocolNumber
- Ipsec-Data
- Ipsec-Data-Type
- Ipsec-Filter-Reference
- Ipsec-ID
- Ipsec-ISAKMP-Reference
- Ipsec-Name
- IPSEC-Negotiation-Policy-Action
- Ipsec-Negotiation-Policy-Reference

- IPSEC-Negotiation-Policy-Type
- Ipsec-NFA-Reference
- Ipsec-Owners-Reference
- Ipsec-Policy-Reference
- ipServicePort
- ipServiceProtocol
- Is-Critical-System-Object
- Is-Defunct
- Is-Deleted
- Is-Ephemeral
- Is-Member-Of-DL
- Is-Member-Of-Partial-Attribute-Set
- Is-Privilege-Holder
- Is-Recycled
- Is-Single-Valued
- jpegPhoto
- Keywords
- Knowledge-Information
- labeledURI
- Last-Backup-Restoration-Time
- Last-Content-Indexed
- Last-Known-Parent
- Last-Logoff
- Last-Logon
- Last-Logon-Timestamp
- Last-Set-Time
- Last-Update-Sequence
- LDAP-Admin-Limits
- LDAP-Display-Name
- LDAP-IPDeny-List
- Legacy-Exchange-DN
- Link-ID
- Link-Track-Secret
- Lm-Pwd-History
- Locale-ID
- Locality-Name
- Localization-Display-Id
- Localized-Description
- Local-Policy-Flags
- Local-Policy-Reference
- Location
- Lockout-Duration
- Lock-Out-Observation-Window
- Lockout-Threshold
- Lockout-Time
- loginShell
- Logo
- Logon-Count
- Logon-Hours
- Logon-Workstation
- LSA-Creation-Time
- LSA-Modified-Count
- macAddress
- Machine-Architecture
- Machine-Password-Change-Interval
- Machine-Role
- Machine-Wide-Policy
- Managed-By

- Managed-Objects
- Manager
- MAPI-ID
- Marshalled-Interface
- Mastered-By
- Max-Pwd-Age
- Max-Renew-Age
- Max-Storage
- Max-Ticket-Age
- May-Contain
- meetingAdvertiseScope
- meetingApplication
- meetingBandwidth
- meetingBlob
- meetingContactInfo
- meetingDescription
- meetingEndTime
- meetingID
- meetingIP
- meetingIsEncrypted
- meetingKeyword
- meetingLanguage
- meetingLocation
- meetingMaxParticipants
- meetingName
- meetingOriginator
- meetingOwner
- meetingProtocol
- meetingRating
- meetingRecurrence
- meetingScope
- meetingStartTime
- meetingType
- meetingURL
- Member
- memberNisNetgroup
- memberUid
- MHS-OR-Address
- Min-Pwd-Age
- Min-Pwd-Length
- Min-Ticket-Age
- Modified-Count
- Modified-Count-At-Last-Prom
- Modify-Time-Stamp
- Moniker
- Moniker-Display-Name
- Move-Tree-State
- ms-Authz-Central-Access-Policy-ID
- ms-Authz-Effective-Security-Policy
- ms-Authz-Last-Effective-Security-Policy
- ms-Authz-Member-Rules-In-Central-Access-Policy
- ms-Authz-Member-Rules-In-Central-Access-Policy-BL
- ms-Authz-Proposed-Security-Policy
- ms-Authz-Resource-Condition
- ms-COM-DefaultPartitionLink
- ms-COM-ObjectId
- ms-COM-PartitionLink
- ms-COM-PartitionSetLink

- ms-COM-UserLink
- ms-COM-UserPartitionSetLink
- Mscope-Id
- ms-DFS-Comment-v2
- ms-DFS-Generation-GUID-v2
- ms-DFS-Last-Modified-v2
- ms-DFS-Link-Identity-GUID-v2
- ms-DFS-Link-Path-v2
- ms-DFS-Link-Security-Descriptor-v2
- ms-DFS-Namespace-Identity-GUID-v2
- ms-DFS-Properties-v2
- ms-DFSR-CachePolicy
- ms-DFSR-CommonStagingPath
- ms-DFSR-CommonStagingSizeInMb
- ms-DFSR-ComputerReference
- ms-DFSR-ComputerReferenceBL
- ms-DFSR-ConflictPath
- ms-DFSR-ConflictSizeInMb
- ms-DFSR-ContentSetGuid
- ms-DFSR-DefaultCompressionExclusionFilter
- ms-DFSR-DeletedPath
- ms-DFSR-DeletedSizeInMb
- ms-DFSR-DfsLinkTarget
- ms-DFSR-DfsPath
- ms-DFSR-DirectoryFilter
- ms-DFSR-DisablePacketPrivacy
- ms-DFSR-Enabled
- ms-DFSR-Extension
- ms-DFSR-FileFilter
- ms-DFSR-Flags
- ms-DFSR-Keywords
- ms-DFSR-MaxAgeInCacheInMin
- ms-DFSR-MemberReference
- ms-DFSR-MemberReferenceBL
- ms-DFSR-MinDurationCacheInMin
- ms-DFSR-OnDemandExclusionDirectoryFilter
- ms-DFSR-OnDemandExclusionFileFilter
- ms-DFSR-Options
- ms-DFSR-Options2
- ms-DFSR-Priority
- ms-DFSR-RdcEnabled
- ms-DFSR-RdcMinFileSizeInKb
- ms-DFSR-ReadOnly
- ms-DFSR-ReplicationGroupGuid
- ms-DFSR-ReplicationGroupType
- ms-DFSR-RootFence
- ms-DFSR-RootPath
- ms-DFSR-RootSizeInMb
- ms-DFSR-Schedule
- ms-DFSR-StagingCleanupTriggerInPercent
- ms-DFSR-StagingPath
- ms-DFSR-StagingSizeInMb
- ms-DFSR-TombstoneExpiryInMin
- ms-DFSR-Version
- ms-DFS-Schema-Major-Version
- ms-DFS-Schema-Minor-Version
- ms-DFS-Short-Name-Link-Path-v2
- ms-DFS-Target-List-v2

- ms-DFS-Ttl-v2
- ms-DNS-DNSKEY-Records
- ms-DNS-DNSKEY-Record-Set-TTL
- ms-DNS-DS-Record-Algorithms
- ms-DNS-DS-Record-Set-TTL
- ms-DNS-Is-Signed
- ms-DNS-Keymaster-Zones
- ms-DNS-Maintain-Trust-Anchor
- ms-DNS-NSEC3-Current-Salt
- ms-DNS-NSEC3-Hash-Algorithm
- ms-DNS-NSEC3-Iterations
- ms-DNS-NSEC3-OptOut
- ms-DNS-NSEC3-Random-Salt-Length
- ms-DNS-NSEC3-User-Salt
- ms-DNS-Parent-Has-Secure-Delegation
- ms-DNS-Propagation-Time
- ms-DNS-RFC5011-Key-Rollovers
- ms-DNS-Secure-Delegation-Polling-Period
- ms-DNS-Signature-Inception-Offset
- ms-DNS-Signing-Key-Descriptors
- ms-DNS-Signing-Keys
- ms-DNS-Sign-With-NSEC3
- MS-DRM-Identity-Certificate
- ms-DS-Additional-Dns-Host-Name
- ms-DS-Additional-Sam-Account-Name
- ms-DS-Allowed-DNS-Suffixes
- ms-DS-Allowed-To-Act-On-Behalf-Of-Other-Identity
- ms-DS-Allowed-To-Delegate-To
- MS-DS-All-Users-Trust-Quota
- ms-DS-Applies-To-Resource-Types
- ms-DS-Approx-Immed-Subordinates
- ms-DS-AuthenticatedAt-DC
- ms-DS-AuthenticatedTo-Accountlist
- ms-DS-Auxiliary-Classes
- ms-DS-Az-Application-Data
- ms-DS-Az-Application-Name
- ms-DS-Az-Application-Version
- ms-DS-Az-Biz-Rule
- ms-DS-Az-Biz-Rule-Language
- ms-DS-Az-Class-ID
- ms-DS-Az-Domain-Timeout
- ms-DS-Az-Generate-Audits
- ms-DS-Az-Generic-Data
- ms-DS-Az-Last-Imported-Biz-Rule-Path
- ms-DS-Az-LDAP-Query
- ms-DS-Az-Major-Version
- ms-DS-Az-Minor-Version
- ms-DS-Az-Object-Guid
- ms-DS-Az-Operation-ID
- ms-DS-Az-Scope-Name
- ms-DS-Az-Script-Engine-Cache-Max
- ms-DS-Az-Script-Timeout
- ms-DS-Az-Task-Is-Role-Definition
- ms-DS-Behavior-Version
- ms-DS-BridgeHead-Servers-Used
- ms-DS-Byte-Array
- ms-DS-Cached-Membership
- ms-DS-Cached-Membership-Time-Stamp

- ms-DS-Claim-Attribute-Source
- ms-DS-Claim-Is-Single-Valued
- ms-DS-Claim-Is-Value-Space-Restricted
- ms-DS-Claim-Possible-Values
- ms-DS-Claim-Shares-Possible-Values-With
- ms-DS-Claim-Shares-Possible-Values-With-BL
- ms-DS-Claim-Source
- ms-DS-Claim-Source-Type
- ms-DS-Claim-Type-Applies-To-Class
- ms-DS-Claim-Value-Type
- MS-DS-Consistency-Child-Count
- MS-DS-Consistency-Guid
- MS-DS-Creator-SID
- ms-DS-Date-Time
- ms-DS-Default-Quota
- ms-DS-Deleted-Object-Lifetime
- ms-DS-Disable-For-Instances
- ms-DS-Disable-For-Instances-BL
- ms-DS-DnsRootAlias
- ms-DS-Egress-Claims-Transformation-Policy
- ms-DS-Enabled-Feature
- ms-DS-Enabled-Feature-BL
- ms-DS-Entry-Time-To-Die
- ms-DS-ExecuteScriptPassword
- ms-DS-External-Key
- ms-DS-External-Store
- ms-DS-Failed-Interactive-Logon-Count
- ms-DS-Failed-Interactive-Logon-Count-At-Last-Successful-Logon
- ms-DS-Filter-Containers
- ms-DS-Generation-Id
- ms-DS-GeoCoordinates-Altitude
- ms-DS-GeoCoordinates-Latitude
- ms-DS-GeoCoordinates-Longitude
- ms-DS-GroupMSAMembership
- ms-DS-HAB-Seniority-Index
- ms-DS-Has-Domain-NCs
- ms-DS-Has-Full-Replica-NCs
- ms-DS-Has-Instantiated-NCs
- ms-DS-Has-Master-NCs
- ms-DS-Host-Service-Account
- ms-DS-Host-Service-Account-BL
- ms-DS-Ingress-Claims-Transformation-Policy
- ms-DS-Integer
- ms-DS-IntId
- ms-DS-Is-Domain-For
- ms-DS-Is-Full-Replica-For
- ms-DS-isGC
- ms-DS-Is-Partial-Replica-For
- ms-DS-Is-Possible-Values-Present
- ms-DS-Is-Primary-Computer-For
- ms-DS-isRODC
- ms-DS-Is-Used-As-Resource-Security-Attribute
- ms-DS-Is-User-Cachable-At-Rodc
- ms-DS-KeyVersionNumber
- ms-DS-KrbTgt-Link
- ms-DS-KrbTgt-Link-BL
- ms-DS-Last-Failed-Interactive-Logon-Time
- ms-DS-Last-Known-RDN

- ms-DS-Last-Successful-Interactive-Logon-Time
- ms-DS-local-Effective-Deletion-Time
- ms-DS-local-Effective-Recycle-Time
- ms-DS-Lockout-Duration
- ms-DS-Lockout-Observation-Window
- ms-DS-Lockout-Threshold
- ms-DS-Logon-Time-Sync-Interval
- MS-DS-Machine-Account-Quota
- ms-DS-ManagedPassword
- ms-DS-ManagedPasswordId
- ms-DS-ManagedPasswordInterval
- ms-DS-ManagedPasswordPreviousId
- ms-DS-Mastered-By
- ms-DS-Maximum-Password-Age
- ms-DS-Max-Values
- ms-DS-Members-For-Az-Role
- ms-DS-Members-For-Az-Role-BL
- ms-DS-Members-Of-Resource-Property-List
- ms-DS-Members-Of-Resource-Property-List-BL
- ms-DS-Minimum-Password-Age
- ms-DS-Minimum-Password-Length
- ms-DS-NC-Repl-Cursors
- ms-DS-NC-Replica-Locations
- ms-DS-NC-Repl-Inbound-Neighbors
- ms-DS-NC-Repl-Outbound-Neighbors
- ms-DS-NC-RO-Replica-Locations
- ms-DS-NC-RO-Replica-Locations-BL
- ms-DS-NC-Type
- ms-DS-Never-Reveal-Group
- ms-DS-Non-Members
- ms-DS-Non-Members-BL
- ms-DS-Non-Security-Group-Extra-Classes
- ms-DS-Object-Reference
- ms-DS-Object-Reference-BL
- ms-DS-OIDToGroup-Link
- ms-DS-OIDToGroup-Link-BL
- ms-DS-Operations-For-Az-Role
- ms-DS-Operations-For-Az-Role-BL
- ms-DS-Operations-For-Az-Task
- ms-DS-Operations-For-Az-Task-BL
- ms-DS-Optional-Feature-Flags
- ms-DS-Optional-Feature-GUID
- ms-DS-Other-Settings
- ms-DS-Password-Complexity-Enabled
- ms-DS-Password-History-Length
- ms-DS-Password-Reversible-Encryption-Enabled
- ms-DS-Password-Settings-Precedence
- MS-DS-Per-User-Trust-Quota
- MS-DS-Per-User-Trust-Tombstones-Quota
- ms-DS-Phonetic-Company-Name
- ms-DS-Phonetic-Department
- ms-DS-Phonetic-Display-Name
- ms-DS-Phonetic-First-Name
- ms-DS-Phonetic-Last-Name
- ms-DS-Port-LDAP
- ms-DS-Port-SSL
- ms-DS-Preferred-GC-Site
- ms-DS-Primary-Computer

- ms-DS-Principal-Name
- ms-DS-Promotion-Settings
- ms-DS-PSO-Applied
- ms-DS-PSO-Applies-To
- ms-DS-Quota-Amount
- ms-DS-Quota-Effective
- ms-DS-Quota-Trustee
- ms-DS-Quota-Used
- ms-DS-Repl-Attribute-Meta-Data
- ms-DS-Repl-Authentication-Mode
- MS-DS-Replicates-NC-Reason
- ms-DS-ReplicationEpoch
- ms-DS-Replication-Notify-First-DSA-Delay
- ms-DS-Replication-Notify-Subsequent-DSA-Delay
- ms-DS-Repl-Value-Meta-Data
- ms-DS-Required-Domain-Behavior-Version
- ms-DS-Required-Forest-Behavior-Version
- ms-DS-Resultant-PSO
- ms-DS-Retired-Repl-NC-Signatures
- ms-DS-Revealed-DSAs
- ms-DS-Revealed-List
- ms-DS-Revealed-List-BL
- ms-DS-Revealed-Users
- ms-DS-Reveal-OnDemand-Group
- ms-ds-Schema-Extensions
- ms-DS-SCP-Container
- ms-DS-SD-Reference-Domain
- ms-DS-Secondary-KrbTgt-Number
- ms-DS-Security-Group-Extra-Classes
- ms-DS-Seniority-Index
- ms-DS-Service-Account
- ms-DS-Service-Account-BL
- ms-DS-Service-Account-DNS-Domain
- ms-DS-Settings
- ms-DS-Site-Affinity
- ms-DS-SiteName
- ms-DS-Source-Object-DN
- ms-DS-SPN-Suffixes
- ms-DS-Supported-Encryption-Types
- ms-DS-Tasks-For-Az-Role
- ms-DS-Tasks-For-Az-Role-BL
- ms-DS-Tasks-For-Az-Task
- ms-DS-Tasks-For-Az-Task-BL
- ms-DS-TDO-Egress-BL
- ms-DS-TDO-Ingress-BL
- ms-DS-Tombstone-Quota-Factor
- ms-DS-Top-Quota-Usage
- ms-DS-Transformation-Rules
- ms-DS-Transformation-Rules-Compiled
- ms-DS-Trust-Forest-Trust-Info
- ms-DS-UpdateScript
- ms-DS-User-Account-Auto-Locked
- ms-DS-User-Account-Control-Computed
- ms-DS-User-Account-Disabled
- ms-DS-User-Dont-Expire-Password
- ms-DS-User-Encrypted-Text-Password-Allowed
- ms-DS-User-Password-Expired
- ms-DS-User-Password-Expiry-Time-Computed

- ms-DS-User-Password-Not-Required
- ms-DS-USN-Last-Sync-Success
- ms-DS-Value-Type-Reference
- ms-DS-Value-Type-Reference-BL
- ms-Exch-Assistant-Name
- ms-Exch-House-Identifier
- ms-Exch-LabeledURI
- ms-Exch-Owner-BL
- ms-FRS-Hub-Member
- ms-FRS-Topology-Pref
- ms-FVE-KeyPackage
- ms-FVE-RecoveryGuid
- ms-FVE-RecoveryPassword
- ms-FVE-VolumeGuid
- ms-ieee-80211-Data
- ms-ieee-80211-Data-Type
- ms-ieee-80211-ID
- Msi-File-List
- ms-IIS-FTP-Dir
- ms-IIS-FTP-Root
- ms-Imaging-Hash-Algorithm
- ms-Imaging-PSP-Identifier
- ms-Imaging-PSP-String
- ms-Imaging-Thumbprint-Hash
- Msi-Script
- Msi-Script-Name
- Msi-Script-Path
- Msi-Script-Size
- ms-Kds-CreateTime
- ms-Kds-DomainID
- ms-Kds-KDF-AlgorithmID
- ms-Kds-KDF-Param
- ms-Kds-PrivateKey-Length
- ms-Kds-PublicKey-Length
- ms-Kds-RootKeyData
- ms-Kds-SecretAgreement-AlgorithmID
- ms-Kds-SecretAgreement-Param
- ms-Kds-UseStartTime
- ms-Kds-Version
- MSMQ-Authenticate
- MSMQ-Base-Priority
- MSMQ-Computer-Type
- MSMQ-Computer-Type-Ex
- MSMQ-Cost
- MSMQ-CSP-Name
- MSMQ-Dependent-Client-Service
- MSMQ-Dependent-Client-Services
- MSMQ-Digests
- MSMQ-Digests-Mig
- MSMQ-Ds-Service
- MSMQ-Ds-Services
- MSMQ-Encrypt-Key
- MSMQ-Foreign
- MSMQ-In-Routing-Servers
- MSMQ-Interval1
- MSMQ-Interval2
- MSMQ-Journal
- MSMQ-Journal-Quota

- MSMQ-Label
- MSMQ-Label-Ex
- MSMQ-Long-Lived
- MSMQ-Migrated
- MSMQ-Multicast-Address
- MSMQ-Name-Style
- MSMQ-Nt4-Flags
- MSMQ-Nt4-Stub
- MSMQ-OS-Type
- MSMQ-Out-Routing-Servers
- MSMQ-Owner-ID
- MSMQ-Prev-Site-Gates
- MSMQ-Privacy-Level
- MSMQ-QM-ID
- MSMQ-Queue-Journal-Quota
- MSMQ-Queue-Name-Ext
- MSMQ-Queue-Quota
- MSMQ-Queue-Type
- MSMQ-Quota
- MSMQ-Recipient-FormatName
- MSMQ-Routing-Service
- MSMQ-Routing-Services
- MSMQ-Secured-Source
- MSMQ-Services
- MSMQ-Service-Type
- MSMQ-Sign-Certificates
- MSMQ-Sign-Certificates-Mig
- MSMQ-Sign-Key
- MSMQ-Site-1
- MSMQ-Site-2
- MSMQ-Site-Foreign
- MSMQ-Site-Gates
- MSMQ-Site-Gates-Mig
- MSMQ-Site-ID
- MSMQ-Site-Name
- MSMQ-Site-Name-Ex
- MSMQ-Sites
- MSMQ-Transactional
- MSMQ-User-Sid
- MSMQ-Version
- ms-net-ieee-80211-GP-PolicyData
- ms-net-ieee-80211-GP-PolicyGUID
- ms-net-ieee-80211-GP-PolicyReserved
- ms-net-ieee-8023-GP-PolicyData
- ms-net-ieee-8023-GP-PolicyGUID
- ms-net-ieee-8023-GP-PolicyReserved
- msNPAllowDialin
- msNPCalledStationID
- msNPCallingStationID
- msNPSavedCallingStationID
- ms-PKI-AccountCredentials
- ms-PKI-Certificate-Application-Policy
- ms-PKI-Certificate-Name-Flag
- ms-PKI-Certificate-Policy
- ms-PKI-Cert-Template-OID
- ms-PKI-Credential-Roaming-Tokens
- ms-PKI-DPAPIMasterKeys
- ms-PKI-Enrollment-Flag

- ms-PKI-Enrollment-Servers
- ms-PKI-Minimal-Key-Size
- ms-PKI-OID-Attribute
- ms-PKI-OID-CPS
- ms-PKI-OID-LocalizedName
- ms-PKI-OID-User-Notice
- ms-PKI-Private-Key-Flag
- ms-PKI-RA-Application-Policies
- ms-PKI-RA-Policies
- ms-PKI-RA-Signature
- ms-PKI-RoamingTimeStamp
- ms-PKI-Site-Name
- ms-PKI-Supersede-Templates
- ms-PKI-Template-Minor-Revision
- ms-PKI-Template-Schema-Version
- msRADIUSCallbackNumber
- ms-RADIUS-FramedInterfaceId
- msRADIUSFramedIPAddress
- ms-RADIUS-FramedIpv6Prefix
- ms-RADIUS-FramedIpv6Route
- msRADIUSFramedRoute
- ms-RADIUS-SavedFramedInterfaceId
- ms-RADIUS-SavedFramedIpv6Prefix
- ms-RADIUS-SavedFramedIpv6Route
- msRADIUSServiceType
- msRASSavedCallbackNumber
- msRASSavedFramedIPAddress
- msRASSavedFramedRoute
- ms-RRAS-Attribute
- ms-RRAS-Vendor-Attribute-Entry
- msSFU-30-Aliases
- msSFU-30-Crypt-Method
- msSFU-30-Domains
- msSFU-30-Field-Separator
- msSFU-30-Intra-Field-Separator
- msSFU-30-Is-Valid-Container
- msSFU-30-Key-Attributes
- msSFU-30-Key-Values
- msSFU-30-Map-Filter
- msSFU-30-Master-Server-Name
- msSFU-30-Max-Gid-Number
- msSFU-30-Max-Uid-Number
- msSFU-30-Name
- msSFU-30-Netgroup-Host-At-Domain
- msSFU-30-Netgroup-User-At-Domain
- msSFU-30-Nis-Domain
- msSFU-30-NSMAP-Field-Position
- msSFU-30-Order-Number
- msSFU-30-Posix-Member
- msSFU-30-Posix-Member-Of
- msSFU-30-Result-Attributes
- msSFU-30-Search-Attributes
- msSFU-30-Search-Container
- msSFU-30-Yp-Servers
- ms-SPP-Config-License
- ms-SPP-Confirmation-Id
- ms-SPP-CSVLK-Partial-Product-Key
- ms-SPP-CSVLK-Pid

- ms-SPP-CSVLK-Sku-Id
- ms-SPP-Installation-Id
- ms-SPP-Issuance-License
- ms-SPP-KMS-Ids
- ms-SPP-Online-License
- ms-SPP-Phone-License
- MS-SQL-Alias
- MS-SQL-AllowAnonymousSubscription
- MS-SQL-AllowImmediateUpdatingSubscription
- MS-SQL-AllowKnownPullSubscription
- MS-SQL-AllowQueuedUpdatingSubscription
- MS-SQL-AllowSnapshotFilesFTPDownloading
- MS-SQL-AppleTalk
- MS-SQL-Applications
- MS-SQL-Build
- MS-SQL-CharacterSet
- MS-SQL-Clustered
- MS-SQL-ConnectionURL
- MS-SQL-Contact
- MS-SQL-CreationDate
- MS-SQL-Database
- MS-SQL-Description
- MS-SQL-GPSHeight
- MS-SQL-GPSLatitude
- MS-SQL-GPSLongitude
- MS-SQL-InformationDirectory
- MS-SQL-InformationURL
- MS-SQL-Keywords
- MS-SQL-Language
- MS-SQL-LastBackupDate
- MS-SQL-LastDiagnosticDate
- MS-SQL-LastUpdatedDate
- MS-SQL-Location
- MS-SQL-Memory
- MS-SQL-MultiProtocol
- MS-SQL-Name
- MS-SQL-NamedPipe
- MS-SQL-PublicationURL
- MS-SQL-Publisher
- MS-SQL-RegisteredOwner
- MS-SQL-ServiceAccount
- MS-SQL-Size
- MS-SQL-SortOrder
- MS-SQL-SPX
- MS-SQL-Status
- MS-SQL-TCPIP
- MS-SQL-ThirdParty
- MS-SQL-Type
- MS-SQL-UnicodeSortOrder
- MS-SQL-Version
- MS-SQL-Vines
- ms-TAPI-Conference-Blob
- ms-TAPI-Ip-Address
- ms-TAPI-Protocol-Id
- ms-TAPI-Unique-Identifier
- ms-TPM-OwnerInformation
- ms-TPM-Owner-Information-Temp
- ms-TPM-Srk-Pub-Thumbprint

- ms-TPM-Tpm-Information-For-Computer
- ms-TPM-Tpm-Information-For-Computer-BL
- ms-TS-Allow-Logon
- ms-TS-Broken-Connection-Action
- ms-TS-Connect-Client-Drives
- ms-TS-Connect-Printer-Drives
- ms-TS-Default-To-Main-Printer
- ms-TS-Endpoint-Data
- ms-TS-Endpoint-Plugin
- ms-TS-Endpoint-Type
- MS-TS-ExpireDate
- MS-TS-ExpireDate2
- MS-TS-ExpireDate3
- MS-TS-ExpireDate4
- ms-TS-Home-Directory
- ms-TS-Home-Drive
- ms-TS-Initial-Program
- MS-TS-LicenseVersion
- MS-TS-LicenseVersion2
- MS-TS-LicenseVersion3
- MS-TS-LicenseVersion4
- MS-TSLS-Property01
- MS-TSLS-Property02
- MS-TS-ManagingLS
- MS-TS-ManagingLS2
- MS-TS-ManagingLS3
- MS-TS-ManagingLS4
- ms-TS-Max-Connection-Time
- ms-TS-Max-Disconnection-Time
- ms-TS-Max-Idle-Time
- ms-TS-Primary-Desktop
- ms-TS-Primary-Desktop-BL
- ms-TS-Profile-Path
- MS-TS-Property01
- MS-TS-Property02
- ms-TS-Reconnection-Action
- ms-TS-Remote-Control
- ms-TS-Secondary-Desktop-BL
- ms-TS-Secondary-Desktops
- ms-TS-Work-Directory
- ms-WMI-Author
- ms-WMI-ChangeDate
- ms-WMI-Class
- ms-WMI-ClassDefinition
- ms-WMI-CreationDate
- ms-WMI-Genus
- ms-WMI-ID
- ms-WMI-int8Default
- ms-WMI-int8Max
- ms-WMI-int8Min
- ms-WMI-int8ValidValues
- ms-WMI-intDefault
- ms-WMI-intFlags1
- ms-WMI-intFlags2
- ms-WMI-intFlags3
- ms-WMI-intFlags4
- ms-WMI-intMax
- ms-WMI-intMin

- ms-WMI-intValidValues
- ms-WMI-Mof
- ms-WMI-Name
- ms-WMI-NormalizedClass
- ms-WMI-Parm1
- ms-WMI-Parm2
- ms-WMI-Parm3
- ms-WMI-Parm4
- ms-WMI-PropertyName
- ms-WMI-Query
- ms-WMI-QueryLanguage
- ms-WMI-ScopeGuid
- ms-WMI-SourceOrganization
- ms-WMI-stringDefault
- ms-WMI-stringValidValues
- ms-WMI-TargetClass
- ms-WMI-TargetNameSpace
- ms-WMI-TargetObject
- ms-WMI-TargetPath
- ms-WMI-TargetType
- Must-Contain
- Name-Service-Flags
- NC-Name
- NETBIOS-Name
- netboot-Allow-New-Clients
- netboot-Answer-Only-Valid-Clients
- netboot-Answer-Requests
- netboot-Current-Client-Count
- Netboot-GUID
- Netboot-Initialization
- netboot-IntelliMirror-OSes
- netboot-Limit-Clients
- netboot-Locally-Installed-OSes
- Netboot-Machine-File-Path
- netboot-Max-Clients
- Netboot-Mirror-Data-File
- netboot-New-Machine-Naming-Policy
- netboot-New-Machine-OU
- netboot-SCP-BL
- netboot-Server
- Netboot-SIF-File
- netboot-Tools
- Network-Address
- Next-Level-Store
- Next-Rid
- nisMapEntry
- nisMapName
- nisNetgroupTriple
- Non-Security-Member
- Non-Security-Member-BL
- Notification-List
- NT-Group-Members
- NT-Mixed-Domain
- Nt-Pwd-History
- NT-Security-Descriptor
- Obj-Dist-Name
- Object-Category
- Object-Class

- Object-Class-Category
- Object-Classes
- Object-Count
- Object-Guid
- Object-Sid
- Object-Version
- OEM-Information
- OM-Object-Class
- OM-Syntax
- OMT-Guid
- OMT-Indx-Guid
- oncRpcNumber
- Operating-System
- Operating-System-Hotfix
- Operating-System-Service-Pack
- Operating-System-Version
- Operator-Count
- Option-Description
- Options
- Options-Location
- organizationalStatus
- Organizational-Unit-Name
- Organization-Name
- Original-Display-Table
- Original-Display-Table-MSDOS
- Other-Login-Workstations
- Other-Mailbox
- Other-Name
- Other-Well-Known-Objects
- Owner
- Package-Flags
- Package-Name
- Package-Type
- Parent-CA
- Parent-CA-Certificate-Chain
- Parent-GUID
- Partial-Attribute-Deletion-List
- Partial-Attribute-Set
- Pek-Key-Change-Interval
- Pek-List
- Pending-CA-Certificates
- Pending-Parent-CA
- Per-Msg-Dialog-Display-Table
- Per-Recip-Dialog-Display-Table
- Personal-Title
- Phone-Fax-Other
- Phone-Home-Other
- Phone-Home-Primary
- Phone-Ip-Other
- Phone-Ip-Primary
- Phone-ISDN-Primary
- Phone-Mobile-Other
- Phone-Mobile-Primary
- Phone-Office-Other
- Phone-Pager-Other
- Phone-Pager-Primary
- photo
- Physical-Delivery-Office-Name

- Physical-Location-Object
- Picture
- PKI-Critical-Extensions
- PKI-Default-CSPs
- PKI-Default-Key-Spec
- PKI-Enrollment-Access
- PKI-Expiration-Period
- PKI-Extended-Key-Usage
- PKI-Key-Usage
- PKI-Max-Issuing-Depth
- PKI-Overlap-Period
- PKT
- PKT-Guid
- Policy-Replication-Flags
- Port-Name
- Possible-Inferiors
- Poss-Superiors
- Postal-Address
- Postal-Code
- Post-Office-Box
- Preferred-Delivery-Method
- preferredLanguage
- Preferred-OU
- Prefix-Map
- Presentation-Address
- Previous-CA-Certificates
- Previous-Parent-CA
- Primary-Group-ID
- Primary-Group-Token
- Print-Attributes
- Print-Bin-Names
- Print-Collate
- Print-Color
- Print-Duplex-Supported
- Print-End-Time
- Printer-Name
- Print-Form-Name
- Print-Keep-Printed-Jobs
- Print-Language
- Print-MAC-Address
- Print-Max-Copies
- Print-Max-Resolution-Supported
- Print-Max-X-Extent
- Print-Max-Y-Extent
- Print-Media-Ready
- Print-Media-Supported
- Print-Memory
- Print-Min-X-Extent
- Print-Min-Y-Extent
- Print-Network-Address
- Print-Notify
- Print-Number-Up
- Print-Orientations-Supported
- Print-Owner
- Print-Pages-Per-Minute
- Print-Rate
- Print-Rate-Unit
- Print-Separator-File

- Print-Share-Name
- Print-Spooling
- Print-Stapling-Supported
- Print-Start-Time
- Print-Status
- Priority
- Prior-Set-Time
- Prior-Value
- Private-Key
- Privilege-Attributes
- Privilege-Display-Name
- Privilege-Holder
- Privilege-Value
- Product-Code
- Profile-Path
- Proxied-Object-Name
- Proxy-Addresses
- Proxy-Generation-Enabled
- Proxy-Lifetime
- Public-Key-Policy
- Purported-Search
- Pwd-History-Length
- Pwd-Last-Set
- Pwd-Properties
- Quality-Of-Service
- Query-Filter
- QueryPoint
- Query-Policy-BL
- Query-Policy-Object
- Range-Lower
- Range-Upper
- RDN
- RDN-Att-ID
- Registered-Address
- Remote-Server-Name
- Remote-Source
- Remote-Source-Type
- Remote-Storage-GUID
- Replica-Source
- Repl-Interval
- Repl-Property-Meta-Data
- Repl-Topology-Stay-Of-Execution
- Repl-UpToDate-Vector
- Reports
- Reps-From
- Reps-To
- Required-Categories
- Retired-Repl-DSA-Signatures
- Revision
- Rid
- RID-Allocation-Pool
- RID-Available-Pool
- RID-Manager-Reference
- RID-Next-RID
- RID-Previous-Allocation-Pool
- RID-Set-References
- RID-Used-Pool
- Rights-Guid

- Role-Occupant
- roomNumber
- Root-Trust
- rpc-Ns-Annotation
- rpc-Ns-Bindings
- rpc-Ns-Codeset
- rpc-Ns-Entry-Flags
- rpc-Ns-Group
- rpc-Ns-Interface-ID
- rpc-Ns-Object-ID
- rpc-Ns-Priority
- rpc-Ns-Profile-Entry
- rpc-Ns-Transfer-Syntax
- SAM-Account-Name
- SAM-Account-Type
- SAM-Domain-Updates
- Schedule
- Schema-Flags-Ex
- Schema-ID-GUID
- Schema-Info
- Schema-Update
- Schema-Version
- Scope-Flags
- Script-Path
- SD-Rights-Effective
- Search-Flags
- Search-Guide
- secretary
- Security-Identifier
- See-Also
- Seq-Notification
- Serial-Number
- Server-Name
- Server-Reference
- Server-Reference-BL
- Server-Role
- Server-State
- Service-Binding-Information
- Service-Class-ID
- Service-Class-Info
- Service-Class-Name
- Service-DNS-Name
- Service-DNS-Name-Type
- Service-Instance-Version
- Service-Principal-Name
- Setup-Command
- shadowExpire
- shadowFlag
- shadowInactive
- shadowLastChange
- shadowMax
- shadowMin
- shadowWarning
- Shell-Context-Menu
- Shell-Property-Pages
- Short-Server-Name
- Show-In-Address-Book
- Show-In-Advanced-View-Only

- SID-History
- Signature-Algorithms
- Site-GUID
- Site-Link-List
- Site-List
- Site-Object
- Site-Object-BL
- Site-Server
- SMTP-Mail-Address
- SPN-Mappings
- State-Or-Province-Name
- Street-Address
- Structural-Object-Class
- Sub-Class-Of
- Sub-Refs
- SubSchemaSubEntry
- Superior-DNS-Root
- Super-Scope-Description
- Super-Scopes
- Supplemental-Credentials
- Supported-Application-Context
- Surname
- Sync-Attributes
- Sync-Membership
- Sync-With-Object
- Sync-With-SID
- System-Auxiliary-Class
- System-Flags
- System-May-Contain
- System-Must-Contain
- System-Only
- System-Poss-Superiors
- Telephone-Number
- Teletex-Terminal-Identifier
- Telex-Number
- Telex-Primary
- Template-Roots
- Template-Roots2
- Terminal-Server
- Text-Country
- Text-Encoded-OR-Address
- Time-Refresh
- Time-Vol-Change
- Title
- Token-Groups
- Token-Groups-Global-And-Universal
- Token-Groups-No-GC-Acceptable
- Tombstone-Lifetime
- Transport-Address-Attribute
- Transport-DLL-Name
- Transport-Type
- Treat-As-Leaf
- Tree-Name
- Trust-Attributes
- Trust-Auth-Incoming
- Trust-Auth-Outgoing
- Trust-Direction
- Trust-Parent

- Trust-Partner
- Trust-Posix-Offset
- Trust-Type
- UAS-Compat
- uid
- uidNumber
- UNC-Name
- Unicode-Pwd
- uniqueIdentifier
- uniqueMember
- unixHomeDirectory
- unixUserPassword
- unstructuredAddress
- unstructuredName
- Upgrade-Product-Code
- UPN-Suffixes
- User-Account-Control
- User-Cert
- userClass
- User-Comment
- User-Parameters
- User-Password
- userPKCS12
- User-Principal-Name
- User-Shared-Folder
- User-Shared-Folder-Other
- User-SMIME-Certificate
- User-Workstations
- USN-Changed
- USN-Created
- USN-DSA-Last-Obj-Removed
- USN-Intersite
- USN-Last-Obj-Rem
- USN-Source
- Valid-Accesses
- Vendor
- Version-Number
- Version-Number-Hi
- Version-Number-Lo
- Vol-Table-GUID
- Vol-Table-Idx-GUID
- Volume-Count
- Wbem-Path
- Well-Known-Objects
- When-Changed
- When-Created
- Winsock-Addresses
- WWW-Home-Page
- WWW-Page-Other
- X121-Address
- x500uniqueIdentifier
- X509-Cert

Feedback

Was this page helpful? 👍 Yes   👎 No

Provide product feedback ⧉ | Get help at Microsoft Q&A

Additional resources

⬡ Training

Module

Introduction to AD DS - Training

Introduction to AD DS

Certification

Microsoft Certified: Identity and Access Administrator Associate - Certifications

Demonstrate the features of Microsoft Entra ID to modernize identity solutions, implement hybrid solutions, and implement identity governance.

🗓 Events

Nov 20, 12 AM - Nov 22, 12 AM

Gain the competitive edge you need with powerful AI and Cloud solutions by attending Microsoft Ignite online.

Register now