



We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. [Privacy Statement](#) [Third-Party Cookies](#)

Accept

Reject

Manage cookies



rundll32

Article • 02/03/2023 • 8 contributors

Feedback

In this article

[Syntax](#)

[Remarks](#)

[Related links](#)


Loads and runs 32-bit dynamic-link libraries (DLLs). There are no configurable settings for Rundll32. Help information is provided for a specific DLL you run with the **rundll32** command.

You must run the **rundll32** command from an elevated command prompt. To open an elevated command prompt, click **Start**, right-click **Command Prompt**, and then click **Run as administrator**.

Syntax

```
rundll32 <DLLname>
```

Parameters

 Expand table

Parameter	Description
Rundll32 printui.dll,PrintUIEntry	Displays the printer user interface.

Remarks

Rundll32 can only call functions from a DLL explicitly written to be called by Rundll32.

Related links


- [Command-Line Syntax Key](#)

Feedback



Was this page helpful?

 Yes

 No

 English (United States)

 Your Privacy Choices


 Theme 

[Manage cookies](#)


[Previous Versions](#)

[Blog](#) 

[Contribute](#)

[Privacy](#) 

[Terms of Use](#)

[Trademarks](#) 

© Microsoft 2024