HOME ABOUT GITHUB TWITTER

# BOHOPS

A blog about cybersecurity research, education, and news

WRITTEN BY BOHOPS
NOVEMBER 2, 2020

EXPLORING THE WDAC MICROSOFT RECOMMENDED BLOCK RULES (PART II): WFC.EXE, FSI.EXE, AND FSIANYCPU.EXE

#### QUICK LINKS

- Leveraging INF-SCT Fetch & Execute Techniques For Bypass, Evasion, & Persistence (Part 2)
- Abusing .NET Core CLR
   Diagnostic Features (+ CVE-2023-33127)

#### INTRODUCTION

In Part **One**, I blogged about VisualUiaVerifyNative.exe, a LOLBIN that could be used to bypass Windows Defender Application Control (WDAC)/Device Guard. The technique used for circumventing WDAC was originally discovered by **Lee Christensen**, however, it was not

- Abusing the COM Registry Structure (Part 2): Hijacking & Loading Techniques
- Leveraging INF-SCT Fetch & Execute Techniques For Bypass, Evasion, & Persistence
- Abusing the COM Registry Structure: CLSID, LocalServer32, & InprocServer32
- WS-Management COM:
   Another Approach for
   WinRM Lateral Movement
- Analyzing and Detecting a VMTools Persistence Technique
- Investigating .NET CLR
   Usage Log Tampering
   Techniques For EDR
   Evasion (Part 2)
- Executing Commands and Bypassing AppLocker with PowerShell Diagnostic Scripts
- Vshadow: Abusing the Volume Shadow Service for Evasion, Persistence, and Active Directory Database Extraction

previously disclosed like a handful of others on the Microsoft Recommended Block Rules **list**.

If you are familiar with WDAC, you likely have come across the recommended block rules page at some point and have noticed the interesting list of binaries, libraries, and the XML formatted WDAC block rules policy. Microsoft recommends merging the block rule policy with your existing policy if your IT organization uses WDAC for application control. This is necessary to account for bypass enablers and techniques that are not formally serviced.

In attempt to unravel the mysteries behind the lesser known techniques of the 'blocked' LOLBINs and further populate the **Ultimate WDAC Bypass List**, we'll explore **wfc.exe**, **fsi.exe**, and **fsianycpu.exe** in this quick blog post. Although these LOLBINs are mitigated when the WDAC Recommended Block Rules policy is (merged and) enforced, there still may be other utility such as EDR evasion and application control bypass if WDAC block rules are not enforced.

#### **WDAC CONFIGURATION**

For ease, we leverage the same WDAC configuration from the previous post. Instructions for setting up the enforce Code Integrity (UMCI) policy at the PCA certificate level can be found **here**. Since we are examining previously discovered techniques, we must **not** merge the Block Rules policy (as stated in the directions) else the LOLBINs will be mitigated:-).

After setting up our policy, rebooting, and logging in (as a low privileged user), we validate whether the policy is enforced by checking the results from MSInfo32.exe:

With a quick test to validate the WDAC policy, we can see that our attempt to run a VBscript with COM object instantiation fails due to Code Integrity policy enforcement:

```
C:\Users\lowpriv\Desktop>cscript start_np.vbs
Microsoft (R) Windows Script Host Version 5.812
Copyright (C) Microsoft Corporation. All rights reserved.
C:\Users\lowpriv\Desktop\start_np.vbs(2, 1) Microsoft VBScript runtime error: ActiveX compon ent can't create object: 'Wscript.Shell'
```

Now, let's take a quick look at a few interesting LOLBIN bypass enablers...

#### WFC.EXE APPLICATION CONTROL BYPASS

**Wfc.exe** is the *Workflow Command-line Compiler Tool* and is included with the Windows Software Development Kit (SDK). Like many other Microsoft LOLBINs on the block list, wfc.exe is Microsoft signed since it is not native to the OS:

Exploring the WDAC	C Microsoft Recomm	ended Block Rules	(Part II): Wfc.exe,	Fsi.exe, and	FsiAnyCpu.exe -	bohops
- 31/10/2024 18:01 ht	tps://bohops.com/2020	0/11/02/exploring-the-	wdac-microsoft-re	commended-b	olock-rules-part-ii-v	vfc-fsi/

So, you may be thinking that the "workflow compiler" sounds very familiar. You may recall Matt Graeber's excellent research and write-up for a WDAC arbitrary code execution bypass for **Microsoft.Workflow.Compiler.exe**. Wfc.exe is actually the predecessor to the modern workflow compiler and was added to the block list at the same time.

Like the Microsoft.Workflow.Compiler.exe, wfc.exe has a library dependency on System.Workflow.ComponentModel.dll for compilation functionality. As Matt points out in his post, System.Workflow.ComponentModel.Compiler.WorkflowCompilerInternal.Compiler.alls the GenerateLocalAssembly() which eventually calls Assembly.Load() in the call chain for arbitrary code execution:

#### **CODE SNIPPET MADE POSSIBLY BY DNSPY**

Wfc.exe has numerous command line and compiler options. However, all we need to supply is a XOML file that contains our embedded .NET code and constructor. For our proof-of-concept, we'll leverage Matt's *test.xoml* file:

After launching wfc.exe, we can see that the .NET C# code is executed under the enforced WDAC policy:

```
wfc.exe c:\path\to\test.xoml
```

In Procmon, we can see that the C# code is compiled with the CSharp compiler then executed by wfc.exe:

## FSI.EXE/FSIANYCPU.EXE APPLICATION CONTROL BYPASS

Fsi.exe and fsianycpu.exe are FSharp (F#) interpreters. These Microsoft signed binaries are included with Visual Studio and execute FSharp scripts via interactive command line or through scripts (with .fsx or .fsscript extensions). Fsi.exe executes in a 64-bit context. Fsianycpu.exe uses "the machine architecture to determine whether to run as a 32-bit or 64-bit process" (Microsoft Docs).

The original execution capability is demonstrated by **Nick Tyrer** in this **tweet** with this F# **script**. Under an enforced WDAC policy, the F# script invokes the *Get-Process* cmdlet via unmanaged PowerShell:

```
fsi.exe c:\path\to\test.fsscript
fsianycpu.exe c:\path\to\test.fsscript
```

```
c:\Program Files (x86)\Microsoft Visual Studio\2019\Community\Common7\IDE\CommonExte
sions\Microsoft\FSharp>fsianycpu.exe c:\test\test.fsscript
ApplicationFrameHost
audiodg
                             test.fsscript - Notepad
browser_broker
                            File Edit Format View Help
conhost
                            #r @"C:\Windows\Microsoft.NET\assembly\GAC_MSIL\System.Management
csrss
csrss
                            open System.Management.Automation
csrss
ctfmon
                            open System.Management.Automation.Runspaces
                            open System
dllhost
dllhost
                            let runSpace = RunspaceFactorv.CreateRunspace()
                            runSpace.Open()
explorer
fontdrvhost
                            let pipeline = runSpace.CreatePipeline()
fontdrvhost
                            let getProcess = new Command("Get-Process")
fontdrvhost
                            pipeline.Commands.Add(getProcess)
fsiAnyCpu
Idle
LogonUI
                            let output = pipeline.Invoke()
Memory Compression
MicrosoftEdge
                            for psObject in output do
                            psObject.Properties.Item("ProcessName").Value.ToString()
                            > printfn "%s"
```

...and that's it! Let's take a look at a few defensive recommendations...

#### **DEFENSIVE CONSIDERATIONS**

- If you deploy WDAC within your environment, consider merging the block rules with your current WDAC policy (or block the LOLBINs with another Application Control solution). If you prefer to go the EDR route, consider integrating analytics/queries to observe blocklist LOLBIN behavior. Additionally, monitor for .NET compiler usage such as *csc.exe* and *cvtres.exe*.
- If enforcement policies are not ideal for your environment, consider using the audit mode features of WDAC (or another Application Control solution) as a source for additional telemetry.
- As Matt Graeber covers in his blog post and subsequent work with ETW, the need (and accessibility) for optics in .NET are crucial, especially for risky primitives. In a recent **post**, we demonstrated the ability to collect *Assembly.Load()* events with a proof-of-concept ETW monitor. The ability to collect, process, and evaluate suspicious .NET events at an enterprise scale should be in reach for capable vendors.

 For a more interesting overview of Application Control solutions (including WDAC) and links to other great researcher resources, refer to this post.

### **CONCLUSION**

Thanks for taking the time to read this post. Keep an eye out for Part III of this series in the near future!

~ Bohops

SHARE THIS:

Twitter

Facebook

Loading...

PREVIOUS POST

**NEXT POST** 

Blog at WordPress.com.