

Learn

Discover V Product documentation V Development languages V Topics V

Q Sign in

 \oplus

X

① We're no longer updating this content regularly. Check the Microsoft Product Lifecycle for information about how this product, service, technology, or API is supported.

Recommended Version



Schtasks

> Scwcmd

> Secedit

Serverceipoptin

Servermanagercmd

Serverweroptin

Set

Setlocal

Setspn

Setx

Sfc

Shadow

Shift

Showmount

Shutdown

Sort

Start

> Storrept

Subst

Sxstrace Sysocmgr

Systeminfo

Takeown

Tapicfg

Taskkill **Tasklist**

Tcmsetup

> Telnet

Tftp

Time

Timeout

Title

Tlntadmn

Tpmvscmgr Tpmvscmgr

Tracerpt

Tracert

Tree

Tscon

Tsdiscon

Tsecimp

··· / Management and Tools / Command-Line Reference / Sc /

Sc stop

Article • 08/31/2016

In this article

Syntax

Parameters

Remarks **Examples**

Additional references

Applies To: Windows Server 2003, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2003 with SP2, Windows Server 2003 R2, Windows Server 2008 R2, Windows Server 2012, Windows Server 2003 with SP1, Windows 8

Sends a STOP control request to a service.

Incorrectly editing the registry may severely damage your system. Before making changes to the registry, you should back up any valued data on the computer.

For examples of how to use this command, see Examples.

Syntax

Copy sc [<ServerName>] stop <ServiceName>

Parameters

Expand table

Parameter	Description
<servername></servername>	Specifies the name of the remote server on which the service is located. The name must use the Universal Naming Convention (UNC) format (for example, \myserver). To run SC.exe locally, omit this parameter.
<servicename></servicename>	Specifies the service name returned by the getkeyname operation.
/?	Displays help at the command prompt.

Remarks

Not all services can be stopped.

Examples

To stop the TAPISRV service, type:



Additional references

Command-Line Syntax Key

