
Development languages ∨



Download PDF

Learn / Windows /

install command (winget)

Article • 07/31/2024 • 8 contributors

Feedback

Expand table

Sign in

In this article

Usage **Aliases** Arguments

Options


Show 4 more

The install command of the winget tool installs the specified application. Use the search command to identify the application you want to install.

The install command requires that you specify the exact string to install. If there is any ambiguity, you will be prompted to further filter the install command to an exact application.

Usage

winget install [[-q] <query> ...] [<options>]



Aliases

The following aliases are available for this command:

add

Arguments

The following arguments are available.

Description **Argument** -q,--query The query used to search for an app.

① Note

The query argument is positional. Wild-card style syntax is not supported. This is most often the string of characters you expect to uniquely identify the package you wish to install.

Options

The options allow you to customize the install experience to meet your needs.

Expand table

	Expand table
Option	Description
-m,manifest	Must be followed by the path to the manifest (YAML) file. You can use the manifest to run the install experience from a local YAML file.
id	Limits the install to the ID of the application.
name	Limits the search to the name of the application.
moniker	Limits the search to the moniker listed for the application.
-v,version	Enables you to specify an exact version to install. If not specified, latest will install the highest versioned application.
-s,source	Restricts the search to the source name provided. Must be followed by the source name.
scope	Allows you to specify if the installer should target user or machine scope. See known issues relating to package installation scope.
-a,architecture	Select the architecture to install.
installer-type	Select the installer type to install. See supported installer types for WinGet client.
-e,exact	Uses the exact string in the query, including checking for case-sensitivity. It will not use the default behavior of a substring.
-i,interactive	Runs the installer in interactive mode. The default experience shows installer progress.
-h,silent	Runs the installer in silent mode. This suppresses all UI. The default experience shows installer progress.
locale	Specifies which locale to use (BCP47 format).
-o,log	Directs the logging to a log file. You must provide a path to a file that you have the write rights to.
custom	Arguments to be passed on to the installer in addition to the defaults.
override	A string that will be passed directly to the installer.
-l,location	Location to install to (if supported).
ignore-security-hash	Ignore the installer hash check failure. Not recommended.
allow-reboot	Allows a reboot if applicable.
skip-dependencies	Skips processing package dependencies and Windows features.
ignore-local-archive- malware-scan	Ignore the malware scan performed as part of installing an archive type package from local manifest.
dependency-source	Find package dependencies using the specified source.
accept-package- agreements	Used to accept the license agreement, and avoid the prompt.
no-upgrade	Skips upgrade if an installed version already exists.
header	Optional Windows-Package-Manager REST source HTTP header.
authentication-mode	Specify authentication window preference (silent, silentPreferred or interactive).
authentication-account	Specify the account to be used for authentication.
accept-source-agreements	Used to accept the source license agreement, and avoid the prompt.
-r,rename	The value to rename the executable file (portable).
uninstall-previous	Uninstall the previous version of the package during upgrade.
force	Direct run the command and continue with non security related issues.

-?,help	Get additional help on this command.
wait	Prompts the user to press any key before exiting.
logs,open-logs	Open the default logs location.
verbose,verbose-logs	Used to override the logging setting and create a verbose log.
nowarn,ignore-warnings	Suppresses warning outputs.
disable-interactivity	Disable interactive prompts.
proxy	Set a proxy to use for this execution.
no-proxy	Disable the use of proxy for this execution.

Example queries

The following example installs a specific version of an application.

```
CMD © Copy
winget install powertoys --version 0.15.2
```

The following example installs an application from its ID.

```
CMD Copy
winget install --id Microsoft.PowerToys
```

The following example installs an application by version and ID.

```
CMD © Copy
winget install --id Microsoft.PowerToys --version 0.15.2
```

Multiple selections

If the query provided to **winget** does not result in a single application, then **winget** will display the results of the search. This will provide you with the additional data necessary to refine the search for a correct install.

The best way to limit the selection to one file is to use the **id** of the application combined with the **exact** query option. For example:

```
CMD Copy
winget install --id Git.Git -e
```

If multiple sources are configured, it is possible to have duplicate entries. Specifying a source is required to further disambiguate.

```
CMD Proposition Copy winget install --id Git.Git -e --source winget
```

The **msstore** source uses unique identifiers as the "ld" for packages. These do not require the **exact** query toption. For example:

```
CMD Copy
winget install XP9KHM4BK9FZ7Q -s msstore
```

Local install

The manifest option enables you to install an application by passing in a YAML file directly to the client. If the manifest is a multi-file manifest, the directory containing the files must be used. The manifest option has the following usage.

Usage: winget install --manifest \<path>

Expand table

Option	Description
-m,manifest	The path to the manifests of the application to install.

① Note

Installing packages from local manifest files may have risks. As an extra measure of precaution this feature needs to be enabled by an administrator. To enable this feature run winget settings -- enable LocalManifestFiles. To disable this feature run winget settings --disable LocalManifestFiles.

Log files

The log files for winget unless redirected, will be located in the following folder: %temp%\AICLI*.log

License Agreements

Some applications when installed will require the user to agree to the license or other agreements before installing. When this occurs, the Windows Package Manager will prompt the user to agree to the agreements. If the user does not agree, the application will not install.

```
winget install contoso -s msstore
Contoso Demo [9AAAAAAAAAA] Version Unknown
This package is provided through Microsoft Store. winget may need to acquire the package from Microsoft Store on behalf of the current user.
Version: Unknown
Publisher: Contoso ltd.
Publisher Support Url: mailto:support@contoso.com
Description: This app is designed to show how to present a user agreement to the user.
License: ms-windows-store://pdp/?ProductId=9AAAAAAAAAA
Privacy Url: http://contoso.com/privacy
Agreements:
Category: Business
Pricing: Free
Free Trial: No
Terms of Transaction: https://aka.ms/microsoft-store-terms-of-transaction
Seizure Warning: https://aka.ms/microsoft-store-terms-of
The publisher requires that you view the above information and accept the agreements before installing.
Do you agree to the terms?
[Y] Yes [N] No:
```

From the command line, you can auto accept the agreements by passing the following option --accept-package-agreements on the command line. This can be beneficial when scripting the Windows Package Manager.

Related topics

• Use the winget tool to install and manage applications



The source for this content can be found on GitHub, where you can also create and review issues and pull requests. For more information, see our contributor guide.



Windows developer feedback

Windows developer is an open source project. Select a link to provide feedback:

Ö Open a documentation issue

Provide product feedback

Additional resources

∞ Training

Module

Explore the Windows Package Manager tool - Training

Streamline the installation and maintenance of software on your computer by using Windows Package Manager. Explain the front-end components and commands, the Windows Package Manager repository, and how to contribute to the repository.

 Events

Nov 20, 12 AM - Nov 22, 12 AM

Gain the competitive edge you need with powerful AI and Cloud solutions by attending Microsoft Ignite online. Register now

⑤ English (United States)
✓ Your Privacy Choices

 ★ Theme ✓

Manage cookies Previous Versions Blog ☑ Contribute Privacy ☑ Terms of Use Trademarks ☑ © Microsoft 2024