

 Filter by title

- WindowsLogon
- WindowsPowerShell
- WindowsSandbox
- WirelessDisplay
- > AccountManagement
- > Accounts
- > ActiveSync
- > AllJoynManagement
- APPLICATION
- > ApplicationControl
- > AppLocker
- > AssignedAccess
- > BitLocker
- CellularSettings
- > CertificateStore
- > CleanPC
- > ClientCertificateInstall
- > CloudDesktop
- CM_CellularEntries
- CMPolicy
- > CMPolicyEnterprise
- > CustomDeviceUI
- > DeclaredConfiguration
- > Defender
- > DevDetail
- > DeveloperSetup
- > DeviceLock
- > DeviceManageability
- > DevicePreparation
- > DeviceStatus
- > DevInfo
- > DiagnosticLog
- > DMAcc
- > DMClient
- > DMSessionActions
- > DynamicManagement
- > EMAIL2
- > EnrollmentStatusTracking
- > EnterpriseAPN
- > EnterpriseAppVMManagement
- > EnterpriseDataProtection
- > EnterpriseDesktopAppManagement
- > EnterpriseModernAppManagement

 **Download PDF**

[Learn](#) / [Windows](#) / [Client management](#) /

Policy CSP - WindowsAI

Article • 09/30/2024 • 3 contributors

 [Feedback](#)

In this article

- [DisableAIDataAnalysis](#)
- [DisableCocreator](#)
- [DisableImageCreator](#)
- [SetCopilotHardwareKey](#)

[Show 2 more](#)












Important

This CSP contains some settings that are under development and only applicable for [Windows Insider Preview builds](#). These settings are subject to change and may have dependencies on other features or services in preview.

DisableAIDataAnalysis

 [Expand table](#)

Scope	Editions	Applicable OS
<div><div> Device</div><div> User</div></div>	<div><div> Pro</div><div> Enterprise</div><div> Education</div><div> Windows SE</div><div> IoT Enterprise / IoT Enterprise LTSC</div></div>	<div><div> Windows 11, version 24H2 [10.0.26100] and later</div></div>

User	 Copy
./User/Vendor/MSFT/Policy/Config/WindowsAI/DisableAIDataAnalysis	

This policy setting allows you to control whether Windows saves snapshots of the screen and analyzes the user's activity on their device.


- If you enable this policy setting, Windows won't be able to save snapshots and users won't be able to search for or browse through their historical device activity using Recall.
- If you disable or don't configure this policy setting, Windows will save snapshots of the screen and users will be able to search for or browse through a timeline of their past activities using Recall.

Description framework properties:

 [Expand table](#)

Property name	Property value
Format	<code>int</code>
Access Type	Add, Delete, Get, Replace
Default Value	0

Allowed values:

 [Expand table](#)

Value	Description
0 (Default)	Enable Saving Snapshots for Windows.
1	Disable Saving Snapshots for Windows.

Group policy mapping:


 Expand table

Name	Value
Name	DisableAIDataAnalysis
Friendly Name	Turn off Saving Snapshots for Windows
Location	User Configuration
Path	Windows Components > Windows AI
Registry Key Name	SOFTWARE\Policies\Microsoft\Windows\WindowsAI
Registry Value Name	DisableAIDataAnalysis
ADMX File Name	WindowsCopilot.admx

DisableCocreator

 Expand table

Scope	Editions	Applicable OS
<div><div><input checked="" type="checkbox"/> Device</div><div><input checked="" type="checkbox"/> User</div></div>	<div><div><input checked="" type="checkbox"/> Pro</div><div><input checked="" type="checkbox"/> Enterprise</div><div><input checked="" type="checkbox"/> Education</div><div><input checked="" type="checkbox"/> Windows SE</div><div><input checked="" type="checkbox"/> IoT Enterprise / IoT Enterprise LTSC</div></div>	<div><div><input checked="" type="checkbox"/> Windows Insider Preview</div></div>

Device	 Copy
./Device/Vendor/MSFT/Policy/Config/WindowsAI/DisableCocreator	

This policy setting allows you to control whether Cocreator functionality is disabled in the Windows Paint app.

- If this policy is enabled, Cocreator functionality won't be accessible in the Paint app.
- If this policy is disabled or not configured, users will be able to access Cocreator functionality.

Description framework properties:

 Expand table

Property name	Property value
Format	<code>int</code>
Access Type	Add, Delete, Get, Replace
Default Value	0

Allowed values:

 Expand table

Value	Description
0 (Default)	Cocreator is enabled.
1	Cocreator is disabled.

Group policy mapping:

 Expand table

Name	Value
Name	DisableCocreator
Path	WindowsAI > AT > WindowsComponents > Paint

DisableImageCreator

[Expand table](#)

Scope	Editions	Applicable OS
<div><div>✔ Device</div><div>✘ User</div></div>	<div><div>✔ Pro</div><div>✔ Enterprise</div><div>✔ Education</div><div>✔ Windows SE</div><div>✔ IoT Enterprise / IoT Enterprise LTSC</div></div>	<div><div>✔ Windows Insider Preview</div></div>

Device	Copy
./Device/Vendor/MSFT/Policy/Config/WindowsAI/DisableImageCreator	

This policy setting allows you to control whether Image Creator functionality is disabled in the Windows Paint app.

- If this policy is enabled, Image Creator functionality won't be accessible in the Paint app.
- If this policy is disabled or not configured, users will be able to access Image Creator functionality.

Description framework properties:

[Expand table](#)

Property name	Property value
Format	int
Access Type	Add, Delete, Get, Replace
Default Value	0

Allowed values:

[Expand table](#)

Value	Description
0 (Default)	Image Creator is enabled.
1	Image Creator is disabled.

Group policy mapping:


[Expand table](#)

Name	Value
Name	DisableImageCreator
Path	WindowsAI > AT > WindowsComponents > Paint

SetCopilotHardwareKey

[Expand table](#)


Scope	Editions	Applicable OS
<div><div>✘ Device</div><div>✔ User</div></div>	<div><div>✔ Pro</div><div>✔ Enterprise</div><div>✔ Education</div><div>✔ Windows SE</div><div>✔ IoT Enterprise / IoT Enterprise LTSC</div></div>	<div><div>✔ Windows Insider Preview</div></div>

User	 Copy
./User/Vendor/MSFT/Policy/Config/WindowsAI/SetCopilotHardwareKey	

This policy setting determines which app opens when the user presses the Copilot key on their keyboard.


- If the policy is enabled, the specified app will open when the user presses the Copilot key. Users can change the key assignment in Settings.
- If the policy isn't configured, Copilot will open if it's available in that country or region.

Description framework properties:

 Expand table

Property name	Property value
Format	<code>chr</code> (string)
Access Type	Add, Delete, Get, Replace

Group policy mapping:


 Expand table














Name	Value
Name	SetCopilotHardwareKey
Path	WindowsCopilot > AT > WindowsComponents > WindowsCopilot


TurnOffWindowsCopilot

Note

This policy is deprecated and may be removed in a future release.

 Expand table



Scope	Editions	Applicable OS
 Device  User	 Pro	 Windows 10, version 21H2 [10.0.19044.3758] and later
	 Enterprise	 Windows 10, version 22H2 with KB5032278 
	 Education	[10.0.19045.3758] and later
	 Windows SE	 Windows 11, version 22H2 with KB5030310 
	 IoT Enterprise / IoT Enterprise LTSC	[10.0.22621.2361] and later  Windows 11, version 23H2 [10.0.22631] and later

User	 Copy
./User/Vendor/MSFT/Policy/Config/WindowsAI/TurnOffWindowsCopilot	

This policy setting allows you to turn off Windows Copilot.

- If you enable this policy setting, users won't be able to use Copilot. The Copilot icon won't appear on the taskbar either.
- If you disable or don't configure this policy setting, users will be able to use Copilot when it's available to them.

Note

- The TurnOffWindowsCopilot policy isn't for the [new Copilot experience](#)  that's in some [Windows Insider builds](#)  and that will be gradually rolling out to Windows 11 and Windows 10 devices.

Description framework properties:

[Expand table](#)

Property name	Property value
Format	int
Access Type	Add, Delete, Get, Replace
Default Value	0

Allowed values:

[Expand table](#)

Value	Description
0 (Default)	Enable Copilot.
1	Disable Copilot.

Group policy mapping:

[Expand table](#)

Name	Value
Name	TurnOffWindowsCopilot
Friendly Name	Turn off Windows Copilot
Location	User Configuration
Path	Windows Components > Windows Copilot
Registry Key Name	SOFTWARE\Policies\Microsoft\Windows\WindowsCopilot
Registry Value Name	TurnOffWindowsCopilot
ADMX File Name	WindowsCopilot.admx

Related articles

[Policy configuration service provider](#)

Feedback

Was this page helpful? [Yes](#) [No](#)

[Provide product feedback](#)

Additional resources

 Events

Nov 20, 12 AM - Nov 22, 12 AM

Gain the competitive edge you need with powerful AI and Cloud solutions by attending Microsoft Ignite online.

[Register now](#)