

Patrick Bareiss


IT Security Blog



IT Security Blog

Click the button below to start exploring my website

START EXPLORING



Detecting Local User Creation in AD with Sigma

 APRIL 18, 2019  ADMIN  SIGMA, SPLUNK, USE CASE

In this blog post, I will introduce a new Sigma Use Case detecting local user creation in an Active Directory (AD) environment. The creation of a new user creates a Windows Event Log of Type Security with the Event Code 4720. In an AD environment, only domain controller should create these Windows Event Logs.

By monitoring the Event Log 4720 on non domain controller, we are able to detect local user creation on windows servers:

```
title: Detects local user creation
description: Detects local user creation on windows servers, which shouldn't happen
in an Active Directory environment. Apply this Sigma Use Case on your windows server
logs and not on your DC logs.
tags:
  - attack.privilege_escalation
  - attack.t1078
references:
  - http://www.patrick-bareiss.com/detecting-local-user-creation-in-ad-with-sigma/
author: Patrick Bareiss
logsource:
  product: windows
  service: security
detection:
  selection:
    EventID: 4720
  condition: selection
fields:
  - EventCode
  - Account_Name
  - Account_Domain
falsepositives:
  - Domain Controller Logs
level: high
```

In order to test it, we create a local user on a non domain controller:

```
Administrator: Command Prompt

C:\Users\Administrator>net user test2 hax0r:1234567 /add
The command completed successfully.

C:\Users\Administrator>
```

Subsequently, we run the Sigma Use Case in Splunk and were able to detect the event:

New Search

Save AsClose

index=win host="DESKTOP-88C2A31" EventCode=4720

Last 15 minutes

✓ 4 events (4/18/19 7:25:34.000 PM to 4/18/19 7:40:34.000 PM) No Event Sampling

JobPauseRefreshDownloadSmart Mode

Events (4)PatternsStatisticsVisualization

Format TimelineZoom OutZoom to SelectionDeselect

1 minute per column

ListFormat20 Per Page

< Hide Fields

All Fields

SELECTED FIELDS

a host 1

a source 1

a sourcetype 1

INTERESTING FIELDS

a Account_Domain 2

i

Time

Event

>

4/18/19
7:40:13.000 PM

04/18/2019 07:40:13 PM
LogName=Security
SourceName=Microsoft Windows security auditing.
EventCode=4720
EventType=0
[Show all 49 lines](#)
host = **DESKTOP-88C2A31** | source = WinEventLog:Security | sourcetype = WinEventLog:Security

Thank you for reading.

 SIGMA, SPLUNK, USE CASE

DETECT C2 TRAFFIC OVER DNS USING SIGMA

SIGMA2SPLUNKALERT TUTORIAL

Search ...

RECENT POSTS

- Sigma vs. WannaCry
- Sigma vs. TeslaCyrpt

CI/CD in Detection Rule Development

Sigma2SplunkAlert Tutorial

Detecting Local User Creation in AD with Sigma

CATEGORIES

Sigma

Splunk

Threat Intelligence

Uncategorized

Use Case

Vulnerability Scanning

FOLLOW ME ON TWITTER

My Tweets

Follow Me

Impressum

- [Cookie Policy](#)
- [Impressum](#)
- [Privacy Policy](#)

Proudly powered by WordPress | Theme: Rocked by aThemes.