Audit log events for your enterprise

Review the events recorded in an enterprise's audit log.

Who can use this feature?

A Enterprise owners

Note

advisory_credit *∂*

This article lists events that may appear in the audit log for an **enterprise**. For the events that can appear in a user account's security log or the audit log for an organization, see "Security log events" and "Audit log events for your organization."

What types of events are included? ∂

- Without Enterprise Managed Users, the audit log only includes events related to the enterprise account and the organizations within it.
- With Enterprise Managed Users, the audit log also includes user events, which are not listed here. For that list, see "Security log events."

Action Description Actions_cache Action Description CV 1:

advisory_credit.accept	Credit was accepted for a security advisory.
advisory_credit.create	Someone was added to the credit section of a security advisory.
advisory_credit.decline	Credit was declined for a security advisory.

Action	Description
api 🔗	
api.request	An API request was made to an endpoint for the enterprise, or an enterprise owned resource. This event is only included if API Request Events is
Action	Description
artifact ∂	
Action	Description
audit_log_streaming <i>∂</i>	
<pre>audit_log_streaming.check</pre>	A manual check of the endpoint configured for auditog streaming was performed.
<pre>audit_log_streaming.create</pre>	An endpoint was added for audit log streaming.
<pre>audit_log_streaming.destroy</pre>	An audit log streaming endpoint was deleted.
<pre>audit_log_streaming.update</pre>	An endpoint configuration was updated for audit log
A of the co	
Action	Description
auto_approve_personal_access_ auto_approve_personal_access_token_requests.di sable	
auto_approve_personal_access_token_requests.disable	Triggered when the organization must approve fine-grained personal access tokens before the tokens can access organization resources.
auto_approve_personal_access_ auto_approve_personal_access_token_requests.di sable	Triggered when the organization must approve fine-grained personal access tokens before the tokens can access organization resources.
auto_approve_personal_access_ auto_approve_personal_access_token_requests.di	Triggered when the organization must approve fine-grained personal access tokens before the tokens can access organization resources. Triggered when fine grained personal access tokens Description
auto_approve_personal_access_ auto_approve_personal_access_token_requests.di sable Action	Triggered when the organization must approve fine-grained personal access tokens before the tokens can access organization resources. Triggered when fine grained personal access tokens Description

business 🔗

business.add_billing_manager A billing manager was added to an enterprise. business.add_organization An organization was added to an enterprise. business.add_support_entitlee A support entitlement was added to a member of an enterprise. business.advanced_security_policy_update An enterprise owner created, updated, or removed a policy for GitHub Advanced Security. business.audit_log_export An export of the enterprise audit log was created. If the export included a query, the log will list the query used and the number of audit log entries matching that query. business.cancel_admin_invitation An invitation for someone to be an owner of an enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared GitHub Actions policy settings for an enterprise.
business.add_support_entitlee A support entitlement was added to a member of an enterprise. business.advanced_security_policy_update An enterprise owner created, updated, or removed a policy for GitHub Advanced Security. business.audit_log_export An export of the enterprise audit log was created. If the export included a query, the log will list the query used and the number of audit log entries matching that query. business.audit_log_git_event_export An export of the enterprise's Git events was created. business.cancel_admin_invitation An invitation for someone to be an owner of an enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
business.advanced_security_policy_update An enterprise owner created, updated, or removed a policy for GitHub Advanced Security. business.audit_log_export An export of the enterprise audit log was created. If the export included a query, the log will list the query used and the number of audit log entries matching that query. business.audit_log_git_event_export An export of the enterprise's Git events was created. business.cancel_admin_invitation An invitation for someone to be an owner of an enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
policy for GitHub Advanced Security. business.audit_log_export An export of the enterprise audit log was created. If the export included a query, the log will list the query used and the number of audit log entries matching that query. business.audit_log_git_event_export An export of the enterprise's Git events was created. business.cancel_admin_invitation An invitation for someone to be an owner of an enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
the export included a query, the log will list the query used and the number of audit log entries matching that query. business.audit_log_git_event_export An export of the enterprise's Git events was created. business.cancel_admin_invitation An invitation for someone to be an owner of an enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
business.cancel_admin_invitation An invitation for someone to be an owner of an enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
enterprise was canceled. business.cancel_billing_manager_invitation An invitation for someone to be an billing manager of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
of an enterprise was canceled. business.cancel_trial The trial of GitHub Enterprise Cloud was canceled. business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
business.change_seats_plan_type The seats plan type was changed for an enterprise. business.clear_actions_settings An enterprise owner or site administrator cleared
business.clear_actions_settings An enterprise owner or site administrator cleared
business.clear_default_repository_permission An enterprise owner cleared the base repository permission policy setting for an enterprise.
business.clear_members_can_create_repos An enterprise owner cleared a restriction on repository creation in organizations in the enterprise.
business.code_scanning_autofix_policy_update The policy for Code scanning autofix was updated for an enterprise.
business.code_scanning_autofix_third_party_too 1s_policy_update The policy for Code scanning autofix third party tools was updated for an enterprise.
business.connect_usage_metrics_export Server statistics were exported for the enterprise.
The enterprise account on a trial of GitHub Enterprise Cloud was upgraded to a paid enterprise account.
business.create An enterprise was created.
business.create_trial A trial of GitHub Enterprise Cloud began.
business.delete The enterprise was deleted.
business.disable_oidc OIDC single sign-on was disabled for an enterprise.

business.disable_open_scim	SCIM provisioning for custom integrations that use the REST API was disabled for the enterprise.
business.disable_saml	SAML single sign-on was disabled for an enterprise.
<pre>business.disable_source_ip_disclosure</pre>	Display of IP addresses within audit log events for the enterprise was disabled.
<pre>business.disable_two_factor_requirement</pre>	The requirement for members to have two-factor authentication enabled to access an enterprise was disabled.
business.enable_oidc	OIDC single sign-on was enabled for an enterprise.
business.enable_open_scim	SCIM provisioning for custom integrations that use the REST API was enabled for the enterprise.
business.enable_saml	SAML single sign-on was enabled for an enterprise.
<pre>business.enable_source_ip_disclosure</pre>	Display of IP addresses within audit log events for the enterprise was enabled.
business.enable_two_factor_requirement	The requirement for members to have two-factor authentication enabled to access an enterprise was enabled.
business.enterprise_server_license_download	A GitHub Enterprise Server license was downloaded.
business.expire_trial	The trial of GitHub Enterprise Cloud expired.
<pre>business.import_license_usage</pre>	License usage information was imported from a GitHub Enterprise Server instance to an enterprise account on GitHub.com.
<pre>business.invite_admin</pre>	An invitation for someone to be an enterprise owner of an enterprise was sent.
<pre>business.invite_billing_manager</pre>	An invitation for someone to be an billing manager of an enterprise was sent.
<pre>business.members_can_update_protected_branches .clear</pre>	An enterprise owner unset a policy for whether members of an enterprise can update protected branches on repositories for individual organizations. Organization owners can choose whether to allow updating protected branches settings.
<pre>business.members_can_update_protected_branches .disable</pre>	The ability for enterprise members to update branch protection rules was disabled. Only enterprise owners can update protected branches.
<pre>business.members_can_update_protected_branches .enable</pre>	The ability for enterprise members to update branch protection rules was enabled. Enterprise owners and members can update protected branches.
business.recovery_code_failed	An enterprise owner failed to sign into a enterprise with an external identity provider (IdP) using a recovery code.
business.recovery_code_used	An enterprise owner successfully signed into an enterprise with an external identity provider (IdP) using a recovery code.
business.recovery_codes_downloaded	An enterprise owner downloaded the enterprise's SSO recovery codes.

business.recovery_codes_generated	An enterprise owner generated the enterprise's SSO recovery codes.
business.recovery_codes_printed	An enterprise owner printed the enterprise's SSO recovery codes.
business.recovery_codes_viewed	An enterprise owner viewed the enterprise's SSO recovery codes.
business.remove_admin	An enterprise owner was removed from an enterprise.
business.remove_billing_manager	A billing manager was removed from an enterprise.
business.remove_member	A member was removed from an enterprise.
business.remove_organization	An organization was removed from an enterprise.
business.remove_support_entitlee	A support entitlement was removed from a member of an enterprise.
business.rename_slug	The slug for the enterprise URL was renamed.
business.restore	The deleted enterprise was restored.
business.revoke_external_identity	The external identity for a member in an enterprise was revoked.
business.revoke_sso_session	The SAML single sign-on session for a member in an enterprise was revoked.
<pre>business.security_center_export_code_scanning_ metrics</pre>	A CSV export was requested on the "CodeQL pull request alerts" page.
business.security_center_export_coverage	A CSV export was requested on the "Coverage" page.
<pre>business.security_center_export_overview_dashb oard</pre>	A CSV export was requested on the "Overview Dashboard" page.
business.security_center_export_risk	A CSV export was requested on the "Risk" page.
business.set_actions_fork_pr_approvals_policy	The policy for requiring approvals for workflows from public forks was changed for an enterprise.
<pre>business.set_actions_private_fork_pr_approvals _policy</pre>	The policy for requiring approval for fork pull request workflows from collaborators without write access to private repos was changed for an enterprise.
business.set_actions_retention_limit	The retention period for GitHub Actions artifacts and logs was changed for an enterprise.
business.set_default_workflow_permissions	The default permissions granted to the GITHUB_TOKEN when running workflows were changed for an enterprise.
business.set_fork_pr_workflows_policy	The policy for fork pull request workflows was changed for an enterprise.
<pre>business.set_workflow_permission_can_approve_p r</pre>	The policy for allowing GitHub Actions to create and approve pull requests was changed for an enterprise.
business.sso_response	A SAML single sign-on (SSO) response was generated when a member attempted to

	authenticate with your enterprise. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
business.update_actions_settings	An enterprise owner or site administrator updated GitHub Actions policy settings for an enterprise.
Action	Description
<pre>business.update_member_repository_creation_per mission</pre>	The repository creation setting was updated for an enterprise.
<pre>business.update_member_repository_invitation_p ermission</pre>	The policy setting for enterprise members inviting outside collaborators to repositories was updated.
business.update_saml_provider_settings	The SAML single sign-on provider settings for an enterprise were updated.
business.upgrade_from_organization	The organization was upgraded to an enterprise account.

business_advanced_security ₽

business_advanced_security.disabled	GitHub Advanced Security was disabled for your enterprise.
<pre>business_advanced_security.disabled_for_new_re pos</pre>	GitHub Advanced Security was disabled for new repositories in your enterprise.
<pre>business_advanced_security.disabled_for_new_us er_namespace_repos</pre>	GitHub Advanced Security was disabled for new user namespace repositories in your enterprise.
business_advanced_security.enabled	GitHub Advanced Security was enabled for your enterprise.
<pre>business_advanced_security.enabled_for_new_rep os</pre>	GitHub Advanced Security was enabled for new repositories in your enterprise.
<pre>business_advanced_security.enabled_for_new_use r_namespace_repos</pre>	GitHub Advanced Security was enabled for new user namespace repositories in your enterprise.
<pre>business_advanced_security.user_namespace_repo s_disabled</pre>	GitHub Advanced Security was disabled for user namespace repositories in your enterprise.
Action	Description

business_dependabot_alerts @

<pre>business_dependabot_alerts.disable</pre>	Dependabot alerts were disabled for your enterprise.
Action	Description

$business_dependabot_alerts_new_repos \ \varnothing$

business_dependabot_alerts_new_repos.disable	Dependabot alerts were disabled for new repositories in your enterprise.
Action	Description

business_secret_scanning_automatic_validity_checks @

business_secret_scanning_automatic_validity_ch	Automatic partner validation checks have been
ecks.disabled	disabled at the business level
	Automatic norther validation chade have been
Action	Description

business_secret_scanning_custom_pattern ₽

<pre>business_secret_scanning_custom_pattern.creat</pre>	An enterprise-level custom pattern was created for secret scanning.
<pre>business_secret_scanning_custom_pattern.delet e</pre>	An enterprise-level custom pattern was removed from secret scanning.
<pre>business_secret_scanning_custom_pattern.publis h</pre>	An enterprise-level custom pattern was published for secret scanning.
Action	Description scanning.

business_secret_scanning_custom_pattern_push_protection *∂*

<pre>business_secret_scanning_custom_pattern_push_p</pre>	Push protection for a custom pattern for secret
rotection.disabled	scanning was disabled for your enterprise.
	Duch protection for a quetom pottern for corret
Action	Description

business_secret_scanning &

<pre>business_secret_scanning.disable</pre>	Secret scanning was disabled for your enterprise.
<pre>business_secret_scanning.disabled_for_new_repo s</pre>	Secret scanning was disabled for new repositories in your enterprise.
business_secret_scanning.enable	Secret scanning was enabled for your enterprise.

Page 7 of 49

Action	Description
onstricss seer of seminting tempted for Them to the	
S	your enterprise.

business_secret_scanning_generic_secrets *∂*

<pre>business_secret_scanning_generic_secrets.disab led</pre>	Generic secrets have been disabled at the business level
Action	Description
eu	ievei

business_secret_scanning_non_provider_patterns @

<pre>business_secret_scanning_non_provider_patterns .disabled</pre>	Secret scanning for non-provider patterns was disabled at the enterprise level.
Action	Secret conning for non-provider patterns was Description

business_secret_scanning_push_protection_custom_message @

<pre>business_secret_scanning_push_protection_custo m_message.disable</pre>	The custom message triggered by an attempted push to a push-protected repository was disabled for your enterprise.
<pre>business_secret_scanning_push_protection_custo m_message.enable</pre>	The custom message triggered by an attempted push to a push-protected repository was enabled for your enterprise.
<pre>business_secret_scanning_push_protection_custo Action</pre>	The custom message triggered by an attempted Description

business_secret_scanning_push_protection ∂

<pre>business_secret_scanning_push_protection.disab le</pre>	Push protection for secret scanning was disabled for your enterprise.
<pre>business_secret_scanning_push_protection.disab led_for_new_repos</pre>	Push protection for secret scanning was disabled for new repositories in your enterprise.
<pre>business_secret_scanning_push_protection.enabl e</pre>	Push protection for secret scanning was enabled for your enterprise.
Action	Description

checks 🔗

Action	Description
checks.auto_trigger_enabled	Automatic creation of check suites was enabled on a repository in the organization or enterprise.
<pre>checks.auto_trigger_disabled</pre>	Automatic creation of check suites was disabled on a repository in the organization or enterprise.

code ∂

code.search	A code search was run targeting an organization.
Action	Description
	ελρυιτο.

codespaces ∂

<pre>codespaces.allow_permissions</pre>	A codespace using custom permissions from its devcontainer.json file was launched.
<pre>codespaces.attempted_to_create_from_prebuild</pre>	An attempt to create a codespace from a prebuild was made.
<pre>codespaces.business_enablement_updated</pre>	Enterprise setting for Codespaces ownership was updated.
codespaces.connect	Credentials for a codespace were refreshed.
codespaces.create	A codespace was created
codespaces.destroy	A user deleted a codespace.
<pre>codespaces.export_environment</pre>	A codespace was exported to a branch on GitHub.
<pre>codespaces.policy_group_created</pre>	Policies were applied to codespaces in an organization or enterprise.
<pre>codespaces.policy_group_deleted</pre>	Policies were removed from codespaces in an organization or enterprise.
<pre>codespaces.policy_group_updated</pre>	Policies were updated for codespaces in an organization or enterprise.
codespaces.restore	A codespace was restored.
<pre>codespaces.start_environment</pre>	A codespace was started.
<pre>codespaces.suspend_environment</pre>	A codespace was stopped.
Action	Description

$commit_comment \ \mathscr{O}$

<pre>commit_comment.destroy</pre>	A commit comment was deleted.
Action	Description

copilot 🔗

<pre>copilot.access_revoked</pre>	Copilot access was revoked for the organization or enterprise due to its Copilot subscription ending, an issue with billing the entity, the entity being marked spammy, or the entity being suspended.
<pre>copilot.cfb_enterprise_org_enablement_changed</pre>	The Copilot enablement policy changed at the enterprise level to either allow or disable access for all organizations, or to allow access for selected organizations.
<pre>copilot.cfb_enterprise_settings_changed</pre>	Copilot feature settings were changed at the enterprise level.
<pre>copilot.cfb_org_settings_changed</pre>	Copilot feature settings were changed at the organization level.
<pre>copilot.cfb_seat_added</pre>	A Copilot Business or Copilot Enterprise seat was added for a user and they have received access to GitHub Copilot. This can occur as the result of directly assigning a seat for a user, assigning a seat for a team, or setting the organization to allow access for all members.
<pre>copilot.cfb_seat_assignment_created</pre>	A Copilot Business or Copilot Enterprise seat assignment was newly created for a user or a team, and seats are being created.
<pre>copilot.cfb_seat_assignment_refreshed</pre>	A seat assignment that was previously pending cancellation was re-assigned and the user will retain access to Copilot.
<pre>copilot.cfb_seat_assignment_reused</pre>	A Copilot Business or Copilot Enterprise seat assignment was re-created for a user who already had a seat with no pending cancellation date, and the user will retain access to Copilot.
<pre>copilot.cfb_seat_assignment_unassigned</pre>	A user or team's Copilot Business or Copilot Enterprise seat assignment was unassigned, and the user(s) will lose access to Copilot at the end of the current billing cycle.
<pre>copilot.cfb_seat_cancelled</pre>	A user's Copilot Business or Copilot Enterprise seat was canceled, and the user no longer has access to Copilot.
<pre>copilot.cfb_seat_cancelled_by_staff</pre>	A user's Copilot Business or Copilot Enterprise seat was canceled manually by GitHub staff, and the user no longer has access to Copilot.
<pre>copilot.cfb_seat_management_changed</pre>	The seat management setting was changed at the organization level to either enable or disable Copilot access for all members of the organization, or to

	enable Copilot access for selected members or teams.
<pre>copilot.clickwrap_save_event</pre>	The GitHub Copilot Product Terms or Pre-Release Preview Terms were accepted.
<pre>copilot.content_exclusion_changed</pre>	The excluded paths for GitHub Copilot were updated.
<pre>copilot.enterprise_enablement_changed</pre>	Copilot access was enabled or disabled at the enterprise level.
<pre>copilot.knowledge_base_created</pre>	A knowledge base was created in the organization.
<pre>copilot.knowledge_base_deleted</pre>	A knowledge base was deleted from the organization.
Action	Description
<pre>copilot.plan_changed</pre>	The plan for GitHub Copilot was updated.
<pre>copilot.plan_downgrade_scheduled</pre>	The plan for GitHub Copilot was scheduled to be downgraded.

$custom_property_definition \ \mathscr{O}$

Action	Description
<pre>custom_property_definition.destroy</pre>	A custom property definition was deleted.
<pre>custom_property_definition.create</pre>	A new custom property definition was created.

custom_property_value ∂

Action	Description
<pre>custom_property_value.destroy</pre>	A repository's custom property value was deleted.
<pre>custom_property_value.create</pre>	A repository's custom property value was manually set for the first time.

dependabot_alerts ∂

dependabot_alerts.disable	Dependabot alerts were disabled for all existing repositories.
Action	Description

dependabot_alerts_new_repos ∂

Dependabot_security_updates	lependabot_alerts_new_repos.disable	Dependabot alerts were disabled for all new repositories.
dependabot_repository_access ction	ction	•
dependabot_security_updates Dependabot security updates were disabled for all existing repositories. Description Description Dependabot security updates were disabled for all existing repositories. Dependabot_security_updates_new_repos Dependabot security updates were disabled for all new repositories. Description Description Description Description Description	dependabot_repository_acces	SS &
Dependabot_security_updates.disable dependabot_security_updates_new_repos dependabot_security_updates_new_repos dependabot_security_updates_new_repos.disable Dependabot_security_updates were disabled for all new repositories. Dependabot_security_updates were disabled for all new repositories. Dependabot_security_updates were disabled for all new repositories. Description Description Description Description Description Description		
existing repositories. Action Description Chependabot_security_updates_new_repos dependabot_security_updates_new_repos.disable Dependabot security updates were disabled for all new repositories. Action Description Chependency_graph The dependency graph was disabled for all existing repositories. Checking Description Checking Description Description	dependabot_security_updates	5 <i>©</i>
Action Description dependabot_security_updates_new_repos dependabot_security_updates_new_repos.disable Dependabot security updates were disabled for all new repositories. Action Description The dependency_graph dependency_graph disable The dependency graph was disabled for all existing repositories. Action Description	dependabot_security_updates.disable	
dependabot_security_updates_new_repos. disable dependabot_security_updates_new_repos. disable Dependabot security updates were disabled for all new repositories. Description Description The dependency_graph was disabled for all existing repositories. Action Description		
Description dependency_graph dependency_graph.disable The dependency graph was disabled for all existing repositories. Description Description		·
The dependency graph was disabled for all existing repositories. Action The dependency graph was disabled for all existing repositories. Description		Dependabot security updates were disabled for all
<u> </u>	dependabot_security_updates_new_repos.disable	Dependabot security updates were disabled for all new repositories.
dependency_graph_new_repos ∂	dependabot_security_updates_new_repos.disable	Dependabot security updates were disabled for all new repositories. Description The dependency graph was disabled for all existing repositories.
	dependabot_security_updates_new_repos.disable Action dependency_graph dependency_graph dependency_graph dependency_graph.disable	Dependabot security updates were disabled for all new repositories. Description The dependency graph was disabled for all existing repositories.
dependency_graph_new_repos.disable The dependency graph was disabled for all new repositories.	dependabot_security_updates_new_repos.disable Action dependency_graph dependency_graph.disable Action	Dependabot security updates were disabled for all new repositories. Description The dependency graph was disabled for all existing repositories. Description
Action Description	dependabot_security_updates_new_repos.disable Action dependency_graph dependency_graph.disable Action	Dependabot security updates were disabled for all new repositories. Description The dependency graph was disabled for all existing repositories. Description Description

	•	_	_
disci	ussion	post	D

discussion_post.destroy	Triggered when a team discussion post is deleted.
Action	Description

discussion_post_reply ₽

discussion_post_reply.destroy	Triggered when a reply to a team discussion post is deleted.
Action	Description

enterprise_announcement ∂

<pre>enterprise_announcement.create</pre>	A global announcement banner was created for the enterprise.
<pre>enterprise_announcement.destroy</pre>	A global announcement banner was removed from the enterprise.
Action	Description Description

enterprise_domain ∂

Action	Description
enterprise_domain.destroy	A domain was removed from an enterprise.
enterprise_domain.create	A domain was added to an enterprise.
enterprise_domain.approve	A domain was approved for an enterprise.

enterprise_installation ∂

<pre>enterprise_installation.create</pre>	The GitHub App associated with a GitHub Connect connection was created.
Action	Description City Is Constituted to the City Is C

enterprise @

<pre>enterprise.register_self_hosted_runner</pre>	A new GitHub Actions self-hosted runner was registered.
<pre>enterprise.remove_self_hosted_runner</pre>	A GitHub Actions self-hosted runner was removed.
enterprise.runner_group_created	A GitHub Actions self-hosted runner group was created.
enterprise.runner_group_removed	A GitHub Actions self-hosted runner group was removed.
enterprise.runner_group_renamed	A GitHub Actions self-hosted runner group was renamed.
enterprise.runner_group_runner_removed	The REST API was used to remove a GitHub Actions self-hosted runner from a group.
enterprise.runner_group_runners_added	A GitHub Actions self-hosted runner was added to a group.
enterprise.runner_group_runners_updated	A GitHub Actions runner group's list of members was updated.
enterprise.runner_group_updated	The configuration of a GitHub Actions self-hosted runner group was changed.
<pre>enterprise.runner_group_visiblity_updated</pre>	The visibility of a GitHub Actions self-hosted runner group was updated via the REST API.
enterprise.self_hosted_runner_offline	The GitHub Actions runner application was stopped. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
enterprise.self_hosted_runner_online	The GitHub Actions runner application was started. This event is not available in the web interface, only via the REST API audit log streaming or ISON/CSV
Action	Description
enterprise.self_hosted_runner_updated	The GitHub Actions runner application was updated. This event is not included in the JSON/CSV export.

$enterprise_team \ \mathscr{O}$

<pre>enterprise_team.add_member</pre>	A new member was added to the enterprise team or an IdP group linked to an enterprise team, or an IdP group was linked to an enterprise team.
<pre>enterprise_team.copilot_assignment</pre>	A license for GitHub Copilot was assigned to an enterprise team.
<pre>enterprise_team.copilot_unassignment</pre>	A license for GitHub Copilot was unassigned from an enterprise team.
enterprise_team.create	A new enterprise team was created.
enterprise_team.destroy	An enterprise team was deleted.

Action	Description
	IdP group was unlinked from an enterprise team.
enterprise_team.rename	The name of an enterprise team was changed.

environment ∂

<pre>environment.add_protection_rule</pre>	A GitHub Actions deployment protection rule was created via the API.
<pre>environment.create_actions_secret</pre>	A secret was created for a GitHub Actions environment.
<pre>environment.create_actions_variable</pre>	A variable was created for a GitHub Actions environment.
environment.delete	An environment was deleted.
<pre>environment.remove_actions_secret</pre>	A secret was deleted for a GitHub Actions environment.
<pre>environment.remove_actions_variable</pre>	A variable was deleted for a GitHub Actions environment.
<pre>environment.remove_protection_rule</pre>	A GitHub Actions deployment protection rule was deleted via the API.
<pre>environment.update_actions_secret</pre>	A secret was updated for a GitHub Actions environment.
<pre>environment.update_actions_variable</pre>	A variable was updated for a GitHub Actions
Action	Description
environment.upuace_procection_rute	updated via the API.

external_group *∂*

external_group.add_member	A user was added to an external group.
external_group.delete	An external group was deleted.
external_group.link	An external group was linked to a GitHub team.
external_group.provision	An external group was created.
external_group.remove_member	A user was removed from an external group.
external_group.scim_api_failure	Failed external group SCIM API request.
<pre>external_group.scim_api_success</pre>	Successful external group SCIM API request. Excludes GET API requests.
external_group.unlink	An external group was unlinked to a GitHub team.
external_group.update	An external group was updated.

Action	Description
external_identity &	
external_identity.deprovision	An external identity was deprovisioned, suspending the linked GitHub user.
external_identity.provision	An external identity was created and linked to a GitHub user.
external_identity.scim_api_failure	Failed external identity SCIM API request.
<pre>external_identity.scim_api_success</pre>	Successful external identity SCIM API request. Excludes GET API requests.
Action	Description

forbid_auto_approve_personal_access_token_requests @

Auto-approve policy for fine-grained personal access tokens was enabled for the organization.
Auto approve policy for fine around personal access Description

git 🔗

git.clone	A repository was cloned.
git.fetch	Changes were fetched from a repository.
Action	Description

hook ∂

hook.active_changed	A hook's active status was updated.
hook.config_changed	A hook's configuration was changed.
hook.create	A new hook was added.
hook.destroy	A hook was deleted.
Action	Description

integration \mathscr{D}

integration.create	A GitHub App was created.
integration.destroy	A GitHub App was deleted.
<pre>integration.manager_added</pre>	A member of an enterprise or organization was added as a GitHub App manager.
integration.manager_removed	A member of an enterprise or organization was removed from being a GitHub App manager.
<pre>integration.remove_client_secret</pre>	A client secret for a GitHub App was removed.
<pre>integration.revoke_all_tokens</pre>	All user tokens for a GitHub App were requested to be revoked.
<pre>integration.revoke_tokens</pre>	Token(s) for a GitHub App were revoked.
integration.suspend	A GitHub App was suspended.
integration.transfer	Ownership of a GitHub App was transferred to another user or organization.
Action	Description

$integration_installation \ {\it @}$

Action	Description
<pre>integration_installation.unsuspend</pre>	A GitHub App was unsuspended.
<pre>integration_installation.suspend</pre>	A GitHub App was suspended.
<pre>integration_installation.repositories_removed</pre>	Repositories were removed from a GitHub App.
<pre>integration_installation.repositories_added</pre>	Repositories were added to a GitHub App.
<pre>integration_installation.destroy</pre>	A GitHub App was uninstalled.
<pre>integration_installation.create</pre>	A GitHub App was installed.

$integration_installation_request \ \mathscr{D}$

<pre>integration_installation_request.close</pre>	A request to install a GitHub App was either approved or denied by an owner, or canceled by the member who opened the request.
Action	Description

$ip_allow_list \ \varnothing$

<pre>ip_allow_list.disable</pre>	An IP allow list was disabled.
<pre>ip_allow_list.disable_for_installed_apps</pre>	An IP allow list was disabled for installed GitHub Apps.
<pre>ip_allow_list.disable_idp_ip_allowlist_for_we</pre>	Identity Provider based IP allow list for web interactions was disabled.
<pre>ip_allow_list.disable_user_level_enforcement</pre>	IP allow list user level enforcement was disabled.
<pre>ip_allow_list.enable</pre>	An IP allow list was enabled.
<pre>ip_allow_list.enable_for_installed_apps</pre>	An IP allow list was enabled for installed GitHub Apps.
Action	Description
<pre>ip_allow_list.enable_user_level_enforcement</pre>	IP allow list user level enforcement was enabled.

ip_allow_list_entry ∂

<pre>ip_allow_list_entry.create</pre>	An IP address was added to an IP allow list.
<pre>ip_allow_list_entry.destroy</pre>	An IP address was deleted from an IP allow list.
Action	Description

$issue_comment \ \mathscr{O}$

<pre>issue_comment.destroy</pre>	A comment on an issue was deleted from the repository.
Action	Description

issue 🖉

Action	Description
issue.transfer	An issue was transferred to another repository.
issue.pinned	An issue was pinned to a repository.
issue.destroy	An issue was deleted from the repository.

issues ∂

issues.deletes_disabled	The ability for enterprise members to delete issues was disabled Members cannot delete issues in any organizations in an enterprise.
issues.deletes_enabled	The ability for enterprise members to delete issues was enabled Members can delete issues in any organizations in an enterprise.
Action	Description
	allowing members to delete issues in an enterprise.

marketplace_agreement_signature @

· · · · ·	The Child have decided by the care and the
Action	Description

marketplace_listing *∂*

A listing was approved for inclusion in GitHub Marketplace.
A category for a listing for an app in GitHub Marketplace was changed.
A listing for an app in GitHub Marketplace was created.
A listing was removed from GitHub Marketplace.
A listing was sent back to draft state.
Description

$members_can_create_pages \ \mathscr{O}$

members_can_create_pages.disable	The ability for members to publish GitHub Pages sites was disabled.
Action	Description Court of the Court of Bosses

members_can_create_public_pages ∂

<pre>members_can_create_public_pages.disable</pre>	The ability for members to publish public GitHub Pages was disabled Members cannot publish public GitHub Pages in an organization.
<pre>members_can_create_public_pages.enable</pre>	The ability for members to publish public GitHub

Action	Description
--------	-------------

members_can_delete_repos ∂

members_can_delete_repos.clear	An enterprise owner cleared the policy setting for deleting or transferring repositories in any organizations in an enterprise.
members_can_delete_repos.disable	The ability for enterprise members to delete repositories was disabled Members cannot delete or transfer repositories in any organizations in an enterprise.
Action	The shift of
Action	Description transfer repositories in any organizations in an enterprise.

members_can_view_dependency_insights ₽

<pre>members_can_view_dependency_insights.clear</pre>	An enterprise owner cleared the policy setting for viewing dependency insights in any organizations in an enterprise.
<pre>members_can_view_dependency_insights.disable</pre>	The ability for enterprise members to view dependency insights was disabled. Members cannot view dependency insights in any organizations in an enterprise.
<pre>members_can_view_dependency_insights.enable Action</pre>	The ability for enterprise members to view Description
	enterprise.

migration @

migration.create	A migration file was created for transferring data from a source location (such as a GitHub.com organization or a GitHub Enterprise Server instance) to a target GitHub Enterprise Server instance.
migration.destroy_file	A migration file for transferring data from a source location (such as a GitHub.com organization or a GitHub Enterprise Server instance) to a target GitHub Enterprise Server instance was deleted.
migration.download	A migration file for transferring data from a source location (such as a GitHub.com organization or a
Action	Description

$network_configuration \ {\it @}$

network_configuration.create	A network configuration for a hosted compute service was created.
network_configuration.delete	A network configuration for a hosted compute service was deleted.
Action	Description

$oauth_application \ {\it @}$

oauth_application.create	An OAuth application was created.
oauth_application.destroy	An OAuth application was deleted.
oauth_application.generate_client_secret	An OAuth application's secret key was generated.
oauth_application.remove_client_secret	An OAuth application's secret key was deleted.
oauth_application.reset_secret	The secret key for an OAuth application was reset.
oauth_application.revoke_all_tokens	All user tokens for an OAuth application were requested to be revoked.
oauth_application.revoke_tokens	Token(s) for an OAuth application were revoked.
Action	Description

org 🔗

<pre>org.accept_business_invitation</pre>	An invitation sent to an organization to join an enterprise was accepted.
org.add_billing_manager	A billing manager was added to an organization.
org.add_member	A user joined an organization.
org.add_outside_collaborator	An outside collaborator was added to a repository.
org.advanced_security_disabled_for_new_repos	GitHub Advanced Security was disabled for new repositories in an organization.
<pre>org.advanced_security_disabled_on_all_repos</pre>	GitHub Advanced Security was disabled for all repositories in an organization.
<pre>org.advanced_security_enabled_for_new_repos</pre>	GitHub Advanced Security was enabled for new repositories in an organization.
<pre>org.advanced_security_enabled_on_all_repos</pre>	GitHub Advanced Security was enabled for all repositories in an organization.
<pre>org.advanced_security_policy_selected_member_d isabled</pre>	An enterprise owner prevented GitHub Advanced Security features from being enabled for repositories owned by the organization.

<pre>org.advanced_security_policy_selected_member_e nabled</pre>	An enterprise owner allowed GitHub Advanced Security features to be enabled for repositories owned by the organization.
org.audit_log_export	An export of the organization audit log was created. If the export included a query, the log will list the query used and the number of audit log entries matching that query.
org.audit_log_git_event_export	An export of the organization's Git events was created.
org.block_user	An organization owner blocked a user from accessing the organization's repositories.
org.cancel_business_invitation	An invitation for an organization to join an enterprise was revoked
org.cancel_invitation	An invitation sent to a user to join an organization was revoked.
<pre>org.code_scanning_autofix_disabled</pre>	Autofix for code scanning alerts was disabled for an organization.
<pre>org.code_scanning_autofix_enabled</pre>	Autofix for code scanning alerts was enabled for an organization.
<pre>org.code_scanning_autofix_third_party_tools_di sabled</pre>	Autofix for third party tools for code scanning alerts was disabled for an organization.
<pre>org.code_scanning_autofix_third_party_tools_en abled</pre>	Autofix for third party tools for code scanning alerts was enabled for an organization.
org.codeql_disabled	Code scanning using the default setup was disabled for an organization.
org.codeql_enabled	Code scanning using the default setup was enabled for an organization.
org.codespaces_access_updated	Access to use Codespaces on internal and private repositories was updated for an organization.
org.codespaces_ownership_updated	Ownership and payment for codespaces was updated for an organization.
org.codespaces_team_access_allowed	A team has been allowed to use Codespaces for an organization.
org.codespaces_team_access_revoked	A team has been prevented from using Codespaces for an organization.
org.codespaces_trusted_repo_access_granted	GitHub Codespaces was granted trusted repository access to all other repositories in an organization.
org.codespaces_trusted_repo_access_revoked	GitHub Codespaces trusted repository access to all other repositories in an organization was revoked.
org.codespaces_user_access_allowed	A user has been allowed to use Codespaces for an organization.
org.codespaces_user_access_revoked	A user has been prevented from using Codespaces for an organization.
org.config.disable_collaborators_only	The interaction limit for collaborators only for an organization was disabled.

The interaction limit for existing users only for an organization was disabled. org.config.enable_collaborators_only The interaction limit for collaborators only for an organization was enabled. org.config.enable_contributors_only The interaction limit for collaborators only for an organization was enabled. org.config.enable_contributors_only The interaction limit for collaborators only for an organization was enabled. org.config.enable_sockpuppet_disallowed The interaction limit for collaborators only for an organization was enabled. org.config.enable_sockpuppet_disallowed The interaction limit for collaborators only for an organization was enabled. org.config.enable_sockpuppet_disallowed The interaction limit for collaborators only for an organization was enabled. Org.config.enable_sockpuppet_disallowed The interaction limit for collaborators only for an organization was enabled. An invitation for an organization to join an enterprise was confirmed. An organization was created. An organization was created for an organization. Org.create_actions_secret A Codespaces or Dependabot secret was created for an organization. Org.create_integration_secret A Codespaces or Dependabot secret was created for an organization was deleted by a user or staff. Org.disable_member_team_creation_permission Team creation was limited to owners. Third-party application access restrictions for an organization owner disabled. Org.disable_saml SAMI single sign-on was disabled for an organization. Org.disable_two_factor_requirement At wo-factor authentication requirement was disabled for the organization. Members can see a comment author's full name. Org.disable_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. Org.enable_namber_reader_discussion_creation_permission Team creation by members was allowed. Third-party application access restrictions for an organization were enabled. Org.enable_s	<pre>org.config.disable_contributors_only</pre>	The interaction limit for prior contributors only for an organization was disabled.
organization was enabled. org.config.enable_contributors_only The interaction limit for prior contributors only for an organization was enabled. org.config.enable_sockpuppet_disallowed The interaction limit for existing users only for an organization was enabled. org.config.enable_sockpuppet_disallowed The interaction limit for existing users only for an organization was enabled. org.confirm_business_invitation An invitation for an organization to join an enterprise was created. An organization was created. An organization was created for an organization. org.create_actions_secret A GitHub Actions variable was created for an organization. org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. org.disable_member_team_creation_permission Team creation was limited to owners. Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permiss ion org.disable_reader_discussion_creation_permiss SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.disable_two_factor_requirement org.disable_two_factor_requirement disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.disable_member_team_creation_permission org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_nouth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_nouth_app_restrictions Third-party application access restrictions for an organization were enabled. Org.enable_nouth_app_restrictions An organization owner allowed users with read access to create discussions in an organization organization were enabled.	<pre>org.config.disable_sockpuppet_disallowed</pre>	
an organization was enabled. The interaction limit for existing users only for an organization was enabled. Org.confirm_business_invitation An invitation for an organization to join an enterprise was confirmed. An organization was created. Org.create An organization was created. Org.create_actions_secret A GitHub Actions secret was created for an organization. Org.create_integration_secret A GitHub Actions variable was created for an organization. Org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. Org.delete An organization was deleted by a user or staff. Org.disable_member_team_creation_permission Team creation was limited to owners. Third-party application access restrictions for an organization owner disabled. Org.disable_oauth_app_restrictions Third-party application owner limited discussion creation to users with at least triage permission in an organization. Org.disable_teaml SAML single sign-on was disabled for an organization. Org.disable_teo_factor_requirement A two-factor authentication requirement was disabled for the organization. Org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. Org.enable_member_team_creation_permission Team creation by members was allowed. Org.enable_neader_discussion_creation_permission Team creation by members was allowed. Org.enable_neader_discussion_creation_permission Team creation by members was allowed. Org.enable_neader_discussion_creation_permission An organization owner allowed users with read access to create discussions in an organization organization organization was enabled for the	org.config.enable_collaborators_only	•
organization was enabled. org.confire_business_invitation An invitation for an organization to join an enterprise was confirmed. org.create An organization was created. org.create_actions_secret A GitHub Actions secret was created for an organization. org.create_actions_variable A GitHub Actions variable was created for an organization. org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. org.disable_member_team_creation_permission Team creation was limited to owners. org.disable_oauth_app_restrictions Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permiss An organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_suml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_nauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_nauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_nauth_app_restrictions An organization owner allowed users with read access to create discussions in an organization organization was enabled for the	<pre>org.config.enable_contributors_only</pre>	•
enterprise was confirmed. ong.create An organization was created. org.create_actions_secret A GitHub Actions secret was created for an organization. org.create_actions_variable A GitHub Actions variable was created for an organization. org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. org.delete An organization was deleted by a user or staff. org.disable_member_team_creation_permission Team creation was limited to owners. org.disable_neauth_app_restrictions Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permiss An organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_neader_discussion_creation_permission Third-party application access restrictions for an organization were enabled. org.enable_neader_discussion_creation_permission An organization owner allowed users with read access to create discussions in an organization organization.	<pre>org.config.enable_sockpuppet_disallowed</pre>	_ ,
org.create_actions_secret A GitHub Actions secret was created for an organization. org.create_actions_variable A GitHub Actions variable was created for an organization. org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. org.delete An organization was deleted by a user or staff. org.disable_member_team_creation_permission Team creation was limited to owners. org.disable_noauth_app_restrictions Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permisss ion org.disable_reader_discussion_creation_permiss ion org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	org.confirm_business_invitation	
organization. org.create_actions_variable org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. org.delete An organization was deleted by a user or staff. org.disable_member_team_creation_permission Team creation was limited to owners. org.disable_oauth_app_restrictions Third-party application access restrictions for an organization. org.disable_reader_discussion_creation_permiss an organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_neader_discussion_creation_permissi An organization owner allowed users with read access to create discussions in an organization organization. org.enable_saml SAML single sign-on was enabled for the	org.create	An organization was created.
org.create_integration_secret A Codespaces or Dependabot secret was created for an organization. org.delete An organization was deleted by a user or staff. org.disable_member_team_creation_permission Team creation was limited to owners. org.disable_oauth_app_restrictions Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permiss ion An organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. An organization owner allowed users with read access to create discussions in an organization organization organization organization.	org.create_actions_secret	
an organization. org.delete An organization was deleted by a user or staff. org.disable_member_team_creation_permission Team creation was limited to owners. org.disable_oauth_app_restrictions Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permiss ion An organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on SAML single sign-on was enabled for the	org.create_actions_variable	
org.disable_nember_team_creation_permission Team creation was limited to owners. Third-party application access restrictions for an organization were disabled. org.disable_neader_discussion_creation_permiss	org.create_integration_secret	·
org.disable_oauth_app_restrictions Third-party application access restrictions for an organization were disabled. org.disable_reader_discussion_creation_permisss An organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on SAML single sign-on was enabled for the	org.delete	An organization was deleted by a user or staff.
organization were disabled. org.disable_reader_discussion_creation_permiss ion An organization owner limited discussion creation to users with at least triage permission in an organization. org.disable_saml SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on SAML single sign-on was enabled for the	org.disable_member_team_creation_permission	Team creation was limited to owners.
users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi An organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the		
org.disable_two_factor_requirement A two-factor authentication requirement was disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on SAML single sign-on was enabled for the	org.disable_oauth_app_restrictions	
disabled for the organization. org.display_commenter_full_name_disabled An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on An organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	<pre>org.disable_reader_discussion_creation_permiss</pre>	organization were disabled. An organization owner limited discussion creation to users with at least triage permission in an
commenter's full name in an organization. Members cannot see a comment author's full name. org.display_commenter_full_name_enabled An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on An organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	<pre>org.disable_reader_discussion_creation_permiss ion</pre>	organization were disabled. An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an
commenter's full name in an organization. Members can see a comment author's full name. org.enable_member_team_creation_permission Team creation by members was allowed. Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on An organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	<pre>org.disable_reader_discussion_creation_permiss ion org.disable_saml</pre>	organization were disabled. An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. A two-factor authentication requirement was
org.enable_oauth_app_restrictions Third-party application access restrictions for an organization were enabled. org.enable_reader_discussion_creation_permissi on An organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	<pre>org.disable_reader_discussion_creation_permiss ion org.disable_saml org.disable_two_factor_requirement</pre>	organization were disabled. An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. A two-factor authentication requirement was disabled for the organization. An organization owner disabled the display of a commenter's full name in an organization. Members
organization were enabled. org.enable_reader_discussion_creation_permissi on An organization owner allowed users with read access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	<pre>org.disable_reader_discussion_creation_permiss ion org.disable_saml org.disable_two_factor_requirement org.display_commenter_full_name_disabled</pre>	organization were disabled. An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. A two-factor authentication requirement was disabled for the organization. An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. An organization owner enabled the display of a commenter's full name in an organization. Members
on access to create discussions in an organization org.enable_saml SAML single sign-on was enabled for the	org.disable_reader_discussion_creation_permiss ion org.disable_saml org.disable_two_factor_requirement org.display_commenter_full_name_disabled org.display_commenter_full_name_enabled	An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. A two-factor authentication requirement was disabled for the organization. An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name.
	org.disable_reader_discussion_creation_permiss ion org.disable_saml org.disable_two_factor_requirement org.display_commenter_full_name_disabled org.display_commenter_full_name_enabled	An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. A two-factor authentication requirement was disabled for the organization. An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. Team creation by members was allowed. Third-party application access restrictions for an
	org.disable_reader_discussion_creation_permiss ion org.disable_saml org.disable_two_factor_requirement org.display_commenter_full_name_disabled org.display_commenter_full_name_enabled org.enable_member_team_creation_permission org.enable_oauth_app_restrictions	An organization owner limited discussion creation to users with at least triage permission in an organization. SAML single sign-on was disabled for an organization. A two-factor authentication requirement was disabled for the organization. An organization owner disabled the display of a commenter's full name in an organization. Members cannot see a comment author's full name. An organization owner enabled the display of a commenter's full name in an organization. Members can see a comment author's full name. Team creation by members was allowed. Third-party application access restrictions for an organization were enabled. An organization owner allowed users with read

org.enable_two_factor_requirement	Two-factor authentication is now required for the organization.
org.integration_manager_added	An organization owner granted a member access to manage all GitHub Apps owned by an organization.
org.integration_manager_removed	An organization owner removed access to manage all GitHub Apps owned by an organization from an organization member.
org.invite_member	A new user was invited to join an organization.
org.invite_to_business	An organization was invited to join an enterprise.
org.members_can_update_protected_branches.disa	The ability for enterprise members to update protected branches was disabled. Only enterprise owners can update protected branches.
org.members_can_update_protected_branches.enab	The ability for enterprise members to update protected branches was enabled. Members of an organization can update protected branches.
org.oauth_app_access_approved	Access to an organization was granted for an OAuth App.
org.oauth_app_access_denied	Access was disabled for an OAuth App that was previously approved.
org.oauth_app_access_requested	An organization member requested that an owner grant an OAuth App access to an organization.
org.recovery_code_failed	An organization owner failed to sign into a organization with an external identity provider (IdP) using a recovery code.
org.recovery_code_used	An organization owner successfully signed into an organization with an external identity provider (IdP) using a recovery code.
org.recovery_codes_downloaded	An organization owner downloaded the organization's SSO recovery codes.
org.recovery_codes_generated	An organization owner generated the organization's SSO recovery codes.
org.recovery_codes_printed	An organization owner printed the organization's SSO recovery codes.
org.recovery_codes_viewed	An organization owner viewed the organization's SSO recovery codes.
org.register_self_hosted_runner	A new self-hosted runner was registered.
org.remove_actions_secret	A GitHub Actions secret was removed from an organization.
org.remove_actions_variable	A GitHub Actions variable was removed from an organization.
org.remove_billing_manager	A billing manager was removed from an organization, either manually or due to a two-factor authentication requirement.
org.remove_integration_secret	A Codespaces or Dependabot secret was removed from an organization.

org.remove_member	A member was removed from an organization, either manually or due to a two-factor authentication requirement.
<pre>org.remove_outside_collaborator</pre>	An outside collaborator was removed from an organization, either manually or due to a two-factor authentication requirement.
org.remove_self_hosted_runner	A self-hosted runner was removed.
org.rename	An organization was renamed.
org.required_workflow_create	Triggered when a required workflow is created.
org.required_workflow_delete	Triggered when a required workflow is deleted.
org.required_workflow_update	Triggered when a required workflow is updated.
org.restore_member	An organization member was restored.
org.runner_group_created	A self-hosted runner group was created.
org.runner_group_removed	A self-hosted runner group was removed.
org.runner_group_renamed	A self-hosted runner group was renamed.
org.runner_group_runner_removed	The REST API was used to remove a self-hosted runner from a group.
org.runner_group_runners_added	A self-hosted runner was added to a group.
org.runner_group_runners_updated	A runner group's list of members was updated.
org.runner_group_updated	The configuration of a self-hosted runner group was changed.
org.runner_group_visiblity_updated	The visibility of a self-hosted runner group was updated via the REST API.
<pre>org.secret_scanning_custom_pattern_push_protec tion_disabled</pre>	Push protection for a custom pattern for secret scanning was disabled for an organization.
<pre>org.secret_scanning_custom_pattern_push_protec tion_enabled</pre>	Push protection for a custom pattern for secret scanning was enabled for an organization.
<pre>org.secret_scanning_push_protection_custom_mes sage_disabled</pre>	The custom message triggered by an attempted push to a push-protected repository was disabled for an organization.
<pre>org.secret_scanning_push_protection_custom_mes sage_enabled</pre>	The custom message triggered by an attempted push to a push-protected repository was enabled for an organization.
<pre>org.secret_scanning_push_protection_custom_mes sage_updated</pre>	The custom message triggered by an attempted push to a push-protected repository was updated for an organization.
<pre>org.secret_scanning_push_protection_disable</pre>	Push protection for secret scanning was disabled.
<pre>org.secret_scanning_push_protection_enable</pre>	Push protection for secret scanning was enabled.
<pre>org.secret_scanning_push_protection_new_repos_ disable</pre>	Push protection for secret scanning was disabled for all new repositories in the organization.

<pre>org.secret_scanning_push_protection_new_repos_ enable</pre>	Push protection for secret scanning was enabled for all new repositories in the organization.
org.self_hosted_runner_offline	The runner application was stopped. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
org.self_hosted_runner_online	The runner application was started. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
org.self_hosted_runner_updated	The runner application was updated. This event is not included in the JSON/CSV export.
<pre>org.set_actions_fork_pr_approvals_policy</pre>	The setting for requiring approvals for workflows from public forks was changed for an organization.
<pre>org.set_actions_private_fork_pr_approvals_poli cy</pre>	The policy for requiring approval for fork pull request workflows from collaborators without write access to private repos was changed for an organization.
org.set_actions_retention_limit	The retention period for GitHub Actions artifacts and logs in an organization was changed.
<pre>org.set_default_workflow_permissions</pre>	The default permissions granted to the GITHUB_TOKEN when running workflows were changed for an organization.
<pre>org.set_fork_pr_workflows_policy</pre>	The policy for workflows on private repository forks was changed.
<pre>org.set_workflow_permission_can_approve_pr</pre>	The policy for allowing GitHub Actions to create and approve pull requests was changed for an organization.
org.sso_response	A SAML single sign-on (SSO) response was generated when a member attempted to authenticate with your organization. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
org.transfer	An organization was transferred between enterprise accounts.
org.transfer_outgoing	An organization was transferred between enterprise accounts.
org.unblock_user	A user was unblocked from an organization.
org.update_actions_secret	A GitHub Actions secret was updated for an organization.
org.update_actions_settings	An organization owner or site administrator updated GitHub Actions policy settings for an organization.
org.update_actions_variable	A GitHub Actions variable was updated for an organization.
org.update_default_repository_permission	The default repository permission level for organization members was changed.
org.update_integration_secret	A Codespaces or Dependabot secret was updated for an organization.
Action	A person's role was changed from owner to member Description

<pre>org.update_member_repository_creation_permissi on</pre>	The create repository permission for organization members was changed.
<pre>org.update_member_repository_invitation_permis sion</pre>	An organization owner changed the policy setting for organization members inviting outside collaborators to repositories.
<pre>org.update_new_repository_default_branch_setti ng</pre>	The name of the default branch was changed for new repositories in the organization.
<pre>org.update_saml_provider_settings</pre>	An organization's SAML provider settings were updated.
<pre>org.update_terms_of_service</pre>	An organization changed between the Standard Terms of Service and the GitHub Customer Agreement.

$org_credential_authorization \ \varnothing$

$org_credential_authorization.deauthorize$	A member removed the SSO (SAML or OIDC) authorization from a credential that had access to your organization.
<pre>org_credential_authorization.grant</pre>	A member authorized credentials for use with SAML or OIDC single sign-on.
Action	Description

$org_secret_scanning_automatic_validity_checks \ \mathscr{O}$

<pre>org_secret_scanning_automatic_validity_checks. disabled</pre>	Automatic partner validation checks have been disabled at the organization level
Action	Automatic partner validation chacks have been Description

org_secret_scanning_custom_pattern ∂

<pre>org_secret_scanning_custom_pattern.create</pre>	A custom pattern was created for secret scanning in an organization.
<pre>org_secret_scanning_custom_pattern.delete</pre>	A custom pattern was removed from secret scanning in an organization.
<pre>org_secret_scanning_custom_pattern.publish</pre>	A custom pattern was published for secret scanning in an organization.
Action	Description
	organization.

org_secret_scanning_generic_secrets ₽

<pre>org_secret_scanning_generic_secrets.disabled</pre>	Generic secrets have been disabled at the organization level
Action	Description Description

org_secret_scanning_non_provider_patterns ₽

<pre>org_secret_scanning_non_provider_patterns.disa bled</pre>	Secret scanning for non-provider patterns was disabled at the organization level.
Action	Description

org_secret_scanning_push_protection_bypass_list ∂

<pre>org_secret_scanning_push_protection_bypass_lis t.add</pre>	A role or team was added to the push protection bypass list at the organization level.
<pre>org_secret_scanning_push_protection_bypass_lis t.disable</pre>	Push protection settings for "Users who can bypass push protection for secret scanning" changed from "Specific roles or teams" to "Anyone with write access" at the organization level.
<pre>org_secret_scanning_push_protection_bypass_lis t.enable</pre>	Push protection settings for "Users who can bypass push protection for secret scanning" changed from "Anyone with write access" to "Specific roles or teams" at the organization level.
Action	A role or team was removed from the nuch Description

$organization_default_label \ \mathscr{D}$

organization_default_label.create	A default label was created for repositories in an organization.
organization_default_label.destroy	A default label was deleted for repositories in an organization.
Action	Description

$organization_domain \ {\it @}$

organization_domain.approve A domain was approved for an organization.

organization_domain.create	A domain was added to an organization.
Action	Description
organization_domain.verify	A domain was verified for an organization.

organization_projects_change ∂

organization_projects_change.clear	An enterprise owner cleared the policy setting for organization-wide project boards in an enterprise.
organization_projects_change.disable	Organization projects were disabled for all organizations in an enterprise.
Action	Description

$organization_role \ \mathscr{O}$

Action	Description
organization_role.revoke	A user or team was unassigned an organization role.
organization_role.destroy	A custom organization role was deleted in an organization.
organization_role.create	A custom organization role was created in an organization.
organization_role.assign	An organization role was assigned to a user or team.

organization_wide_project_base_role ∂

Action	Description
	apaatea.

$packages \ {\it @}$

packages.package_deleted	An entire package was deleted.
packages.package_published	A package was published or republished to an organization.
packages.package_version_deleted	A specific package version was deleted.
Action	Description

$pages_protected_domain \ \mathscr{D}$

pages_protected_domain.create	A GitHub Pages verified domain was created for an organization or enterprise.
pages_protected_domain.delete	A GitHub Pages verified domain was deleted from an organization or enterprise.
Action	Description

$payment_method \ \mathscr{O}$

Action	Description
<pre>payment_method.remove</pre>	A payment method was removed.
<pre>payment_method.create</pre>	A new payment method was added, such as a new credit card or PayPal account.

personal_access_token ∂

A fine-grained personal access token was granted access to resources.
A fine-grained personal access token was revoked. The token can still read public organization resources.
A pending request for a fine-grained personal access token to access organization resources was canceled.
Triggered when a fine-grained personal access token was created to access organization resources and the organization requires approval before the token can access organization resources.
Description

$prebuild_configuration \ {\it \it P}$

<pre>prebuild_configuration.create</pre>	A GitHub Codespaces prebuild configuration for a repository was created.
<pre>prebuild_configuration.destroy</pre>	A GitHub Codespaces prebuild configuration for a repository was deleted.
<pre>prebuild_configuration.run_triggered</pre>	A user initiated a run of a GitHub Codespaces prebuild configuration for a repository branch.

Action	Description

$private_repository_forking \ \mathscr{O}$

<pre>private_repository_forking.clear</pre>	An enterprise owner cleared the policy setting for allowing forks of private and internal repositories, for a repository, organization or enterprise.
<pre>private_repository_forking.disable</pre>	An enterprise owner disabled the policy setting for allowing forks of private and internal repositories, for a repository, organization or enterprise. Private and internal repositories are never allowed to be forked.
<pre>private_repository_forking.enable</pre>	An enterprise owner enabled the policy setting for allowing forks of private and internal repositories, for
Action	Description

$profile_picture \ \mathscr{D}$

Action	Description

project 🖉

project.access	A project board visibility was changed.
project.close	A project board was closed.
project.create	A project board was created.
project.delete	A project board was deleted.
project.link	A repository was linked to a project board.
project.open	A project board was reopened.
project.rename	A project board was renamed.
project.unlink	A repository was unlinked from a project board.
<pre>project.update_org_permission</pre>	The project's base-level permission for all organization members was changed or removed.
<pre>project.update_team_permission</pre>	A team's project board permission level was changed or when a team was added or removed from a project board.
<pre>project.update_user_permission</pre>	A user was added to or removed from a project board or had their permission level changed.
<pre>project.visibility_private</pre>	A project's visibility was changed from public to
Action	Description

project.visibility_public	A project's visibility was changed from private to public.
project_base_role ∂	'
Action	Description
project_collaborator ∂	
<pre>project_collaborator.add</pre>	A collaborator was added to a project.
<pre>project_collaborator.remove</pre>	A collaborator was removed from a project.
Action	Description
	changed.
project_field ∂	
<pre>project_field.create</pre>	A field was created in a project board.
Action	Description
project_view &	
<pre>project_view.create</pre>	A view was created in a project board.
Action	Description
protected_branch ∂	
<pre>protected_branch.authorized_users_teams</pre>	The users, teams, or integrations allowed to bypass a branch protection were changed.
<pre>protected_branch.branch_allowances</pre>	A protected branch allowance was given to a specific user, team or integration.
<pre>protected_branch.create</pre>	Branch protection was enabled on a branch.
<pre>protected_branch.destroy</pre>	Branch protection was disabled on a branch.
<pre>protected_branch.dismiss_stale_reviews</pre>	Enforcement of dismissing stale pull requests was updated on a branch.

<pre>protected_branch.update_strict_required_status _checks_policy</pre>	Enforcement of required status checks was updated for a branch.
Action	Description
<pre>protected_branch.update_signature_requirement_</pre>	Enforcement of required commit signing was
<pre>protected_branch.update_required_status_checks _enforcement_level</pre>	Enforcement of required status checks was updated for a branch.
<pre>protected_branch.update_required_approving_rev iew_count</pre>	Enforcement of the required number of approvals before merging was updated on a branch.
<pre>protected_branch.update_require_last_push_appr oval</pre>	Someone other than the person who pushed the last code-modifying commit to the branch must approve pull requests for the branch.
<pre>protected_branch.update_require_code_owner_rev iew</pre>	Enforcement of required code owner review was updated for a branch.
<pre>protected_branch.update_pull_request_reviews_e nforcement_level</pre>	Enforcement of required pull request reviews was updated for a branch. Can be 0 (deactivated), 1 (non-admins), or 2 (everyone).
<pre>protected_branch.update_name</pre>	A branch name pattern was updated for a branch.
<pre>protected_branch.update_merge_queue_enforcemen t_level</pre>	Enforcement of the merge queue was modified for a branch.
<pre>protected_branch.update_lock_branch_enforcemen t_level</pre>	The enforcement of a branch lock was updated.
<pre>protected_branch.update_lock_allows_fetch_and_ merge</pre>	Fork syncing was enabled or disabled for a read-only branch
<pre>protected_branch.update_ignore_approvals_from_ contributors</pre>	Ignoring of approvals from contributors to a pull request was enabled or disabled for a branch.
<pre>protected_branch.update_allow_force_pushes_enf orcement_level</pre>	Force pushes were enabled or disabled for a branch.
<pre>protected_branch.update_admin_enforced</pre>	Branch protection was enforced for repository administrators.
<pre>protected_branch.rejected_ref_update</pre>	A branch update attempt was rejected.
<pre>protected_branch.policy_override</pre>	A branch protection requirement was overridden by a repository administrator.
<pre>protected_branch.dismissal_restricted_users_te ams</pre>	Enforcement of restricting users and/or teams who can dismiss reviews was updated on a branch.

public_key ₽

<pre>public_key.create</pre>	An SSH key was added to a user account or a deploy key was added to a repository.
<pre>public_key.delete</pre>	An SSH key was removed from a user account or a deploy key was removed from a repository.
<pre>public_key.unverification_failure</pre>	A user account's SSH key or a repository's deploy key was unable to be unverified.

<pre>public_key.unverify</pre>	A user account's SSH key or a repository's deploy key was unverified.
<pre>public_key.update</pre>	A user account's SSH key or a repository's deploy key was updated.
<pre>public_key.verification_failure</pre>	A user account's SSH key or a repository's deploy key was unable to be verified.
Action	Description

pull_request ∂

Action	Description
<pre>pull_request.remove_review_request</pre>	A review request was removed from a pull request.
<pre>pull_request.ready_for_review</pre>	A pull request was marked as ready for review.
<pre>pull_request.merge</pre>	A pull request was merged.
<pre>pull_request.indirect_merge</pre>	A pull request was considered merged because the pull request's commits were merged into the target branch.
<pre>pull_request.in_progress</pre>	A pull request was marked as in progress.
<pre>pull_request.create_review_request</pre>	A review was requested on a pull request.
pull_request.create	A pull request was created.
<pre>pull_request.converted_to_draft</pre>	A pull request was converted to a draft.
<pre>pull_request.close</pre>	A pull request was closed without being merged.

pull_request_review_comment ∂

<pre>pull_request_review_comment.create</pre>	A review comment was added to a pull request.
<pre>pull_request_review_comment.delete</pre>	A review comment on a pull request was deleted.
Action	Description

pull_request_review ∂

<pre>pull_request_review.delete</pre>	A review on a pull request was deleted.
<pre>pull_request_review.dismiss</pre>	A review on a pull request was dismissed.
Action	Description

repo 🔗

repo.access	The visibility of a repository changed.
repo.actions_enabled	GitHub Actions was enabled for a repository.
repo.add_member	A collaborator was added to a repository.
repo.add_topic	A topic was added to a repository.
repo.advanced_security_disabled	GitHub Advanced Security was disabled for a repository.
repo.advanced_security_enabled	GitHub Advanced Security was enabled for a repository.
repo.archived	A repository was archived.
repo.change_merge_setting	Pull request merge options were changed for a repository.
repo.code_scanning_analysis_deleted	Code scanning analysis for a repository was deleted.
<pre>repo.code_scanning_autofix_disabled</pre>	Autofix for code scanning alerts was disabled for a repository.
repo.code_scanning_autofix_enabled	Autofix for code scanning alerts was enabled for a repository.
<pre>repo.code_scanning_autofix_third_party_tools_d isabled</pre>	Autofix for third party tools for code scanning alerts was disabled for a repository.
<pre>repo.code_scanning_autofix_third_party_tools_e nabled</pre>	Autofix for third party tools for code scanning alerts was enabled for a repository.
<pre>repo.code_scanning_configuration_for_branch_de leted</pre>	A code scanning configuration for a branch of a repository was deleted.
leted	repository was deleted. Code scanning using the default setup was disabled
leted repo.codeql_disabled	repository was deleted. Code scanning using the default setup was disabled for a repository. Code scanning using the default setup was enabled
<pre>leted repo.codeql_disabled repo.codeql_enabled</pre>	repository was deleted. Code scanning using the default setup was disabled for a repository. Code scanning using the default setup was enabled for a repository. Code scanning using the default setup was updated
repo.codeql_disabled repo.codeql_enabled repo.codeql_updated	repository was deleted. Code scanning using the default setup was disabled for a repository. Code scanning using the default setup was enabled for a repository. Code scanning using the default setup was updated for a repository. GitHub Codespaces was granted trusted repository
repo.codeql_disabled repo.codeql_enabled repo.codeql_updated repo.codespaces_trusted_repo_access_granted	repository was deleted. Code scanning using the default setup was disabled for a repository. Code scanning using the default setup was enabled for a repository. Code scanning using the default setup was updated for a repository. GitHub Codespaces was granted trusted repository access to this repository. GitHub Codespaces trusted repository access to this
repo.codeql_disabled repo.codeql_enabled repo.codeql_updated repo.codespaces_trusted_repo_access_granted repo.codespaces_trusted_repo_access_revoked	repository was deleted. Code scanning using the default setup was disabled for a repository. Code scanning using the default setup was enabled for a repository. Code scanning using the default setup was updated for a repository. GitHub Codespaces was granted trusted repository access to this repository. GitHub Codespaces trusted repository access to this repository was revoked. The interaction limit for collaborators only was
repo.codeql_disabled repo.codeql_enabled repo.codeql_updated repo.codespaces_trusted_repo_access_granted repo.codespaces_trusted_repo_access_revoked repo.config.disable_collaborators_only	repository was deleted. Code scanning using the default setup was disabled for a repository. Code scanning using the default setup was enabled for a repository. Code scanning using the default setup was updated for a repository. GitHub Codespaces was granted trusted repository access to this repository. GitHub Codespaces trusted repository access to this repository was revoked. The interaction limit for collaborators only was disabled. The interaction limit for prior contributors only was

repo.config.enable_collaborators_only	The interaction limit for collaborators only was enabled in a repository Users that are not collaborators or organization members were unable to interact with a repository for a set duration.
repo.config.enable_contributors_only	The interaction limit for prior contributors only was enabled in a repository Users that are not prior contributors, collaborators or organization members were unable to interact with a repository for a set duration.
repo.config.enable_sockpuppet_disallowed	The interaction limit for existing users was enabled in a repository New users aren't able to interact with a repository for a set duration Existing users of the repository, contributors, collaborators or organization members are able to interact with a repository.
repo.create	A repository was created.
repo.create_actions_secret	A GitHub Actions secret was created for a repository.
repo.create_actions_variable	A GitHub Actions variable was created for a repository.
repo.create_integration_secret	A Codespaces or Dependabot secret was created for a repository.
repo.destroy	A repository was deleted.
repo.download_zip	A source code archive of a repository was downloaded as a ZIP file.
repo.pages_cname	A GitHub Pages custom domain was modified in a repository.
repo.pages_create	A GitHub Pages site was created.
repo.pages_destroy	A GitHub Pages site was deleted.
repo.pages_https_redirect_disabled	HTTPS redirects were disabled for a GitHub Pages site.
repo.pages_https_redirect_enabled	HTTPS redirects were enabled for a GitHub Pages site.
repo.pages_private	A GitHub Pages site visibility was changed to private.
repo.pages_public	A GitHub Pages site visibility was changed to public.
repo.pages_soft_delete	A GitHub Pages site was soft-deleted because its owner's plan changed.
repo.pages_soft_delete_restore	A GitHub Pages site that was previously soft-deleted was restored.
repo.pages_source	A GitHub Pages source was modified.
repo.register_self_hosted_runner	A new self-hosted runner was registered.
repo.remove_actions_secret	A GitHub Actions secret was deleted for a repository.

repo.remove_actions_variable	A GitHub Actions variable was deleted for a repository.
repo.remove_integration_secret	A Codespaces or Dependabot secret was deleted for a repository.
repo.remove_member	A collaborator was removed from a repository.
repo.remove_self_hosted_runner	A self-hosted runner was removed.
repo.remove_topic	A topic was removed from a repository.
repo.rename	A repository was renamed.
repo.self_hosted_runner_offline	The runner application was stopped. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
repo.self_hosted_runner_online	The runner application was started. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
repo.self_hosted_runner_updated	The runner application was updated. This event is not included in the JSON/CSV export.
repo.set_actions_fork_pr_approvals_policy	The setting for requiring approvals for workflows from public forks was changed for a repository.
<pre>repo.set_actions_private_fork_pr_approvals_pol icy</pre>	The policy for requiring approval for fork pull request workflows from collaborators without write access to private repos was changed for a repository.
repo.set_actions_retention_limit	The retention period for GitHub Actions artifacts and logs in a repository was changed.
repo.set_default_workflow_permissions	The default permissions granted to the GITHUB_TOKEN when running workflows were changed for a repository.
repo.set_fork_pr_workflows_policy	Triggered when the policy for workflows on private repository forks is changed.
repo.set_workflow_permission_can_approve_pr	The policy for allowing GitHub Actions to create and approve pull requests was changed for a repository.
repo.staff_unlock	An enterprise owner or GitHub staff (with permission from a repository administrator) temporarily unlocked the repository.
repo.temporary_access_granted	Temporary access was enabled for a repository.
repo.transfer	A user accepted a request to receive a transferred repository.
repo.transfer_outgoing	A repository was transferred to another repository network.
repo.transfer_start	A user sent a request to transfer a repository to another user or organization.
repo.unarchived	A repository was unarchived.
Action	Description GitHub Actions workflows in other repositories was changed.

repo.update_actions_secret	A GitHub Actions secret was updated for a repository.
repo.update_actions_settings	A repository administrator changed GitHub Actions policy settings for a repository.
repo.update_actions_variable	A GitHub Actions variable was updated for a repository.
repo.update_default_branch	The default branch for a repository was changed.
repo.update_integration_secret	A Codespaces or Dependabot secret was updated for a repository.
repo.update_member	A user's permission to a repository was changed.

repository_advisory ∂

repository_advisory.close	Someone closed a security advisory.
repository_advisory.cve_request	Someone requested a CVE (Common Vulnerabilities and Exposures) number from GitHub for a draft security advisory.
repository_advisory.github_broadcast	GitHub made a security advisory public in the GitHub Advisory Database.
repository_advisory.github_withdraw	GitHub withdrew a security advisory that was published in error.
repository_advisory.open	Someone opened a draft security advisory.
repository_advisory.publish	Someone published a security advisory.
repository_advisory.reopen	Someone reopened as draft security advisory.
Action	Description

$repository_branch_protection_evaluation \ \varnothing$

repository_branch_protection_evaluation.disabl	Branch protections were disabled for the repository.
Action	Description
repository_oranci_protection_evaluation.enaul	bratien protections were enabled for this repository.

repository_content_analysis ∂

repository_content_analysis.disable	Data use settings were disabled for a private
Action	Description

repository_content_analysis.enable

Data use settings were enabled for a private repository.

$repository_dependency_graph \ \mathscr{O}$

repository_dependency_graph.disable	The dependency graph was disabled for a private repository.
Action	Description

repository_image ∂

repository_image.create	An image to represent a repository was uploaded.
Action	Description

repository_invitation ∂

Action	Description
repository_invitation.create	An invitation to join a repository was sent.
repository_invitation.cancel	An invitation to join a repository was canceled.
repository_invitation.accept	An invitation to join a repository was accepted.

repository_projects_change ∂

Action	Description
repository_projects_change.enable	Repository projects were enabled for a repository, all
repository_projects_change.disable	Repository projects were disabled for a repository, all repositories in an organization, or all organizations in an enterprise.
repository_projects_change.clear	The repository projects policy was removed for an organization, or all organizations in the enterprise Organization owners can now control their repository projects settings.

repository_ruleset ∂

<pre>repository_ruleset.create</pre>	A repository ruleset was created.
Action	Description
repository_ruleset.update	A repository ruleset was edited.

repository_secret_scanning_automatic_validity_checks ∂

<pre>repository_secret_scanning_automatic_validity_ checks.disabled</pre>	Automatic partner validation checks have been disabled at the repository level
Action	Automatic partner validation checks have been Description

repository_secret_scanning_custom_pattern *∂*

<pre>repository_secret_scanning_custom_pattern.crea te</pre>	A custom pattern was created for secret scanning in a repository.
<pre>repository_secret_scanning_custom_pattern.dele te</pre>	A custom pattern was removed from secret scanning in a repository.
<pre>repository_secret_scanning_custom_pattern.publ ish</pre>	A custom pattern was published for secret scanning in a repository.
Action	Description

repository_secret_scanning_custom_pattern_push_protection

<pre>repository_secret_scanning_custom_pattern_push _protection.disabled</pre>	Push protection for a custom pattern for secret scanning was disabled for your repository.
Action	Duch protection for a dictam pattern for court Description

repository_secret_scanning *∂*

repository_secret_scanning.disable	Secret scanning was disabled for a repository.
Action	Description

$repository_secret_scanning_generic_secrets \ \mathscr{O}$

<pre>repository_secret_scanning_generic_secrets.dis abled</pre>	Generic secrets have been disabled at the repository level
Action	Constitution Constitution

repository_secret_scanning_non_provider_patterns ∂

<pre>repository_secret_scanning_non_provider_patter ns.disabled</pre>	Secret scanning for non-provider patterns was disabled at the repository level.
Action	Secret scanning for non-provider patterns was Description

repository_secret_scanning_push_protection_bypass_list ∂

<pre>repository_secret_scanning_push_protection_byp ass_list.add</pre>	A role or team was added to the push protection bypass list at the repository level.
<pre>repository_secret_scanning_push_protection_byp ass_list.disable</pre>	Push protection settings for "Users who can bypass push protection for secret scanning" changed from "Specific roles or teams" to "Anyone with write access" at the repository level.
<pre>repository_secret_scanning_push_protection_byp ass_list.enable</pre>	Push protection settings for "Users who can bypass push protection for secret scanning" changed from "Anyone with write access" to "Specific roles or teams" at the repository level.
Action	A role or team was removed from the nuch Description

repository_secret_scanning_push_protection ∂

<pre>repository_secret_scanning_push_protection.dis able</pre>	Secret scanning push protection was disabled for a repository.
Action	Corret comming much protection was anabled for a Description

repository_security_configuration ∂

repository_security_configuration.applied	A code security configuration was applied to a repository.
repository_security_configuration.failed	A code security configuration failed to attach to the repository.

repository_security_configuration.removed	A code security configuration was removed from a repository.
Action	A code consists configuration was remained due to a Description

repository_visibility_change ∂

repository_visibility_change.clear	The repository visibility change setting was cleared for an organization or enterprise.
repository_visibility_change.disable	The ability for enterprise members to update a repository's visibility was disabled. Members are unable to change repository visibilities in an organization, or all organizations in an enterprise.
repository_visibility_change.enable	The ability for enterprise members to update a repository's visibility was enabled. Members are able
Action	Description

repository_vulnerability_alert ₽

repository_vulnerability_alert.auto_dismiss	A Dependabot alert was automatically dismissed because its metadata matches an enabled Dependabot rule.
repository_vulnerability_alert.auto_reopen	A previously auto-dismissed Dependabot alert was automatically reopened because its metadata no longer matches an enabled Dependabot rule.
repository_vulnerability_alert.create	GitHub created a Dependabot alert because the repository uses a vulnerable dependency.
repository_vulnerability_alert.dismiss	A Dependabot alert was manually dismissed.
repository_vulnerability_alert.reintroduce	A Dependabot alert was automatically reopened because the repository resumed use of a vulnerable dependency.
repository_vulnerability_alert.reopen	A Dependabot alert was manually reopened.
Action	Description

$repository_vulnerability_alerts~ \varnothing$

Action	Description
repository_vulnerability_alerts.disable	Dependabot alerts was disabled.
<pre>repository_vulnerability_alerts.authorized_use rs_teams</pre>	The list of people or teams authorized to receive Dependabot alerts for the repository was updated.

repository_vulnerability_alerts_auto_dismissal ∂

<pre>repository_vulnerability_alerts_auto_dismissal .disable</pre>	Automatic dismissal of low-impact Dependabot alerts was disabled for the repository.
Action	Automatic dismissal of law impact Danandahat Description

required_status_check ∂

<pre>required_status_check.create</pre>	A status check was marked as required for a protected branch.
Action	Description

$restrict_notification_delivery \ \mathscr{O}$

restrict_notification_delivery.disable	Email notification restrictions for an organization or enterprise were disabled.
Action	Description

role 🔗

role.create	A new custom repository role was created.
role.destroy	A custom repository role was deleted.
Action	Description

secret_scanning_alert ∂

secret_scanning_alert.create	GitHub detected a secret and created a secret scanning alert.
<pre>secret_scanning_alert.public_leak</pre>	A secret scanning alert was leaked in a public repo.
secret_scanning_alert.reopen	A secret scanning alert was reopened.
<pre>secret_scanning_alert.report</pre>	A leaked secret was reported to the secret's provider by secret scanning.
secret_scanning_alert.resolve	A secret scanning alert was resolved.

A secret scanning alert was revoked. secret_scanning_alert.revoke Action Description



Version: Enterprise Cloud ▼

Search GitHub Docs

Sign up

Enterprise administrators / Monitor user activity / Review audit logs / Audit log events

secret_scanning.disable	Secret scanning was disabled for all existing	
Action	Description	
Sect et_Scalliting.enable	repositories.	
secret_scanning_new_repos	S ℰ	
<pre>secret_scanning_new_repos.disable</pre>	Secret scanning was disabled for all new repositories.	
Action	Description	
secret_scanning_push_protection @		
	$ au_1,\ldots, au_{n-1},\ldots, au_{n-$	
Action	Description	

secret_scanning_push_protection_request ∂

<pre>secret_scanning_push_protection_request.approv e</pre>	A request to bypass secret scanning push protection was approved by a user.
secret_scanning_push_protection_request.deny	A request to bypass secret scanning push protection was denied by a user.
Action	Description

sponsors &

sponsors.agreement_sign	A GitHub Sponsors agreement was signed on behalf of an organization.
sponsors.custom_amount_settings_change	Custom amounts for GitHub Sponsors were enabled or disabled, or the suggested custom amount was changed.

In this article

What types of events are included?

account

actions_cache

advisory_credit

api

artifact

audit_log_streaming

auto_approve_personal_access_t oken_requests

billing

business

business_advanced_security

business_dependabot_alerts

business_dependabot_alerts_ne w_repos

business_secret_scanning_auto matic_validity_checks

business_secret_scanning_custo m_pattern

business_secret_scanning_custo m_pattern_push_protection

business_secret_scanning

business_secret_scanning_gener ic_secrets

business_secret_scanning_non_ provider_patterns

business_secret_scanning_push_ protection_custom_message

business_secret_scanning_push_ protection

checks

code

codespaces

commit_comment

copilot

custom_property_definition

custom_property_value

dependabot_alerts

dependabot_alerts_new_repos

dependabot_repository_access

dependabot_security_updates

dependabot_security_updates_n ew_repos

dependency_graph

dependency_graph_new_repos

discussion_post

<pre>sponsors.fiscal_host_change</pre>	The fiscal host for a GitHub Sponsors listing was updated.
sponsors.repo_funding_links_file_action	The FUNDING file in a repository was changed.
sponsors.sponsor_sponsorship_cancel	A sponsorship was canceled.
sponsors.sponsor_sponsorship_create	A sponsorship was created, by sponsoring an account.
sponsors.sponsor_sponsorship_payment_complete	After you sponsor an account and a payment has been processed, the sponsorship payment was marked as complete.
<pre>sponsors.sponsor_sponsorship_preference_chang</pre>	The option to receive email updates from a sponsored account was changed.
sponsors.sponsor_sponsorship_tier_change	A sponsorship was upgraded or downgraded.
sponsors.sponsored_developer_approve	A GitHub Sponsors account was approved.
sponsors.sponsored_developer_create	A GitHub Sponsors account was created.
sponsors.sponsored_developer_disable	A GitHub Sponsors account was disabled.
<pre>sponsors.sponsored_developer_profile_update</pre>	The profile for GitHub Sponsors account was edited.
(The preme for entral openions account was canca.
sponsors.sponsored_developer_redraft	A GitHub Sponsors account was returned to draft state from approved state.
	A GitHub Sponsors account was returned to draft
sponsors.sponsored_developer_redraft	A GitHub Sponsors account was returned to draft state from approved state. An application for GitHub Sponsors was submitted
<pre>sponsors.sponsored_developer_redraft sponsors.sponsored_developer_request_approval sponsors.sponsored_developer_tier_description_</pre>	A GitHub Sponsors account was returned to draft state from approved state. An application for GitHub Sponsors was submitted for approval.
sponsors.sponsored_developer_redraft sponsors.sponsored_developer_request_approval sponsors.sponsored_developer_tier_description_ update	A GitHub Sponsors account was returned to draft state from approved state. An application for GitHub Sponsors was submitted for approval. The description for a sponsorship tier was changed. A Patreon account was linked to a user account for
<pre>sponsors.sponsored_developer_redraft sponsors.sponsored_developer_request_approval sponsors.sponsored_developer_tier_description_ update sponsors.sponsors_patreon_user_create</pre>	A GitHub Sponsors account was returned to draft state from approved state. An application for GitHub Sponsors was submitted for approval. The description for a sponsorship tier was changed. A Patreon account was linked to a user account for use with GitHub Sponsors. A Patreon account for use with GitHub Sponsors
<pre>sponsors.sponsored_developer_redraft sponsors.sponsored_developer_request_approval sponsors.sponsored_developer_tier_description_ update sponsors.sponsors_patreon_user_create sponsors.sponsors_patreon_user_destroy</pre>	A GitHub Sponsors account was returned to draft state from approved state. An application for GitHub Sponsors was submitted for approval. The description for a sponsorship tier was changed. A Patreon account was linked to a user account for use with GitHub Sponsors. A Patreon account for use with GitHub Sponsors was unlinked from a user account. A GitHub Sponsors tier changed access for a
<pre>sponsors.sponsored_developer_redraft sponsors.sponsored_developer_request_approval sponsors.sponsored_developer_tier_description_ update sponsors.sponsors_patreon_user_create sponsors.sponsors_patreon_user_destroy sponsors.update_tier_repository</pre>	A GitHub Sponsors account was returned to draft state from approved state. An application for GitHub Sponsors was submitted for approval. The description for a sponsorship tier was changed. A Patreon account was linked to a user account for use with GitHub Sponsors. A Patreon account for use with GitHub Sponsors was unlinked from a user account. A GitHub Sponsors tier changed access for a repository.

discussion_post_reply
enterprise_announcement
enterprise_domain

ssh_certificate_authority ∂

Action	Description
ssh_certificate_authority.create	An SSH certificate authority for an organization or enterprise was created.
ssh_certificate_authority.destroy	An SSH certificate authority for an organization or enterprise was deleted.

ssh_certificate_requirement ∂

Action	Description
ssh_certificate_requirement.disable	The requirement for members to use SSH certificates to access an organization resources was disabled.
ssh_certificate_requirement.enable	The requirement for members to use SSH certificates to access an organization resources was enabled.

sso_redirect ∂

Action	Description
<pre>sso_redirect.disable</pre>	Automatic redirects for users to single sign-on (SSO) was disabled.
sso_redirect.enable	Automatic redirects for users to single sign-on (SSO) was enabled.

staff ∂

Action	Description
<pre>staff.set_domain_token_expiration</pre>	The verification code expiry time for an organization or enterprise domain was set.
staff.unverify_domain	An organization or enterprise domain was unverified.
staff.verify_domain	An organization or enterprise domain was verified.

team 🔗

Action	Description
team.add_member	A member of an organization was added to a team.
team.add_repository	A team was given access and permissions to a repository.
team.change_parent_team	A child team was created or a child team's parent was changed.
team.change_privacy	A team's privacy level was changed.
team.create	A new team is created.
team.demote_maintainer	A user was demoted from a team maintainer to a team member.
team.destroy	A team was deleted.
team.promote_maintainer	A user was promoted from a team member to a team maintainer.
team.remove_member	An organization member was removed from a team
team.remove_repository	A repository was removed from a team's control.
team.rename	A team's name was changed.

team.update_repository_permission

A team's permission to a repository was changed.

team_discussions ₽

Action	Description
team_discussions.clear	An organization owner cleared the setting to allow team discussions for an organization or enterprise.
team_discussions.disable	Team discussions were disabled for an organization.
team_discussions.enable	Team discussions were enabled for an organization.

team_sync_tenant ∂

Action	Description
<pre>team_sync_tenant.disabled</pre>	Team synchronization with a tenant was disabled.
<pre>team_sync_tenant.enabled</pre>	Team synchronization with a tenant was enabled.
<pre>team_sync_tenant.update_okta_credentials</pre>	The Okta credentials for team synchronization with a tenant were changed.

user_email ∂

Action	Description
user_email.confirm_claim	An enterprise managed user claimed an email address.

user_license ∂

Action	Description
user_license.create	A seat license for a user in an enterprise was created.
user_license.destroy	A seat license for a user in an enterprise was deleted.
user_license.update	A seat license type for a user in an enterprise was changed.

vulnerability_alert_rule ∂

Action	Description
<pre>vulnerability_alert_rule.create</pre>	A Dependabot rule was created.
vulnerability_alert_rule.delete	A Dependabot rule was deleted.
vulnerability_alert_rule.disable	A Dependabot rule was disabled for a single repository or disabled by default for an organization.

<pre>vulnerability_alert_rule.enable</pre>	A Dependabot rule was enabled for a single repository or enabled by default for an organization.
<pre>vulnerability_alert_rule.force_disable</pre>	A Dependabot rule was enabled for an organization and cannot be disabled for its repositories.
<pre>vulnerability_alert_rule.force_enable</pre>	A Dependabot rule was disabled for an organization and cannot be enabled for its repositories.
<pre>vulnerability_alert_rule.update</pre>	A Dependabot rule's conditions, actions, or metadata changed.

workflows ∂

Action	Description
workflows.approve_workflow_job	A workflow job was approved.
workflows.cancel_workflow_run	A workflow run was cancelled.
workflows.completed_workflow_run	A workflow status changed to completed. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
workflows.created_workflow_run	A workflow run was create. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
workflows.delete_workflow_run	A workflow run was deleted.
workflows.disable_workflow	A workflow was disabled.
workflows.enable_workflow	A workflow was enabled, after previously being disabled by disable_workflow.
workflows.pin_workflow	A workflow was pinned.
workflows.prepared_workflow_job	A workflow job was started. Includes the list of secrets that were provided to the job. This event is not available in the web interface, only via the REST API, audit log streaming, or JSON/CSV exports.
workflows.reject_workflow_job	A workflow job was rejected.
workflows.rerun_workflow_run	A workflow run was re-run.
workflows.unpin_workflow	A workflow was unpinned after previously being pinned.

Help and support

Did you find what you needed?



<u>Privacy policy</u>

Help us make these docs great!

All GitHub docs are open source. See something that's wrong or unclear? Submit a pull request.

ያጎ Make a contribution

Learn how to contribute

Still need help?

Ask the GitHub community

Contact support

Legal

© 2024 GitHub, Inc. <u>Terms Privacy Status Pricing Expert services Blog</u>