

Group Policy Home

HKEY_LOCAL_MACHINE

SOFTWARE

Policies

Microsoft

Windows NT

HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services

➤HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AllUserInstallAgent

➤HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\Client

➤HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\TSAppSrv

Use hardware graphics adapters for all Remote Desktop Services sessions <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\bEnumerateHWBeforeSW
Select RDP transport protocols <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SelectTransport
Select network detection on the server <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SelectNetworkDetect
Enable RemoteFX encoding for RemoteFX clients designed for Windows Server 2008 R2 SP1 <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableVirtualizedGraphics
Optimize visual experience when using RemoteFX <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\VGOptimization_CaptureFrameRateHKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\VGOptimization_CompressionRatio
Configure RemoteFX <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableVirtualizedGraphics
Optimize visual experience for Remote Desktop Service Sessions <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\VisualExperiencePolicy
Prioritize H.264/AVC 444 graphics mode for Remote Desktop Connections <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AVC444ModePreferred
Configure H.264/AVC hardware encoding for Remote Desktop Connections <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AVCHardwareEncodePreferred
Use advanced RemoteFX graphics for RemoteApp <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableRemoteFXAdvancedRemoteApp
Use WDDM graphics display driver for Remote Desktop Connections <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableWddmDriver
Configure compression for RemoteFX data <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxCompressionLevel
Configure RemoteFX Adaptive Graphics <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\GraphicsProfile
Configure image quality for RemoteFX Adaptive Graphics <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ImageQuality
Configure server authentication for client <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AuthenticationLevel
Prompt for credentials on the client computer <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\PromptForCredsOnClient
Specify SHA1 thumbprints of certificates representing trusted .rdp publishers <ul style="list-style-type: none">HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\TrustedCertThumbprints
Allow .rdp files from valid publishers and user's default .rdp settings

<ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AllowSignedFiles
<div>Allow .rdp files from unknown publishers</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AllowUnsignedFiles
<div>Do not use temporary folders per session</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\PerSessionTempDir
<div>Do not delete temp folders upon exit</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\DeleteTempDirsOnExit
<div>Set time limit for active Remote Desktop Services sessions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxConnectionTime
<div>Set time limit for active but idle Remote Desktop Services sessions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxIdleTime
<div>Set time limit for disconnected sessions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxDisconnectionTime
<div>End session when time limits are reached</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fResetBroken
<div>Configure RD Connection Broker server name</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SessionDirectoryLocation
<div>Use IP Address Redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SessionDirectoryExposeServerIP
<div>Configure RD Connection Broker farm name</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SessionDirectoryClusterName
<div>Join RD Connection Broker</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SessionDirectoryActive
<div>Require secure RPC communication</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEncryptRPCTraffic
<div>Allow time zone redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableTimeZoneRedirection
<div>Do not allow smart card device redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableSmartCard
<div>Specify RD Session Host server fallback printer driver behavior</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fPolicyFallbackPrintDriver◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\FallbackPrintDriverType
<div>Do not allow client printer redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableCpm
<div>Do not allow video capture redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableCameraRedir
<div>Do not allow supported Plug and Play device redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisablePNPRedir
<div>Do not allow LPT port redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableLPT
<div>Do not allow drive redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableCdm
<div>Use Remote Desktop Easy Print printer driver first</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\UseUniversalPrinterDriverFirst
<div>Do not set default client printer to be default printer in a session</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fForceClientLptDef
<div>Do not allow COM port redirection</div>

<ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableCcm
<div>Do not allow Clipboard redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableClip
<div>Allow audio recording redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableAudioCapture
<div>Limit audio playback quality</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AllowedAudioQualityMode
<div>Allow audio and video playback redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableCam
<div>Prevent license upgrade</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fPreventLicenseUpgrade
<div>License server security group</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fSecureLicensing
<div>Limit the size of the entire roaming user profile cache</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\DeleteRoamingUserProfile◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MonitoringInterval◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ProfileDirectoryQuota
<div>Use mandatory profiles on the RD Session Host server</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFDontAppendUserNameToProfile
<div>Set path for Remote Desktop Services Roaming User Profile</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFProfilePath
<div>Set Remote Desktop Services User Home Directory</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFHomeDirUNC◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFHomeDir◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFHomeDirDrive
<div>Always show desktop on connection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fTurnOffSingleAppMode
<div>Do not allow local administrators to customize permissions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fWritableTSCCPermTab
<div>Start a program on connection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\InitialProgram◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WorkDirectory
<div>Restrict Remote Desktop Services users to a single Remote Desktop Services session</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fSingleSessionPerUser
<div>Set rules for remote control of Remote Desktop Services user sessions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\Shadow
<div>Limit number of connections</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxInstanceCount
<div>Set the Remote Desktop licensing mode</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\LicensingMode
<div>Hide notifications about RD Licensing problems that affect the RD Session Host server</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableTerminalServerTooltip
<div>Use the specified Remote Desktop license servers</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\LicenseServers
<div>Configure keep-alive connection interval</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\KeepAliveEnable◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\KeepAliveInterval
<div>Deny logoff of an administrator logged in to the console session</div>

<ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableForcibleLogoff
<div>Enforce Removal of Remote Desktop Wallpaper</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fNoRemoteDesktopWallpaper
<div>Limit maximum display resolution</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxXResolution◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxYResolution◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\XResolution◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\YResolution
<div>Allow users to connect remotely by using Remote Desktop Services</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDenyTSConnections
<div>Limit number of monitors</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxMonitors
<div>Limit maximum color depth</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ColorDepth
<div>Automatic reconnection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableAutoReconnect
<div>Server authentication certificate template</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\CertTemplateName
<div>Require user authentication for remote connections by using Network Level Authentication</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\UserAuthentication
<div>Require use of specific security layer for remote (RDP) connections</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SecurityLayer
<div>Always prompt for password upon connection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fPromptForPassword
<div>Set client connection encryption level</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MinEncryptionLevel
<div>Do not allow passwords to be saved</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\DisablePasswordSaving
<div>Allow UI Automation redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\EnableUiaRedirection
<div>Do not allow location redirection</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableLocationRedir
<div>Do not allow font smoothing</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fNoFontSmoothing
<div>Set time limit for logoff of RemoteApp sessions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\RemoteAppLogoffTimeLimit
<div>Redirect only the default client printer</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\RedirectOnlyDefaultClientPrinter
<div>Use RD Connection Broker load balancing</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ParticipateInLoadBalancing
<div>Allow desktop composition for remote desktop sessions</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fAllowDesktopCompositionOnServer
<div>Allow remote start of unlisted programs</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fAllowUnlistedRemotePrograms
<div>Select RDP transport protocols</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SelectTransport
<div>Select network detection on the server</div>

<ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\SelectNetworkDetect
Enable Remote Desktop Protocol 8.0 <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fServerEnableRDP8
Configure RemoteFX Adaptive Graphics <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\GraphicsProfile
Configure image quality for RemoteFX Adaptive Graphics <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ImageQuality
Do not use temporary folders per session <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\PerSessionTempDir
Do not delete temp folder upon exit <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\DeleteTempDirsOnExit
Do not allow local administrators to customize permissions <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fWritableTSCCPermTab
Limit the size of the entire roaming user profile cache <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\DeleteRoamingUserProfile◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MonitoringInterval◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ProfileDirectoryQuota
Use mandatory profiles on the RD Session Host server <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFDontAppendUserNameToProfile
Set path for Remote Desktop Services Roaming User Profile <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFProfilePath
Set Remote Desktop Services User Home Directory <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFHomeDirUNC◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFHomeDir◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\WFHomeDirDrive
Set the Remote Desktop licensing mode <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\LicensingMode
Hide notifications about RD Licensing problems that affect the RD Session Host server <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fDisableTerminalServerTooltip
Use the specified Remote Desktop license servers <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\LicenseServers
Allow time zone redirection <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fEnableTimeZoneRedirection
Use the hardware default graphics adapter for all Remote Desktop Services sessions <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\bEnumerateHWBeforeSW
Offer Remote Assistance <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fAllowUnsolicited◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fAllowUnsolicitedFullControl
Solicited Remote Assistance <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fAllowToGetHelp◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fAllowFullControl◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxTicketExpiry◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\MaxTicketExpiryUnits◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\fUseMailto
Customize Warning Messages <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\UseCustomMessages◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ShareControlMessage◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\ViewMessage
Turn on bandwidth optimization <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\UseBandwidthOptimization

<ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\OptimizeBandwidth
<div>Allow only Vista or later connections</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\CreateEncryptedOnlyTickets
<div>Turn on session logging</div> <ul style="list-style-type: none">◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\LoggingEnabled