

Turn on automatic detection of intranet

This policy setting enables intranet mapping rules to be applied automatically if the computer belongs to a domain.

If you enable this policy setting, automatic detection of the intranet is turned on, and intranet mapping rules are applied automatically if the computer belongs to a domain.

If you disable this policy setting, automatic detection of the intranet is turned off, and intranet mapping rules are applied however they are configured.

If this policy setting is not configured, the user can choose whether or not to automatically detect the intranet through the intranet settings dialog in Control Panel.

Supported on: At least Internet Explorer 7.0

Registry Hive	HKEY_LOCAL_MACHINE or HKEY_CURRENT_USER
Registry Path	Software\Policies\Microsoft\Windows\CurrentVersion\Internet Settings\ZoneMap
Value Name	AutoDetect
Value Type	REG_DWORD
Enabled Value	1
Disabled Value	0

inetres.admx

Administrative Templates (Computers) ▼

➤ Control Panel

➤ Network

➤ Printers

➤ Start Menu and Taskbar

➤ System

▼ Windows Components

- ActiveX Installer Service
- Add features to Windows 8.1
- Application Compatibility
- App Package Deployment
- App Privacy
- App runtime
- AutoPlay Policies
- Backup
- Biometrics
- BitLocker Drive Encryption
- Camera
- Cloud Content
- Connect
- Credential User Interface
- Data Collection and Preview Builds
- Delivery Optimization
- Desktop Gadgets
- Desktop Window Manager

—	➤	Device and Driver Compatibility
—	➤	Device Registration
—	➤	Digital Locker
—	➤	Edge UI
—	➤	Event Forwarding
—	➤	Event Logging
—	➤	Event Log Service
—	➤	Event Viewer
—	➤	File Explorer
—	➤	File History
—	➤	Find My Device
—	➤	Game Explorer
—	➤	Handwriting
—	➤	HomeGroup
—	▼	Internet Explorer
—	➤	Accelerators
—	➤	Application Compatibility
—	➤	Browser menus
—	➤	Compatibility View
—	➤	Corporate Settings
—	➤	Delete Browsing History
—	▼	Internet Control Panel
—	➤	Advanced Page
—	➤	Content Page
—	➤	General Page
—	▼	Security Page
—	➤	Internet Zone
—	➤	Intranet Zone
—	➤	Local Machine Zone
—	➤	Locked-Down Internet Zone
—	➤	Locked-Down Intranet Zone
—	➤	Locked-Down Local Machine Zone
—	➤	Locked-Down Restricted Sites Zone
—	➤	Locked-Down Trusted Sites Zone
—	➤	Restricted Sites Zone
—	➤	Trusted Sites Zone
—		Internet Zone Template
—		Intranet Sites: Include all local (intranet) sites not listed in other zones
—		Intranet Sites: Include all network paths (UNCs)
—		Intranet Sites: Include all sites that bypass the proxy server
—		Intranet Zone Template
—		Local Machine Zone Template
—		Locked-Down Internet Zone Template
—		Locked-Down Intranet Zone Template
—		Locked-Down Local Machine Zone Template
—		Locked-Down Restricted Sites Zone Template
—		Locked-Down Trusted Sites Zone Template
—		Restricted Sites Zone Template
—		Site to Zone Assignment List
—		Trusted Sites Zone Template
—		Turn on automatic detection of intranet
—		Turn on certificate address mismatch warning
—		Turn on Notification bar notification for intranet content
—		Disable the Advanced page
—		Disable the Connections page
—		Disable the Content page
—		Disable the General page
—		Disable the Privacy page
—		Disable the Programs page
—		Disable the Security page
—		Prevent ignoring certificate errors
—		Send internationalized domain names

- └─ Use UTF-8 for mailto links
- ─ > Internet Settings
- ─ > Privacy
- ─ > Security Features
- ─ > Toolbars
- ─ Add a specific list of search providers to the user's list of search providers
- ─ Allow "Save Target As" in Internet Explorer mode
- ─ Allow Internet Explorer 8 shutdown behavior
- ─ Allow Microsoft services to provide enhanced suggestions as the user types in the Address bar
- ─ Automatically activate newly installed add-ons
- ─ Configure which channel of Microsoft Edge to use for opening redirected sites
- ─ Customize user agent string
- ─ Disable Automatic Install of Internet Explorer components
- ─ Disable changing Automatic Configuration settings
- ─ Disable changing connection settings
- ─ Disable changing secondary home page settings
- ─ Disable Import/Export Settings wizard
- ─ Disable Internet Explorer 11 as a standalone browser
- ─ Disable Periodic Check for Internet Explorer software updates
- ─ Disable showing the splash screen
- ─ Disable software update shell notifications on program launch
- ─ Do not allow users to enable or disable add-ons
- ─ Enable extended hot keys in Internet Explorer mode
- ─ Enable global window list in Internet Explorer mode
- ─ Enforce full-screen mode
- ─ Hide Internet Explorer 11 retirement notification
- ─ Install new versions of Internet Explorer automatically
- ─ Keep all intranet sites in Internet Explorer
- ─ Let users turn on and use Enterprise Mode from the Tools menu
- ─ Limit Site Discovery output by Domain
- ─ Limit Site Discovery output by Zone
- ─ Make proxy settings per-machine (rather than per-user)
- ─ Pop-up allow list
- ─ Prevent "Fix settings" functionality
- ─ Prevent access to Internet Explorer Help
- ─ Prevent bypassing SmartScreen Filter warnings about files that are not commonly downloaded from the Internet
- ─ Prevent bypassing SmartScreen Filter warnings
- ─ Prevent changing pop-up filter level
- ─ Prevent changing proxy settings
- ─ Prevent changing the default search provider
- ─ Prevent configuration of how windows open
- ─ Prevent configuration of new tab creation
- ─ Prevent Internet Explorer Search box from appearing
- ─ Prevent managing pop-up exception list
- ─ Prevent managing SmartScreen Filter
- ─ Prevent managing the phishing filter
- ─ Prevent participation in the Customer Experience Improvement Program
- ─ Prevent per-user installation of ActiveX controls
- ─ Prevent running First Run wizard
- ─ Reset zoom to default for HTML dialogs in Internet Explorer mode
- ─ Restrict search providers to a specific list
- ─ Security Zones: Do not allow users to add/delete sites
- ─ Security Zones: Do not allow users to change policies
- ─ Security Zones: Use only machine settings
- ─ Send all sites not included in the Enterprise Mode Site List to Microsoft Edge.
- ─ Set tab process growth
- ─ Show message when opening sites in Microsoft Edge using Enterprise Mode
- ─ Specify default behavior for a new tab
- ─ Specify use of ActiveX Installer Service for installation of ActiveX controls
- ─ Turn off ability to pin sites in Internet Explorer on the desktop
- ─ Turn off ActiveX Opt-In prompt
- ─ Turn off add-on performance notifications
- ─ Turn off Automatic Crash Recovery
- ─ Turn off browser geolocation
- ─ Turn off configuration of pop-up windows in tabbed browsing
- ─ Turn off Crash Detection
- ─ Turn off Favorites bar
- ─ Turn off Managing SmartScreen Filter for Internet Explorer 8

	Turn off page-zooming functionality
	Turn off pop-up management
	Turn off Quick Tabs functionality
	Turn off Reopen Last Browsing Session
	Turn off suggestions for all user-installed providers
	Turn off tabbed browsing
	Turn off the auto-complete feature for web addresses
	Turn off the quick pick menu
	Turn off the Security Settings Check feature
	Turn on ActiveX Filtering
	Turn on compatibility logging
	Turn on menu bar by default
	Turn on Site Discovery WMI output
	Turn on Site Discovery XML output
	Turn on Suggested Sites
	Use the Enterprise Mode IE website list
	➤ Internet Information Services
	➤ Location and Sensors
	➤ Maintenance Scheduler
	➤ Maps
	➤ MDM
	➤ Messaging
	➤ Microsoft account
	➤ Microsoft Defender Antivirus
	➤ Microsoft Defender Application Guard
	➤ Microsoft Defender Exploit Guard
	➤ Microsoft Edge
	➤ Microsoft FIDO Authentication
	➤ Microsoft Secondary Authentication Factor
	➤ Microsoft User Experience Virtualization
	➤ NetMeeting
	➤ News and interests
	➤ OneDrive
	➤ Online Assistance
	➤ OOBE
	➤ Parental Controls
	➤ Portable Operating System
	➤ Presentation Settings
	➤ Push To Install
	➤ Remote Desktop Services
	➤ RSS Feeds
	➤ Search
	➤ Security Center
	➤ Shutdown Options
	➤ Smart Card
	➤ Software Protection Platform
	➤ Sound Recorder
	➤ Speech
	➤ Store
	➤ Sync your settings
	➤ Tablet PC
	➤ Task Scheduler
	➤ Tenant Restrictions
	➤ Text Input
	➤ Windows Calendar
	➤ Windows Color System
	➤ Windows Customer Experience Improvement Program
	➤ Windows Defender SmartScreen
	➤ Windows Error Reporting
	➤ Windows Game Recording and Broadcasting
	➤ Windows Hello for Business

	<div><div></div><div>Windows Ink Workspace</div></div>
	<div><div></div><div>Windows Installer</div></div>
	<div><div></div><div>Windows Logon Options</div></div>
	<div><div></div><div>Windows Mail</div></div>
	<div><div></div><div>Windows Media Center</div></div>
	<div><div></div><div>Windows Media Digital Rights Management</div></div>
	<div><div></div><div>Windows Media Player</div></div>
	<div><div></div><div>Windows Messenger</div></div>
	<div><div></div><div>Windows Mobility Center</div></div>
	<div><div></div><div>Windows PowerShell</div></div>
	<div><div></div><div>Windows Reliability Analysis</div></div>
	<div><div></div><div>Windows Remote Management (WinRM)</div></div>
	<div><div></div><div>Windows Remote Shell</div></div>
	<div><div></div><div>Windows Security</div></div>
	<div><div></div><div>Windows Update</div></div>
	<div><div></div><div>Work Folders</div></div>

Administrative Templates (Users)		▼
	<div><div></div><div>Configuration Manager</div></div>	
	<div><div></div><div>Control Panel</div></div>	
	<div><div></div><div>Desktop</div></div>	
	<div><div></div><div>Network</div></div>	
	<div><div></div><div>Shared Folders</div></div>	
	<div><div></div><div>Start Menu and Taskbar</div></div>	
	<div><div></div><div>System</div></div>	
	<div><div>▼</div><div>Windows Components</div></div>	
	<div><div></div><div>Add features to Windows 8.1</div></div>	
	<div><div></div><div>Application Compatibility</div></div>	
	<div><div></div><div>App runtime</div></div>	
	<div><div></div><div>Attachment Manager</div></div>	
	<div><div></div><div>AutoPlay Policies</div></div>	
	<div><div></div><div>Backup</div></div>	
	<div><div></div><div>Calculator</div></div>	
	<div><div></div><div>Cloud Content</div></div>	
	<div><div></div><div>Credential User Interface</div></div>	
	<div><div></div><div>Data Collection and Preview Builds</div></div>	
	<div><div></div><div>Desktop Gadgets</div></div>	
	<div><div></div><div>Desktop Window Manager</div></div>	
	<div><div></div><div>Digital Locker</div></div>	
	<div><div></div><div>Edge UI</div></div>	
	<div><div></div><div>File Explorer</div></div>	
	<div><div></div><div>File Revocation</div></div>	
	<div><div></div><div>IME</div></div>	
	<div><div></div><div>Instant Search</div></div>	
	<div><div>▼</div><div>Internet Explorer</div></div>	
	<div><div></div><div>Accelerators</div></div>	
	<div><div></div><div>Administrator Approved Controls</div></div>	
	<div><div></div><div>Application Compatibility</div></div>	
	<div><div></div><div>Browser menus</div></div>	
	<div><div></div><div>Compatibility View</div></div>	
	<div><div></div><div>Delete Browsing History</div></div>	
	<div><div>▼</div><div>Internet Control Panel</div></div>	
	<div><div></div><div>Advanced Page</div></div>	
	<div><div></div><div>Content Page</div></div>	
	<div><div></div><div>General Page</div></div>	
	<div><div>▼</div><div>Security Page</div></div>	
	<div><div></div><div>Internet Zone</div></div>	

- Intranet Zone
 - Local Machine Zone
 - Locked-Down Internet Zone
 - Locked-Down Intranet Zone
 - Locked-Down Local Machine Zone
 - Locked-Down Restricted Sites Zone
 - Locked-Down Trusted Sites Zone
 - Restricted Sites Zone
 - Trusted Sites Zone
 - Internet Zone Template
 - Intranet Sites: Include all local (intranet) sites not listed in other zones
 - Intranet Sites: Include all network paths (UNCs)
 - Intranet Sites: Include all sites that bypass the proxy server
 - Intranet Zone Template
 - Local Machine Zone Template
 - Locked-Down Internet Zone Template
 - Locked-Down Intranet Zone Template
 - Locked-Down Local Machine Zone Template
 - Locked-Down Restricted Sites Zone Template
 - Locked-Down Trusted Sites Zone Template
 - Restricted Sites Zone Template
 - Site to Zone Assignment List
 - Trusted Sites Zone Template
 - Turn on automatic detection of intranet
 - Turn on certificate address mismatch warning
 - Turn on Notification bar notification for intranet content
- Disable the Advanced page
- Disable the Connections page
- Disable the Content page
- Disable the General page
- Disable the Privacy page
- Disable the Programs page
- Disable the Security page
- Prevent ignoring certificate errors
- Send internationalized domain names
- Use UTF-8 for mailto links
- Internet Settings
- Offline Pages
- Persistence Behavior
- Privacy
- Security Features
- Toolbars
- Add a specific list of search providers to the user's list of search providers
- Allow "Save Target As" in Internet Explorer mode
- Allow Internet Explorer 8 shutdown behavior
- Allow Microsoft services to provide enhanced suggestions as the user types in the Address bar
- Automatically activate newly installed add-ons
- Configure Media Explorer Bar
- Configure Outlook Express
- Configure which channel of Microsoft Edge to use for opening redirected sites
- Customize user agent string
- Disable AutoComplete for forms
- Disable caching of Auto-Proxy scripts
- Disable changing accessibility settings
- Disable changing Advanced page settings
- Disable changing Automatic Configuration settings
- Disable changing Calendar and Contact settings
- Disable changing certificate settings
- Disable changing color settings
- Disable changing connection settings
- Disable changing default browser check
- Disable changing font settings
- Disable changing home page settings
- Disable changing language settings
- Disable changing link color settings
- Disable changing Messaging settings

- [Disable changing Profile Assistant settings](#)
- [Disable changing ratings settings](#)
- [Disable changing secondary home page settings](#)
- [Disable changing Temporary Internet files settings](#)
- [Disable external branding of Internet Explorer](#)
- [Disable Import/Export Settings wizard](#)
- [Disable Internet Connection wizard](#)
- [Disable Internet Explorer 11 as a standalone browser](#)
- [Disable the Reset Web Settings feature](#)
- [Display error message on proxy script download failure](#)
- [Do not allow users to enable or disable add-ons](#)
- [Enable extended hot keys in Internet Explorer mode](#)
- [Enable global window list in Internet Explorer mode](#)
- [Enforce full-screen mode](#)
- [Hide Internet Explorer 11 retirement notification](#)
- [Identity Manager: Prevent users from using Identities](#)
- [Keep all intranet sites in Internet Explorer](#)
- [Let users turn on and use Enterprise Mode from the Tools menu](#)
- [Limit Site Discovery output by Domain](#)
- [Limit Site Discovery output by Zone](#)
- [Notify users if Internet Explorer is not the default web browser](#)
- [Pop-up allow list](#)
- [Position the menu bar above the navigation bar](#)
- [Prevent "Fix settings" functionality](#)
- [Prevent access to Internet Explorer Help](#)
- [Prevent bypassing SmartScreen Filter warnings about files that are not commonly downloaded from the Internet](#)
- [Prevent bypassing SmartScreen Filter warnings](#)
- [Prevent changing pop-up filter level](#)
- [Prevent changing proxy settings](#)
- [Prevent changing the default search provider](#)
- [Prevent configuration of how windows open](#)
- [Prevent configuration of new tab creation](#)
- [Prevent Internet Explorer Search box from appearing](#)
- [Prevent managing pop-up exception list](#)
- [Prevent managing SmartScreen Filter](#)
- [Prevent managing the phishing filter](#)
- [Prevent participation in the Customer Experience Improvement Program](#)
- [Prevent per-user installation of ActiveX controls](#)
- [Prevent running First Run wizard](#)
- [Reset zoom to default for HTML dialogs in Internet Explorer mode](#)
- [Restrict search providers to a specific list](#)
- [Search: Disable Find Files via F3 within the browser](#)
- [Search: Disable Search Customization](#)
- [Send all sites not included in the Enterprise Mode Site List to Microsoft Edge.](#)
- [Set tab process growth](#)
- [Show message when opening sites in Microsoft Edge using Enterprise Mode](#)
- [Specify default behavior for a new tab](#)
- [Specify use of ActiveX Installer Service for installation of ActiveX controls](#)
- [Turn off ability to pin sites in Internet Explorer on the desktop](#)
- [Turn off ActiveX Opt-In prompt](#)
- [Turn off add-on performance notifications](#)
- [Turn off Automatic Crash Recovery](#)
- [Turn off browser geolocation](#)
- [Turn off configuration of pop-up windows in tabbed browsing](#)
- [Turn off Crash Detection](#)
- [Turn off Favorites bar](#)
- [Turn off Managing SmartScreen Filter for Internet Explorer 8](#)
- [Turn off page-zooming functionality](#)
- [Turn off pop-up management](#)
- [Turn off Quick Tabs functionality](#)
- [Turn off Reopen Last Browsing Session](#)
- [Turn off suggestions for all user-installed providers](#)
- [Turn off tabbed browsing](#)
- [Turn off Tab Grouping](#)
- [Turn off the auto-complete feature for web addresses](#)
- [Turn off the quick pick menu](#)
- [Turn off the Security Settings Check feature](#)
- [Turn on ActiveX Filtering](#)
- [Turn on compatibility logging](#)

- Turn on menu bar by default
 - Turn on Site Discovery WMI output
 - Turn on Site Discovery XML output
 - Turn on Suggested Sites
 - Turn on the auto-complete feature for user names and passwords on forms
 - Use Automatic Detection for dial-up connections
 - Use the Enterprise Mode IE website list
 - Location and Sensors
 - Microsoft Edge
 - Microsoft Management Console
 - Microsoft User Experience Virtualization
 - Multitasking
 - NetMeeting
 - Network Sharing
 - OOBE
 - Presentation Settings
 - Remote Desktop Services
 - RSS Feeds
 - Search
 - Sound Recorder
 - Store
 - Tablet PC
 - Task Scheduler
 - Windows Calendar
 - Windows Color System
 - Windows Defender SmartScreen
 - Windows Error Reporting
 - Windows Hello for Business
 - Windows Installer
 - Windows Logon Options
 - Windows Mail
 - Windows Media Center
 - Windows Media Player
 - Windows Messenger
 - Windows Mobility Center
 - Windows PowerShell
 - Windows Update
 - Work Folders
- [Enable auto-subscription](#)