

zeek / zeekPublic

Notifications

Fork1.2k

Star6.4k

<>Code

Issues156

Pull requests10

Discussions

Actions

Projects

Wiki

Security

Insights

Files

691b099

Go to file

> .github

> auxil

> ci

> cmake

> doc

> docker

> man

> scripts

> base

> files

> frameworks

> misc

> packet-protocols

> protocols

> conn

> dce-rpc

> README

> __load__.zeek

> consts.zeek

> dpd.sig

> main.zeek

> dhcp

> dnp3

> dns

> ftp

> http

> imap

> irc

> krb

> modbus

> mqtt

> mysql

> ntlm

> ntp

> pop3

> radius

zeek / scripts / base / protocols / dce-rpc / consts.zeek







fox-ds Add IType opnum mapping4a19acb · 3 years agoHistory

CodeBlame

2977 lines (2827 loc) · 198 KB

RawCopyDownloadCompare

```
1
2     module DCE_RPC;
3
4     export {
5         const uuid_endpoint_map: table[string] of string = {
6             ["367abb81-9844-35f1-ad32-98f038001003"] = "svcctl",
7             ["86d35949-83c9-4044-b424-db363231fd0c"] = "ITaskSchedulerService",
8             ["378e52b0-c0a9-11cf-822d-00aa0051e40f"] = "sasec",
9             ["1ff70682-0a51-30e8-076d-740be8cee98b"] = "atsvc",
10            ["0a74ef1c-41a4-4e06-83ae-dc74fb1cdd53"] = "idletask",
11            ["906b0ce0-c70b-1067-b317-00dd010662da"] = "IXnRemote",
12            ["ae33069b-a2a8-46ee-a235-ddfd339be281"] = "IRPCRemoteObject",
13            ["0b6edbfa-4a24-4fc6-8a23-942b1eca65d1"] = "IRPCAsyncNotify",
14            ["afa8bd80-7d8a-11c9-bef4-08002b102989"] = "mgmt",
15            ["f5cc59b4-4264-101a-8c59-08002b2f8426"] = "FrsRpc",
16            ["000001a0-0000-0000-c000-000000000046"] = "IRemoteSCMActivator",
17            ["00000143-0000-0000-c000-000000000046"] = "IRemUnknown2",
18            ["12345778-1234-abcd-ef00-0123456789ab"] = "lsarpc",
19            ["76f03f96-cdfd-44fc-a22c-64950a001209"] = "IRemoteWinspool",
20            ["12345678-1234-abcd-ef00-01234567cffb"] = "netlogon",
21            ["e3514235-4b06-11d1-ab04-00c04fc2dcd2"] = "drsuapi",
22            ["5261574a-4572-206e-b268-6b199213b4e4"] = "AsyncEMSMDB",
23            ["4d9f4ab8-7d1c-11cf-861e-0020af6e7c57"] = "IActivation",
24            ["99fcfec4-5260-101b-bbcb-00aa0021347a"] = "IObjectExporter",
25            ["e1af8308-5d1f-11c9-91a4-08002b14a0fa"] = "epmapper",
26            ["12345778-1234-abcd-ef00-0123456789ac"] = "samr",
27            ["4b324fc8-1670-01d3-1278-5a47bf6ee188"] = "srvsvc",
28            ["45f52c28-7f9f-101a-b52b-08002b2efabe"] = "winspipe",
29            ["6bfffd098-a112-3610-9833-46c3f87e345a"] = "wkssvc",
30            ["3919286a-b10c-11d0-9ba8-00c04fd92ef5"] = "dssetup",
31            ["12345678-1234-abcd-ef00-0123456789ab"] = "spoolss",
32
33            # Exchange
34            ["1544f5e0-613c-11d1-93df-00c04fd7bd09"] = "exchange_rfr",
35            ["f5cc5a18-4264-101a-8c59-08002b2f8426"] = "nspi",
36            ["a4f1db00-ca47-1067-b31f-00dd010662da"] = "exchange_mapi",
37
38            # Iwbem
39            ["9556dc99-828c-11cf-a37e-00aa003240c7"] = "IwbemServices",
40            ["f309ad18-d86a-11d0-a075-00c04fb68820"] = "IwbemLevel1Login",
41            ["d4781cd6-e5d3-44df-ad94-930efe48a887"] = "IwbemLoginClientID",
42            ["44aca674-e8fc-11d0-a07c-00c04fb68820"] = "IwbemContext interface",
43            ["674b6698-ee92-11d0-ad71-00c04fd8fdff"] = "IwbemContext unmarshaler",
44            ["dc12a681-737f-11cf-884d-00aa004b2e24"] = "IwbemClassObject interface"
45            ["4590f812-1d3a-11d0-891f-00aa004b2e24"] = "IwbemClassObject unmarshale
46            ["9a653086-174f-11d2-b5f9-00104b703efd"] = "IwbemClassObject interface"
47            ["c49e32c6-bc8b-11d2-85d4-00105a1f8304"] = "IwbemBackupRestoreEx interf
48            ["7c857801-7381-11cf-884d-00aa004b2e24"] = "IwbemObjectSink interface",
49            ["027947e1-d731-11ce-a357-000000000001"] = "IEnumWbemClassObject interf
50            ["44aca675-e8fc-11d0-a07c-00c04fb68820"] = "IwbemCallResult interface",
51            ["c49e32c7-bc8b-11d2-85d4-00105a1f8304"] = "IwbemBackupRestore interfac
52            ["a359dec5-e813-4834-8a2a-ba7f1d777d76"] = "IwbemBackupRestoreEx interf
53            ["f1e9c5b2-f59b-11d2-b362-00105a1f8177"] = "IwbemRemoteRefresher interf
54            ["2c9273e0-1dc3-11d3-b364-00105a1f8177"] = "IwbemRefreshingServices int
55            ["423ec01e-2e35-11d2-b604-00104b703efd"] = "IwbemWCOSmartEnum interface
56            ["1c1c45ee-4395-11d2-b60b-00104b703efd"] = "IwbemFetchSmartEnum interfa
57            ["541670ab-2ee5-11d3-b34e-00104b703efd"] = "IwbemLoginHelper interface"
```

- >  rdp
- >  rfb
- >  sip
- >  smb
- >  smtp
- >  snmp

```
57 [ "541077AB-2E3F-11d3-B34E-00104BCC4B4A" ] = "IwbemLoginHelperInterface",
58 [ "51c82175-844e-4750-b0d8-ec255555bc06" ] = "KMS",
59 [ "50abc2a4-574d-40b3-9d66-ee4fd5fba076" ] = "dnsserver",
60 [ "3faf4738-3a21-4307-b46c-fdda9bb8c0d5" ] = "AudioSrv",
61 [ "c386ca3e-9061-4a72-821e-498d83be188f" ] = "AudioRpc",
62 [ "6bffd098-a112-3610-9833-012892020162" ] = "browser",
63 [ "91ae6020-9e3c-11cf-8d7c-00aa00c091be" ] = "ICertPassage",
64 [ "c8cb7687-e6d3-11d2-a958-00c04f682e16" ] = "DAV RPC SERVICE",
65 [ "82273fdc-e32a-18c3-3f78-827929dc23ea" ] = "eventlog",
66 [ "3d267954-eeb7-11d1-b94e-00c04fa3080d" ] = "HydralsPipe",
67 [ "894de0c0-0d55-11d3-a322-00c04fa321a1" ] = "InitShutdown",
68 [ "d95afe70-a6d5-4259-822e-2c84da1ddb0d" ] = "WindowsShutdown",
69 [ "8d0ffe72-d252-11d0-bf8f-00c04fd9126b" ] = "IKeySvc",
70 [ "68b58241-c259-4f03-a2e5-a2651dcbc930" ] = "IKeySvc2",
71 [ "0d72a7d4-6148-11d1-b4aa-00c04fb66ea0" ] = "ICertProtect",
72 [ "f50aac00-c7f3-428e-a022-a6b71bf9d43" ] = "ICatDBSvc",
73 [ "338cd001-2244-31f1-aaaa-900038001003" ] = "winreg",
74 [ "3dde7c30-165d-11d1-ab8f-00805f14db40" ] = "BackupKey", # https://msdn.
75 [ "3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5" ] = "RpcSrvDHCP",
76 [ "3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6" ] = "dhcpcsvc6",
77 [ "2f59a331-bf7d-48cb-9ec5-7c090d76e8b8" ] = "lcrpc",
78 [ "5ca4a760-ebb1-11cf-8611-00a0245420ed" ] = "winstation_rpc",
79 [ "12b81e99-f207-4a4c-85d3-77b42f76fd14" ] = "ISeclogon",
80 [ "d6d70ef0-0e3b-11cb-acc3-08002b1d29c3" ] = "NsiS",
81 [ "d3fbb514-0e3b-11cb-8fad-08002b1d29c3" ] = "NsiC",
82 [ "d6d70ef0-0e3b-11cb-acc3-08002b1d29c4" ] = "NsiM",
83 [ "17fdd703-1827-4e34-79d4-24a55c53bb37" ] = "msgsvc",
84 [ "5a7b91f8-ff00-11d0-a9b2-00c04fb6e6fc" ] = "msgsvcsend",
85 [ "8d9f4e40-a03d-11ce-8f69-08003e30051b" ] = "pnp",
86 [ "57674cd0-5200-11ce-a897-08002b2e9c6d" ] = "lls_license",
87 [ "342cfd40-3c6c-11ce-a893-08002b2e9c6d" ] = "llsrpc",
88 [ "4fc742e0-4a10-11cf-8273-00aa004ae673" ] = "netdfs",
89 [ "83da7c00-e84f-11d2-9807-00c04f8ec850" ] = "sfcbapi",
90 [ "2f5f3220-c126-1076-b549-074d078619da" ] = "nddeapi",
91
92 # Added from BZAR
93 [ "0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7" ] = "authzn",
94 [ "e3d0d746-d2af-40fd-8a7a-0d7078bb7092" ] = "BitsPeerAuth",
95 [ "b97db8b2-4c63-11cf-bff6-08002be23f2f" ] = "clusapi",
96 [ "d61a27c6-8f53-11d0-bfa0-00a024151983" ] = "CNTmsSvr",
97 [ "6bffd098-a112-3610-9833-46c3f874532d" ] = "dhcprsv",
98 [ "5b821720-f63b-11d0-aad2-00c04fc324db" ] = "dhcprsv2",
99 [ "8f09f000-b7ed-11ce-bbd2-00001a181cad" ] = "dimsvc",
100 [ "7c44d7d4-31d5-424c-bd5e-2b3e1f323d22" ] = "dsaop",
101 [ "77df7a80-f298-11d0-8358-00a024c480a8" ] = "dscomm",
102 [ "708cca10-9569-11d1-b2a5-0060977d8118" ] = "dscomm2",
103 [ "df1941c5-fe89-4e79-bf10-463657acf44d" ] = "efsrpc",
104 [ "c681d488-d850-11d0-8c52-00c04fd90f7e" ] = "efsrpc2",
105 [ "ea0a3165-4834-11d2-a6f8-00c04fa346cc" ] = "fax",
106 [ "6099fc12-3eff-11d0-abd0-00c04fd91a4e" ] = "faxclient",
107 [ "a8e0653c-2744-4389-a61d-7373df8b2292" ] = "FileServerVssAgent",
108 [ "897e2e5f-93f3-4376-9c9c-fd2277495c27" ] = "FrsTransport",
109 [ "4bb8ab1d-9ef9-4100-8eb6-dd4b4e418b72" ] = "IADProxy",
110 [ "c4b0c7d9-abe0-4733-a1e1-9fdedf260c7a" ] = "IADProxy2",
111 [ "03837516-098b-11d8-9414-505054503030" ] = "IAlertDataCollector",
112 [ "0383751a-098b-11d8-9414-505054503030" ] = "IApiTracingDataCollector",
113 [ "d99e6e71-fc88-11d0-b498-00a0c90312f3" ] = "ICertAdminD",
114 [ "7fe0d935-dda6-443f-85d0-1cfb58fe41dd" ] = "ICertAdminD2",
115 [ "d99e6e70-fc88-11d0-b498-00a0c90312f3" ] = "ICertRequestD",
116 [ "5422fd3a-d4b8-4cef-a12e-e87d4ca22e90" ] = "ICertRequestD2",
117 [ "879c8bbe-41b0-11d1-be11-00c04fb6bf70" ] = "IClientSink",
118 [ "03837514-098b-11d8-9414-505054503030" ] = "IConfigurationDataCollector"
```



```
2904      ["88143fd0-c28d-4b2b-8fef-8d882f6a9390",0x0B] = "RpcGetAllSessionsEx",
2905
2906      # TermServNotification - MSDN Ref: Terminal Services Runtime Interface
2907      ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x00] = "RpcWaitForSessionState",
2908      ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x01] = "RpcRegisterAsyncNotification",
2909      ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x02] = "RpcWaitAsyncNotification",
2910      ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x03] = "RpcUnRegisterAsyncNotification",
2911
2912      # TermSrvSession - MSDN Ref: Terminal Services Runtime Interface Protocol
2913      ["484809d6-4239-471b-b5bc-61df8c23ac48",0x00] = "RpcWaitForSessionState",
2914      ["484809d6-4239-471b-b5bc-61df8c23ac48",0x01] = "RpcRegisterAsyncNotification",
2915      ["484809d6-4239-471b-b5bc-61df8c23ac48",0x02] = "RpcWaitAsyncNotification",
2916      ["484809d6-4239-471b-b5bc-61df8c23ac48",0x03] = "RpcUnRegisterAsyncNotification",
2917
2918      # trksvr - MSDN Ref: Distributed Link Tracking: Central Manager Protocol
2919      ["4da1c422-943d-11d1-acae-00c04fc2aa3f",0x00] = "LnkSvrMessage",
2920      ["4da1c422-943d-11d1-acae-00c04fc2aa3f",0x01] = "LnkSvrMessageCallback",
2921
2922      # trkwks - MSDN Ref: Distributed Link Tracking: Workstation Protocol [ms-dlink]
2923      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x00] = "Opnum0NotUsedOnWire",
2924      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x01] = "Opnum1NotUsedOnWire",
2925      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x02] = "Opnum2NotUsedOnWire",
2926      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x03] = "Opnum3NotUsedOnWire",
2927      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x04] = "Opnum4NotUsedOnWire",
2928      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x05] = "Opnum5NotUsedOnWire",
2929      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x06] = "Opnum6NotUsedOnWire",
2930      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x07] = "Opnum7NotUsedOnWire",
2931      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x08] = "Opnum8NotUsedOnWire",
2932      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x09] = "Opnum9NotUsedOnWire",
2933      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x0A] = "Opnum10NotUsedOnWire",
2934      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x0B] = "Opnum11NotUsedOnWire",
2935      ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x0C] = "LnkSearchMachine",
2936
2937      # TsProxyRpcInterface - MSDN Ref: Terminal Services Gateway Server Protocol
2938      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x00] = "Opnum0NotUsedOnWire",
2939      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x01] = "TsProxyCreateTunnel",
2940      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x02] = "TsProxyAuthorizeTunnel",
2941      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x03] = "TsProxyMakeTunnelCall",
2942      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x04] = "TsProxyCreateChannel",
2943      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x05] = "Opnum5NotUsedOnWire",
2944      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x06] = "TsProxyCloseChannel",
2945      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x07] = "TsProxyCloseTunnel",
2946      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x08] = "TsProxySetupReceivePipe",
2947      ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x09] = "TsProxySendToServer",
2948
2949      # TSVIPPublic - MSDN Ref: Terminal Services Runtime Interface Protocol
2950      ["53b46b02-c73b-4a3e-8dee-b16b80672fc0",0x00] = "RpcGetSessionIP",
2951
2952      # W32Time - MSDN Ref: W32Time Remote Protocol [ms-w32t]
2953      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x00] = "W32TimeSync",
2954      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x01] = "W32TimeGetNetlogonService",
2955      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x02] = "W32TimeQueryProviderStatus",
2956      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x03] = "W32TimeQuerySource",
2957      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x04] = "W32TimeQueryProviderCapabilities",
2958      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x05] = "W32TimeQueryConfiguration",
2959      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x06] = "W32TimeQueryStatus",
2960      ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x07] = "W32TimeLog",
2961
2962      # WdsRpcInterface - MSDN Ref: Windows Deployment Services Control Protocol
2963      ["1a927394-352e-4553-ae3f-7cf4aafca620",0x00] = "WdsRpcMessage",
2964
2965      # winsi2 - MSDN Ref: Remote Administrative Interface: WINS [ms-raiw]
2966      ["811109bf-a4e1-11d1-ab54-00a0c91e9b45",0x00] = "R_WinsTombstoneDbRecs"
```



```
2967         ["811109bf-a4e1-11d1-ab54-00a0c91e9b45",0x01] = "R_WinsCheckAccess",
2968
2969         # Witness - MSDN Ref: Service Witness Protocol [ms-swn]
2970         ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x00] = "WitnessrGetInterfaceLi
2971         ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x01] = "WitnessrRegister",
2972         ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x02] = "WitnessrUnRegister",
2973         ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x03] = "WitnessrAsyncNotify",
2974         ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x04] = "WitnessrRegisterEx",
2975
2976     } &redef &default=function(uuid: string, i: count): string { return fmt("unknow
2977 }
```