 Filter by title

time

timeout

title

tlntadmn

tpmtool

tpmvscmgr

tracert

tracert

tree

tscon

tsdiscon

tsecimp

tskill

tsprof

type

typeperf

tzutil

unlodctr

ver

verifier

verify

vol

> vssadmin

waitfor

> wbadmin

> wdsutil

wecutil

wevtutil

where

whoami

winnt

winnt32

winrs


winsat mem

winsat mfmedia

wmic







wscript

xcopy

 Download PDF

wmic

Article • 02/03/2023 • 8 contributors •

Applies  Windows Server 2025,  Windows Server 2022,  Windows Server 2019,  Windows to:  Server 2016,  Windows 11,  Windows 10,  Azure Stack HCI, versions 23H2 and 22H2

 Feedback

In this article

- Syntax
- Sub-commands
- Examples
- Related links


Displays WMI information inside an interactive command shell.

Important

The WMI command-line (WMIC) utility is deprecated as of Windows 10, version 21H1, and as of the 21H1 semi-annual channel release of Windows Server. This utility is superseded by Windows PowerShell for WMI (see [Chapter 7—Working with WMI](#)). This deprecation applies only to the WMI command-line (WMIC) utility; Windows Management Instrumentation (WMI) itself is not affected. Also see [Windows 10 features we're no longer developing](#).

Syntax


Windows Command Prompt

 Copy

```
wmic </parameter>
```

Sub-commands

The following sub-commands are available:

 Expand table

Sub-command	Description
class	Escapes from the default alias mode of WMIC to access classes in the WMI schema directly.
path	Escapes from the default alias mode of WMIC to access instances in the WMI schema directly.
context	Displays the current values of all global switches.
[quit exit]	Exits the WMIC command shell.

Examples

To display the current values of all global switches, type:

Windows Command PromptCopy

```
wmic context
```

Output similar to the following displays:

Windows Command PromptCopy

```

NAMESPACE      : root\cimv2
ROLE            : root\cli
NODE(S)         : BOBENTERPRISE
IMPLEVEL        : IMPERSONATE
[AUTHORITY      : N/A]
AUTHLEVEL       : PKTPRIVACY
LOCALE          : ms_409
PRIVILEGES      : ENABLE
TRACE           : OFF
RECORD          : N/A
INTERACTIVE     : OFF
FAILFAST        : OFF
OUTPUT          : STDOUT
APPEND          : STDOUT
USER            : N/A
AGGREGATE       : ON
```

To change the language ID used by the command line to English (locale ID 409), type:

Windows Command PromptCopy

```
wmic /locale:ms_409
```

Related links

- [Command-Line Syntax Key](#)

Feedback

Was this page helpful?

Yes

No