

Design a site like this with WordPress.com

Get started

## jdhnet

Notes about testing, web development, etc...

About	Home		
About	About		

## Changing the location of the Windows Event logs

Search...

2017/12/19

Posted in command line, Microsoft, Windows

## Recent Posts

Updating a package for winget installation

Getting a list of all actions of all task sequences

Silent install of the Danfoss MCT10 Tool

Performing a silent install of the Siemens Simatic Automation Tool

Fixing Azure DevOps Test Plan copy results in "clone operation failed"


By default the Windows Event logs are stored in C:\Windows\System32\winevt\Logs

If you want to change them to a different location you'll create a new folder (e.g. D:\windowslog) and then execute the wevutil command in a command prompt with administrative rights.

Example to change the application log: wevtutil sl application /lfn:"D:\windowslog\Application.evtx"

wevtutil at MS Technet

Archives -





Design a site like this with WordPress.com

Get started

I CULUALY 4010

January 2016

December 2014

November 2014

May 2014

April 2014

February 2014

January 2014

December 2013

October 2013

September 2013

August 2013

July 2013

June 2013

May 2013

March 2013

February 2013

January 2013

December 2012

November 2012

October 2012

September 2012

August 2012

## Categories

Azure DevOps

command line

Get started

(V	Ŋ	Design a site like this with WordPress.com
jquei y		
Linux		
Microsoft		
PHP		
PowerShell		
Python		
Robot Framework		
Security		
SkyDrive		
Testing		
Uncategorized		
Virtualization		
Windows		
Follow me on Twitte		
My Tweets		
Meta		
Register		
Login		
Entries feed		

Blog at WordPress.com. jdhnet

Comments feed

WordPress.com



Design a site like this with WordPress.com

Get started