

UNIVERSIDAD PERUANA LOS ANDES
FACULTAD DE INGENIERÍA
ESCUELA PROFESIONAL DE INGENIERÍA DE SISTEMAS Y
COMPUTACIÓN



UPLA

SEMANA 01: MANUAL GITHUB

ASIGNATURA: TALLER VII DESARROLLO DE APLICACIONES I


ESTUDIANTE: DE LA CRUZ ASTO FRANKLIN

SEMESTRE ACADÉMICO: III ciclo


HUANCAYO – PERÚ

2026


1. Creación de una cuenta en GitHub.



2. Registrarse con un correo o con tu cuenta de Google.




3. Creación de un repositorio Nuevo.




4. Damos la descripción

The screenshot shows the 'Create a new repository' form. The form is divided into two sections: 'General' and 'Configuration'. In the 'General' section, the 'Repository name' field is highlighted with a red box and an arrow pointing to it with the text 'Le pones el nombre'. The 'Description' field is also highlighted with a red box and an arrow pointing to it with the text 'Descripción si es necesario'. The 'Configuration' section includes options for 'Choose visibility' (set to 'Public'), 'Add README' (set to 'Off'), 'Add .gitignore' (set to 'No .gitignore'), and 'Add license' (set to 'No license'). A green 'Create repository' button is highlighted with a red rectangle at the bottom of the form.

5. Subimos un nuevo repositorio



6. Teniendo nuestra pagina lista abrimos el terminas




7. Pegamos el código que nos da la plataforma de GitHub.




8. Se lo pegamos en el terminal de nuestro editor de código.

```
PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\PC\Desktop\pagina web> echo "# Pagina-Web" >> README.md
>> git init
>> git add README.md
>> git commit -m "first commit"
>> git branch -M main
>> git push -u origin main
Initialized empty Git repository in C:/Users/PC/Desktop/pagina web/.git/
[master (root-commit) 74e4ae8] first commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 README.md
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 242 bytes | 242.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/frafranklin/Pagina-Web.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\PC\Desktop\pagina web> git remote add origin https://github.com/frafranklin/Pagina-Web.git
>> git branch -M main
>> git push -u origin main
error: remote origin already exists.
branch 'main' set up to track 'origin/main'.
Everything up-to-date
PS C:\Users\PC\Desktop\pagina web> |
```


9. Refrescamos la pagina de Github.
y nos debe aparecer la pagina completamente cargado con los archivos.



10. Visualización de la pagina en la web para poder compartirla.



11. Nos va aparecer la dirección de nuestra pagina la cual nosotros tenemos darle click o compartirlo con las personas que queramos que quieren ver nuestro trabajo.



12. Nos quedaría a si nuestra pagina publicada, ya pedende de nosotros colocarle estilo con css, bootstrapp, añadir dinámica con js, etc.

