MEILER

List of supported MEI elements and attributes

```
<abbr>
@source
<accid>
@color; @edit (for value 'paren'); @func; @ho; @place (for
value 'above'); @vo; @xml:id
<app>
<arpeg>
@arrow; @color; @ho; @order; @plist; @vo; @startid; @xml:id
<artic>
@artic; @color; @ho; @place; @vo; @xml:id
<barLine>
@color; @form; @xml:id
<beam>
@color; @form; @xml:id
<beamSpan>
@color; @form; @xml:id
<bTrem>
@form; @measperf; @num; @num.place; @num.visible; @xml:id
<change>
<changeDesc>
<choice>
<chord>
@artic; @beam; @copyof; @dots; @dur; @fermata; @grace; @lv;
@oct; @ornam; @slur; @staff; @stem.dir; @stem.mod; @stem.pos;
@tie; @visible
<clef>
@color; @dis; @dis.place; @line; @shape
<corr>
```

```
<dir>
@ho; @place; @startid; @vo
<dot>
@color; @ho; @vo
<dynam>
@endid; @ho; @place; @startid; @vo; @xml:id
<editionStmt>
<ending>
@n
<expan>
<f>
<fb>
<fermata>
@color; @glyphnum; @ho; @place; @shape; @startid; @vo; @xml:id
<fileDesc>
<fing>
@place; @startid; @xml:id
<fingGrp>
<fTrem>
@form; @measperf; @xml:id
<gliss>
@color; @ho; @lform; @lwidth; @startid; @vo; @xml:id
<group>
<hairpin>
@color; @endid; @form; @lform; @lwidth; @place; @startid;
@xml:id
<harm>
@place; @staff; @tstamp
<instrDef>
@midi.instrnum; @midi.instrname
```

```
<keySig>
@color; @accid; @mode; @pname; @sig; @xml:id
<1>
<label> (within <staffGrp> and <staffDef>)
<layer>
@beam.group; @n
<lem>
<lg>
ligature>
<mdiv>
@label; @n
<measure>
@metcon; @left; @n; @right
<mensur>
@dot; @sign; @slash
<meterSig>
@copyof; @count; @fontfam; @fontname; @fontstyle; @fontweight;
@form; @sym; @unit
<meterSigGrp>
@copyof; @func (for value 'mixed')
<mordent>
@accidlower; @accidupper; @color; @form; @glyphnum; @ho; @long;
@place; @startid; @vo; @xml:id
<mRest>
@color; @copyof; @dur; @fermata; @ho; @loc; @visible; @vo;
@xml:id
<mSpace>
@dots; @dur
<multiRest>
@block; @loc; @num; @xml:id
<music>
```

```
<note>
@accid; @accid.ges; @artic; @beam; @color; @copyof; @dots;
@dur; @enclose; @fermata; @fontsize; @gliss; @grace;
@head.color; @head.mod; @head.shape; @head.visible; @lv; @num;
@numbase; @oct; @ornam; @pname; @slur; @staff; @stem.dir;
@stem.len; @stem.mod; @stem.pos; @tie; @visible; @xml:id
<octave>
@color; @dis; @dis.place; @endid; @ho; @lform; @lwidth;
@startid; @vo; @xml:id
<orig>
@source
>
<pb><
@n; @source
<pedal>
@color; @dir; @endid; @form (for values 'line' and 'pedstar');
@ho; @lform; @lwidth; @startid; @vo; @xml:id
<pgHead>
<phrase>
@bezier; @color; @curvedir (for values 'above' and 'below');
@endid; @endho; @endvo; @ho; @lform; @lwidth; @startid;
@startho; @startvo; @vo; @xml:id
<publisher>
<pubstmt>
<rdg>
@resp; @source
<ref>
<reg>
<reh>
@color; @ho; @vo; @xml:id
<revisionDesc>
```

<rend>

@color; @fontfam; @fontname; @fontsize; @fontstyle; @fontweight; @halign; @rend; @rotation

<rest>

@beam; @color; @copyof; @dots; @dur; @fermata; @loc; @num;
@numbase; @oloc; @ploc; @staff; @visible; @xml:id

<sb>

@n; @source

<score>

<scoreDef>

@beam.group; @clef.color; @clef.dis; @clef.dis.place;
@clef.line; @clef.shape; @dynam.dist; @ending.rend (for values
'top' and 'grouped'); @key.accid; @key.mode; @key.pname;
@key.sig (unsupported for value 'mixed'); @lyric.fam;
@lyric.name; @lyric.style; @lyric.weight; @mensur.color;
@mensur.dot; @mensur.sign; @mensur.slash (for value '1');
@meter.count; @meter.rend; @meter.showchange; @meter.sym;
@meter.unit; @midi.bpm; @mnum.visible; @optimize; @page.botmar;
@page.height; @page.leftmar; @page.rightmar; @page.scale;
@page.topmar; @page.width; @pedal.style (for values 'line' and 'pedstar'); @spacing.staff; @system.leftmar (affects only first system); @text.dist; @vu.height (for values in 'pt')

<section>

<slur>

@bezier; @color; @curvedir (for values 'above' and 'below');
@endid; @endho; @endvo; @ho; @lform; @lwidth; @startid;
@startho; @startvo; @vo; @xml:id

<space>

@dur

<staff>

@copyof; @n

<staffDef>

@beam.group; @clef.dis; @clef.dis.place; @clef.line;
@clef.shape; @dynam.dist; @key.accid; @key.mode; @key.pname;
@key.sig (unsupported for value 'mixed'); @lines;
@lines.visible; @lyric.fam; @lyric.name; @lyric.style;
@lyric.weight; @mensur.color; @mensur.dot; @mensur.sign;
@mensur.slash (for value '1'); @meter.count; @meter.rend;
@meter.sym; @meter.unit; @n; @notationtype; @pedal.style (for values 'line' and 'pedstar'); @scale; @slur.lform;
@slur.lwidth; @text.dist; @tie.lwidth; @trans.diat; @trans.semi

<staffGrp>

@barthru; @label; @label.abbr; @symbol

<syl>

@con; @wordpos; @xml:id

<tempo>

@ho; @midi.bpm; @mm; @mm.dots; @mm.unit; @place; @staff;
@startid; @tstamp (for value '1'); @vo; @xml:id

<tie>

@bezier; @color; @curvedir (for values 'above' and 'below');
@endho; @endvo; @ho; @lform; @lwidth; @startid; @startho;
@startvo; @vo; @xml:id

<trill>

@accidlower; @accidupper; @color; @endid; @glyphnum; @ho;
@place; @startid; @vo; @xml:id

<tuplet>

@bracket.place; @bracket.visible; @color; @copyof; @num;
@num.format; @num.place; @num.visible; @numbase; @xml:id

<tupletSpan>

@bracket.place; @bracket.visible; @color; @copyof; @endid;
@num; @num.format; @num.place; @num.visible; @numbase;
@startid; @xml:id

<turn>

@accidlower; @accidupper; @color; @form; @glyphnum; @ho;
@place; @startid; @vo; @xml:id

<verse>

@color; @lyric.style; @lyric.weight; @n

<work>

<workDesc>

- att.color supports hex/RGB/HSL values and color names
- att.pages have to be defined in the first <scoreDef>
- @xml:id gets converted to @id in SVG
- data.LINEWIDTH (@lwidth) works for values from data.LINEWIDTHTERM
- data.STEMDIRECTION (@stem.dir) works for values from data.STEMDIRECTION.basic
- data.STEMPOSITION (@stem.pos) will only affect stem direction