


Comp484 Homework 10

Giga Pet website:



Results:

Code snippets for Message Logging:

Log Info:

```
function clickedTreatButton() {  
  //Log info  
  console.info("Log Info: Foxy got a treat.");  
  // Increase pet happiness  
  pet_info.happiness += 5;  
  // Increase pet weight  
  pet_info.weight += 5;  
  // .hide() to hide the initial message, .fadeIn() to fade the message in  
  $(".message").text("Yum!").hide().fadeIn();  
  checkAndUpdatePetInfoInHtml();  
}
```

I added the `console.info()` statement after you hit the treat button. The message displayed will be "Log Info: Foxy got a treat"

Log Warning:

```
function clickedExerciseButton() {  
  //Log warning  
  console.warn("Don't let his happiness drop below 20, he will get mad!");  
  // Decrease pet happiness  
  pet_info.happiness -= 5;  
  // Decrease pet weight  
  pet_info.weight -= 5;  
  // .hide() to hide the initial message, .fadeIn() to fade the message in  
  $(".message").text("I'm tired now, I need to sleep!").hide().fadeIn();  
  checkAndUpdatePetInfoInHtml();  
}
```

The warning will be triggered once you click the exercise button. Don't let Foxy's happiness drop below 20, he will get mad.

Log Error:

```
// Updates your HTML with the current values in your pet_info object  
function updatePetInfoInHtml() {  
  // .attr() to change the attribute of an element/image source of depending on pets happiness  
  if(pet_info.happiness < 20){  
    //Log error  
    console.error("Log error. Foxy is pissed.");  
  }  
}
```

The error appears once Foxy's happiness drops below 20.

Log table:

```
function clickedPlayButton() {  
  // Log Table  
  console.table([  
    {  
      Weight: pet_info.weight,  
      Happiness: pet_info.happiness  
    }  
  ])  
}
```

After clicking the play button, a table with Foxy's weight and happiness will appear.

Log Group and Log Custom:

```
function clickedSleepButton() {  
  // Log group  
  const label = 'Sleep';  
  console.group(label);  
  console.info("Foxy is sleeping");  
  console.info("Happiness increasing");  
  console.info("Weight decreasing");  
  console.groupEnd(label);  
  // Log custom  
  const styles = "color:■ #ff0000; font-size: 16px; font-weight: bold; background-color:□ #000000;"  
  console.log("%cPet went to sleep!", styles);  
  // Increase pet happiness  
}
```

After clicking the sleep button, the group statements appear followed by a custom message.

Results from the Console:

Log Info: Foxy got a treat. [script.js:24](#)

8 ▶ Don't let his happiness drop below 20, he will get mad! [script.js:63](#)

✖ ▶ Log error. Foxy is pissed. [script.js:113](#)

[script.js:36](#)

(index)	Weight	Happiness
0	15	15

▶ Array(1)

▼ Sleep [script.js:76](#)

Foxy is sleeping [script.js:77](#)

Happiness increasing [script.js:78](#)

Weight decreasing [script.js:79](#)

Pet went to sleep! [script.js:83](#)

>

View messages logged by the browser:

1. Cause 404 Network Error (top of the file)

```
fetch('/file');
```

2. Cause TypeError

```
3. function clickedPlayButton() {
4.     // Log Table
5.     console.table([
6.         {
7.             Weight: pet_info.weight,
8.             Happiness: pet_info.happiness
9.         }
10.    ])
11.    // Cause TypeError
12.    let name = pet_info.name;
13.    name();
```

Type error is executed after you hit the play button.

14. Cause Violation

```
15. function clickedExerciseButton() {
16.     // Cause Violation
17.     const duration = 3000;
18.     const start = new Date().getTime();
19.
20.     while (new Date().getTime() < start + duration) {
21.         // Block main thread for 3 seconds
22.     }
```

Cause Violation happens after clicking the exercise button

Result:

✖ GET <http://127.0.0.1:5500/file> 404 (Not Found) [script.js:1](#) [script.js:36](#)

(index)	Weight	Happiness
0	50	50

▶ Array(1)

✖ Uncaught TypeError: name is not a function [script.js:44](#)
at HTMLButtonElement.clickedPlayButton ([script.js:44:7](#))
at HTMLButtonElement.dispatch ([jquery-2.2.1.min.js:3:7516](#))
at r.handle ([jquery-2.2.1.min.js:3:5597](#))

⚠ ▶ Don't let his happiness drop below 20, he will get mad! [script.js:63](#)

[Violation] 'click' handler took 3002ms [jquery-2.2.1.min.js:3](#)

>

Filter Messages:

1. Filter by log level:

Verbose only:

  top ▼  Filter Verbose only ▼

1 Issue:  1 | 10 hidden 

[Violation] 'click' handler took 3001ms [jquery-2.2.1.min.js:3](#)

>

Info only:

  top ▼  Filter Info only ▼ | 1 Issue:  1

4 hidden 

Log Info: Foxy got a treat. [script.js:24](#)

[script.js:36](#)

(index)	Weight	Happiness
0	50	50

▶ Array(1)

▼ Sleep [script.js:76](#)

Foxy is sleeping [script.js:77](#)

Happiness increasing [script.js:78](#)

Weight decreasing [script.js:79](#)

Pet went to sleep! [script.js:83](#)

>

Warnings only:

  top ▼  Filter Warnings only ▼

1 Issue:  1 | 10 hidden 

 ▶ Don't let his happiness drop below 20, he will get mad! [script.js:63](#) 

>

Error only:

  top ▼  Filter Errors only ▼ 1 Issue:  1

9 hidden 

 ▶ GET <http://127.0.0.1:5500/file> 404 (Not Found) [script.js:1](#) 

 ▶ Uncaught TypeError: name is not a function [script.js:44](#) 
at HTMLButtonElement.clickedPlayButton ([script.js:44:7](#))
at HTMLButtonElement.dispatch ([jquery-2.2.1.min.js:3:7516](#))
at r.handle ([jquery-2.2.1.min.js:3:5597](#))

>

2. Filter by text

  top ▼   All levels ▼ 1 Issue:  1

8 hidden 

 ▶ Don't let his happiness drop below 20, he will get mad! [script.js:63](#)

[script.js:36](#)

(index)	Weight	Happiness
0	50	50

▶ Array(1)

▼ Sleep [script.js:76](#)

Happiness increasing [script.js:78](#)

>

3. Filter by regular expression

  top ▼   All levels ▼ 1 Issue:  1

10 hidden 

▼ Sleep [script.js:76](#)

Happiness increasing [script.js:78](#)

>

4. Filter by message source

1 Issue: 1

10 messages
7 user messages
2 errors
1 warning
6 info
1 verbose

GET <http://127.0.0.1:5500/file> [script.js:1](#)
404 (Not Found)

Log Info: Foxy got a treat. [script.js:24](#)

Don't let his happiness drop below 20, he will get mad! [script.js:63](#)

[Violation] 'click' handler took 3001ms [jquery-2.2.1.min.js:3](#)

(index)	Weight	Happiness
0	50	50

Array(1)

Uncaught TypeError: name is not a function [script.js:44](#)
at HTMLButtonElement.clickedPlayButton ([script.js:44:7](#))
at HTMLButtonElement.dispatch ([jquery-2.2.1.min.js:3:7516](#))
at r.handle ([jquery-2.2.1.min.js:3:5597](#))

Sleep [script.js:76](#)

Foxy is sleeping [script.js:77](#)

Happiness increasing [script.js:78](#)

Weight decreasing [script.js:79](#)

Pet went to sleep! [script.js:83](#)

5. Filter by user messages

1 Issue: 1 | 3 hidden

10 messages
7 user messages
2 errors
1 warning
6 info
1 verbose

Log Info: Foxy got a treat. [script.js:24](#)

Don't let his happiness drop below 20, he will get mad! [script.js:63](#)

(index)	Weight	Happiness
0	50	50

Array(1)

Sleep [script.js:76](#)

Foxy is sleeping [script.js:77](#)

Happiness increasing [script.js:78](#)

Weight decreasing [script.js:79](#)

Pet went to sleep! [script.js:83](#)


Bug:

```
function clickedTreatButton() {  
  //Log info  
  console.info("Log Info: Foxy got a treat.");  
  // Increase pet happiness  
  pet_info.happiness += 5;  
  // Increase pet weight  
  pet_info.weight += 5;  
  // .hide() to hide the initial message, .fadeIn() to fade the message in  
  $(".message").text("Yum!").hide().fadeIn();  
  checkAndUpdatePetInfoInHtml();  
}
```

Bug → changed `pet_info.happiness` to `+= 5`, instead of `+=5`.


Happiness jumps to 5 every time you click it.

Set a line-of-code breakpoint:




Check variable values:


Scope Pane:



Watch Expressions:



Console:



Applied fix after all these steps.