

To : Lyncean Technologies , Inc.

INSPECTION SHEET

TR000034 Canon Electromagnet VT-68922 Inspection Sheet SN 20K074

FOCUSING ELECTROMAGNET


VT-68922 S/N 20K074

CANON ELECTRON TUBES & DEVICES CO., LTD.

TEST CLASSIFICATION		AQL	n1	d1	n1+n2	d1+d2	JUDGE		INSPECTION SHEET		APPLIED SPECIFICATION		PRODUCT SPECIFICATION		
APPEARANCE									TYPE ELECTROMAGNET VT-68922		SUPPLY QUANTITY		1	DATE OF INSP.	14-Oct. -2020
PRODUCTION											CHIEF OF INSPECTION SECTION		Y. Tanaka		
DESIGN															
TEST CONDITION															
ITEM	ELECTRIC OPERATING VOLTAGE						HYDROSTATIC PRESSURE DROP	HYDROSTATIC PRESSURE	INSULATION RESISTANCE	OUTLINE DIMENSION	JUDGE				
SYMBOL	Esol						ΔP_w	-	-						
UNIT	[Vdc]						[MPa] (kgf/cm ²)	-	[MΩ]						
CONDITION	Isol = (25 , 35 , 20 , 30 , 20 , 10) [A] Qw = 10 [L/min.] Tw = 20 [°C] , Te = 23 [°C]						Qw = 10 [L/min.]	P = 0.98 [MPa] (10 [kgf/cm ²]) t = 15 [min.]	V = 1000 [Vdc] t = 30 [sec.] COIL - SHELL						
No.	Esol1	Esol2	Esol3	Esol4	Esol5	Esol6									
20K074	11.3	22.2	23.4	37.1	21.1	4.1	0.085 (0.87)	OK	≥1000	OK	OK				
SPEC.	MIN.	-	-	-	-	-	-	No visible leaks and no damages	1000		INSPECTOR				
	PAR	-	-	-	-	-	-		-						
	MAX.	12.5	24	25.5	39	22.5	10		0.2 (2.0)	-	M. Shibazaki				

TYPE VT-68922 series

CANON ELECTRON TUBES & DEVICES CO., LTD.



OUTLINE DRAWING VT-68922