
CP-AnemiC version 1: 710 rows
424 anaemic (60 %) / 286 non-anaemic
SHA-256 digests: 498 distinct files
303 rows in 91 groups of byte-identical files
Within byte-identical groups
Hb differs in 90 of 91 groups
Perceptual hash (16 x 16 DCT, image and mirror)
Hamming distance <= 20 bits links
26 further files into 13 groups
Largest component: 11 rows, 11 Hb values,
9 facilities (10 byte-identical copies
+ 1 mirrored copy)
472 unique images (connected components)
= 386 singleton rows
+ 86 multi-row groups holding 324 rows
Class composition
rows in duplicate groups: 263/324 anaemic (81 %)
singleton rows: 161/386 anaemic (42 %)
within the 86 groups Hb differs in 85,
age in 77, facility in 82, sex in 61
Classification set: 471 images
229 anaemic (49 %) / 242 non-anaemic
(one representative per group, first by file name)
Excluded: 1 group (2 rows)
with conflicting anaemia labels
Hb regression and singleton-only
sensitivity analysis: 386 singleton images
Post hoc third stage: pHash under the 8 dihedral
transforms (rotations, mirror) + identical features
111 further links, 19 pairs of groups merged
453 unique = 370 singletons + 83 groups (340 rows)
Strict set (sensitivity analysis):
452 images, 218 anaemic (48 %),
234 non-anaemic;
strict singleton set: 370 images