

DOCENTE	SHADI LAHHAM
UNITA' FORMATIVA	WMD - Programmazione Web - HTML - CSS
ARGOMENTO	Specificato nel titolo della slide successiva

Float

Legacy layout

Shadi Lahham - Web development

Property: Float

- Floats were historically used to make images float inside text blocks
- They were also used to create layouts with multiple columns because at the time there weren't good ways to create a complex layout
- Modern CSS tools like grids and flexboxes are now used for creating layouts
- Floats are now mainly used for simple tasks like placing text next to images or wrapping text around an image and are not as popular for creating multi-column layouts in modern web development

Floating elements

Property: Float

- Floating an element moves it as far to the left or right of its containing element as possible
- Other elements, e.g. paragraphs or lists, will wrap around the floated element
- Floated elements without a width will take up the whole width of the container and not appear floated
- It's possible to specify
 - Whether an element is floated or not
 - Which side it floats on

Float - example

```
.float {  
  float: left;  
  width: 200px;  
  background: #bada55;  
  margin: 8px;  
  padding: 5px;  
}
```

I am a floater

mauris nec.

Lorem ipsum dolor sit amet consectetur
accumsan Sed vitae mauris risus. Magna
eget a Phasellus a nibh nisl risus netus

```
<div class="float">I am a floater</div>  
<p>Lorem ipsum dolor sit amet consectetur accumsan Sed vitae mauris risus...</p>
```

Note: floated elements will fill the space from left to right and go to a new line based on remaining space

Float - multiple float example

```
.float {  
  float: left;  
  width: 200px;  
  background: #bada55;  
}
```

```
.float-right {  
  float: right;  
  width: 150px;  
  background: darkorange;  
}
```

```
<div class="float">I am a floater</div>  
<div class="float">I am a floater</div>  
<div class="float">I am a floater</div>  
<div class="float-right">I am a floater</div>  
<div>Lorem ipsum dolor sit amet consectetur accumsan Sed vitae mauris risus...</div>
```

I am a floater

I am a floater

Lorem
ipsum

I am a floater

dolor sit amet
consectetur
accumsan Sed

I am a floater

vitae mauris risus. Magna eget a Phasellus a nibh nisl risusnetus mauris nec.

Float - Placing elements side by side

```
.float-child-left {  
  float: left;  
  width: 200px;  
  background: #4fc3f7;  
}
```

```
.float-child-right {  
  float: right;  
  width: 150px;  
  background: #ffa726;  
}
```



To place two block level elements to be side by side float both elements; One left and one right

Clear

- Clearing tells the element on which side (right, left, both) other elements cannot appear
- If an image is floated left, to avoid that a paragraph is wrapped next to it, `clear:left;` should be added to the style of the paragraph
- Clearing both ensures the element doesn't wrap next to floats on either side

Examples:

```
clear: right;
```

```
clear: left;
```

```
clear: both;
```

Clear - example

```
.float {  
  float: left;  
  width: 200px;  
  background: #bada55;  
  margin: 8px;  
  padding: 5px;  
}
```

```
.clear-both {  
  clear: both;  
}
```

```
<div class="float">I am a floater</div>  
<div class="clear-both">cleared: Lorem ipsum dolor sit amet consectetur </div>
```


I am a floater

cleared: Lorem ipsum dolor sit amet consectetur

Your turn

1.Columns columns

- Create a page with
 - Header, footer, sidebar, and two main columns
 - Use position, float and margins to create the layout
- Header and footer
 - Should stay in place when the page scrolls
- The sidebar and two columns
 - Should fill the rest of the page, vertically and horizontally
 - Should expand proportionally when window is resized
- One of the columns should contain
 - An image and a caption placed on top of the image
- Use semantic HTML5 elements
- Fill the page with meaningful content



2. United nations

- Make a scrollable `<ul>` list of at least 50 countries
 - Each list item should contain: the flag, the name and the population number
 - The name should be left aligned and the population should be right aligned
 - Use position, float and margins to create the layout
 - Countries with large populations should be highlighted in some way
 - The flags area should have a background color
 - If the flag is not rectangular (e.g. Switzerland) the flag should be centered in the flag area
 - Include at least one country with an irregularly sized flag (e.g Switzerland)
- Include a header above the list
 - It should contain the following titles: 'Flag', 'Country', 'Population'
 - It should be spaced and aligned properly
 - It should remain in place when the list is scrolled
 - Not to be confused with the `<header>` tag

References

[CSS Layout - float and clear](#)

[CSS Layout - clear and clearfix](#)

[CSS Layout - Float Examples](#)

[float - CSS: Cascading Style Sheets | MDN](#)

[Floats - Learn web development | MDN](#)

© Copyright & Attribution

Unless otherwise stated, all materials are © 2026 [Shadi Lahham](#)

For personal use only. May not be shared or reproduced without written permission

Brief excerpts may be used with proper attribution

External links and resources are copyrighted by their respective owners