



Incident handler's journal

Instructions

As you continue through this course, you may use this template to record your findings after completing an activity or to take notes on what you've learned about a specific tool or concept. You can also use this journal as a way to log the key takeaways about the different cybersecurity tools or concepts you encounter in this course.

Date: 21/04/2026 15:00	Entry: Record journal number 1
Description	An incident occurred in the U.S. Health clinic where they got attacked by a ransomware
Tool(s) used	No tool used
The 5 W's	The incident occurred at 9:00 am on a Tuesday at a Health clinic in the U.S. , It was an attacker that hacked through a phishing mail sent to all the workers in the organization. The phishing email contained ransomware that encrypted all the data in the database and wanted money to give the encryption key.
Additional notes	Be more careful with the emails and if the worker is not secure try to ask a superior if the email is secure or not.

Date: 26/04/2026 14:00	Entry: record journal number 2
----------------------------------	---------------------------------------

Description	Use a playbook to respond to a phishing attack
Tool(s) used	Playbook
The 5 W's	● The incident was caused by a malicious file downloaded ● An employee accidentally downloaded a malicious file from a phishing mail with the SHA-256 ● The incident occurred when the alert started at 1.20 pm ● A financial service company on an employee's computer ● The incident happen because the employee didn't paid enough attention
Additional notes	A playbook gives detailed instruction about how to handle the situation, the flowchart is more detailed and with visual representation about the steps and substeps to respond to an incident.

Date: 24/04/2026	Entry: Record journal number 3
Description	How Suricata work, in the NIST incident response lifecycle is used in the detection step
Tool(s) used	The Suricata tool monitors network interfaces and applies rules to packets. Suricata determines whether each packet should generate an alert and be dropped, rejected, or allowed to pass through the interface and alert the user if all the rules are triggered. Custom rules can be written to customize your Suricata function.

Additional notes	Suricata is very useful because can be used as IDS, IPS and even NSM, is cool that you can customize the rules
------------------	--

Date: 19/04/2026	Entry: record journal entry 4
Description	How Wireshark work, in the NIST incident response lifecycle is used in the detection and analysis step
Tool(s) used	Wireshark is a network protocol analyzer, it has a graphical user interface. Wireshark is used to find patterns and filter the network data that you don't need for your investigation
Additional notes	Wireshark is simple to use because of the GUI and of the filters that you can apply in it to find what you need

Reflections/Notes: was fun to write the reports for the incidents, not that much about the usage of the cybersecurity tools. Is cool to search every evidence of an incident
--