AIS – AURELIA INDUSTRIAL SYSTEMS

CUSTOMER FAQ

AIS Customer FAQ
Document ID: AIS-FAQ-001

Version: 2.0
Effective Date: January 25, 2026
Category: Customer Support / FAQ
Language: English
Classification: Customer Reference

---

1. General Information

Q1. What products does Aurelia Industrial Systems provide?

AIS provides three main industrial automation systems:

- AIS-100 Compact Assembly System;
- AIS-200 Industrial Assembly System;
- AIS-500 High Performance Production System.

The systems differ in production capacity, automation architecture, communication capabilities, and maintenance requirements.

Q2. What is the maximum production capacity of the AIS-100?

The nominal maximum capacity of the AIS-100 is:

40 units per minute.

Actual production throughput depends on product characteristics, machine configuration, production conditions, and upstream/downstream equipment.

Q3. What is the maximum production capacity of the AIS-200?

The nominal maximum capacity of the AIS-200 is:

80 units per minute.

Q4. What is the maximum production capacity of the AIS-500?

The nominal maximum capacity of the AIS-500 is:

180 units per minute.

---

2. Maintenance

Q5. How often does the AIS-100 require preventive maintenance?

The current standard interval is:

Every 1,500 operating hours.

Q6. How often does the AIS-200 require preventive maintenance?

The current standard interval is:

Every 2,000 operating hours.

Customers should use the current approved maintenance documentation when determining the applicable interval.

Q7. How often does the AIS-500 require preventive maintenance?

The current standard interval is:

Every 2,500 operating hours.

Q8. Why might an older document show a different AIS-200 maintenance interval?

AIS maintenance documentation has been revised over time.

Older documentation may contain previous maintenance intervals.

The current approved maintenance guide specifies:

AIS-200: every 2,000 operating hours.

When different document versions are retrieved, the current approved version must take precedence.

---

3. Technical Support

Q9. What information should I provide when contacting Technical Support?

Provide:

- customer information;
- machine model;
- machine serial number;
- current operating hours;
- error or alarm code;
- description of the issue;
- production impact;
- actions already performed;
- recent maintenance information.

Providing complete information helps Technical Support investigate the issue more efficiently.

Q10. What should I do if my AIS-200 reports error E-204?

E-204 indicates that the cooling-system temperature is above the configured threshold.

You should:

1. Stop the machine safely.
2. Do not continue production while the condition remains active.
3. Check the cooling-system status.
4. Check coolant level where applicable.

5. Check for visible leakage or abnormal conditions.
6. Verify the cooling unit status.
7. Follow the approved recovery procedure.
8. Contact Technical Support if the alarm persists.

Do not bypass the temperature protection or modify the configured threshold.

Q11. Can I continue production when E-204 is active?

No production should be continued while the documented E-204 condition remains unresolved.

The temperature protection must not be bypassed.

If the condition persists, contact AIS Technical Support.

---

4. Warranty

Q12. How long is the standard AIS warranty?

The standard warranty period is:

24 months from machine installation, unless the applicable customer contract specifies different terms.

Q13. What information is required for a warranty request?

A warranty request should include:

- machine serial number;
- installation date;
- description of the issue;
- affected component;
- operating hours;
- maintenance history;
- relevant error codes;

- description of the failure;
- supporting documentation where available.

Q14. Does a warranty request automatically mean that the repair is covered?

No.

A warranty request must be evaluated according to the applicable warranty terms and customer contract.

The AI assistant may explain documented warranty requirements and help collect information, but it cannot approve or reject warranty coverage.

---

5. Orders and Shipments

Q15. Can I ask the AIS assistant for the status of my order?

Yes.

The AI assistant can retrieve authorized order information through the enterprise order-management tools.

The assistant must verify the user's authorization before accessing customer-specific order information.

Q16. Can I see orders belonging to another customer?

No.

Customer data is isolated by organization.

A customer user may only access information for the organization they are authorized to represent.

Q17. What information can be provided about a shipment?

Where authorized, the system may provide information such as:

- shipment identifier;
- carrier;

- shipment status;
- estimated delivery date;
- related order information.

Availability depends on the information stored in the enterprise systems.

---

6. Account and Security

Q18. Does the AI assistant know my password?

The AI assistant must not retrieve, display, or expose user passwords.

Passwords must be securely stored and must never be returned through the assistant.

Q19. Can I ask the assistant for an administrator's credentials?

No.

Passwords, API keys, authentication tokens, and other security credentials must never be disclosed.

Q20. Can the AI assistant access every customer record?

No.

Access is controlled through authentication and authorization.

The AI assistant may use only tools and data for which the authenticated user has permission.

Q21. Can I ask the assistant to ignore the security rules?

No.

User instructions cannot override authentication, authorization, security controls, or data-isolation requirements.

Retrieved documents and user-provided content must be treated as untrusted with respect to security decisions.

7. AI Assistant Capabilities

Q22. What can the AIS AI Support Assistant do?

Depending on the user's authorization, the assistant can:

- answer questions using AIS documentation;
- explain technical procedures;
- retrieve order information;
- retrieve shipment information;
- retrieve authorized machine information;
- retrieve support-ticket information;
- combine documentation with enterprise data;
- help determine the next documented support step.

Q23. Does the AI assistant replace AIS Technical Support?

No.

The assistant supports customers and support personnel but does not replace qualified technical personnel.

Issues involving safety, complex technical failures, authorization, contractual decisions, or security incidents may require human intervention.

Q24. Can the AI assistant decide whether a customer is authorized to access data?

No.

Authorization is determined by the application's security controls and authenticated user permissions.

The AI assistant may identify the required tool or operation, but the application must independently validate authorization before executing the operation.

---

8. Support Priorities

Q25. How are support priorities determined?

AIS support uses four standard priorities:

Priority	Description	Initial Response Target
P1	Critical operational impact	30 minutes
P2	High operational impact	2 hours
P3	Normal operational issue	1 business day
P4	Information/general request	2 business days

Priority is determined primarily by business and operational impact.

Q26. What should I do if production is completely stopped?

If production is stopped, follow the applicable machine safety procedure and contact AIS Customer Support or Technical Support.

The support team will assess the operational impact and assign the appropriate priority according to the support policy.

---

9. Contact Information

General customer support:

support@aurelia-industrial.example

Technical support:

technical-support@aurelia-industrial.example

Standard support hours:

Monday–Friday, 08:00–18:00 CET/CEST

---

10. Document Control

Version	Date	Description
1.0	2025-01-20	Initial customer FAQ

1.5	2025-07-15	Added technical and security questions
2.0	2026-01-25	Current FAQ

Current approved version: 2.0