AIS – AURELIA INDUSTRIAL SYSTEMS

CUSTOMER SUPPORT POLICY

Aurelia Industrial Systems (AIS)
Customer Support Policy

Document ID: AIS-POL-001
Version: 2.0
Effective Date: January 1, 2026
Category: Policy
Language: English
Classification: Internal / Customer Reference

---

1. Purpose

This policy defines the standard process used by Aurelia Industrial Systems (AIS) to receive, classify, prioritize, investigate, escalate, and close customer-support requests.

The policy applies to customer requests involving AIS products, orders, shipments, maintenance, warranty, technical support, and general assistance.

Customer-specific contracts or service-level agreements may define different response targets or support conditions. When a contractual agreement differs from this general policy, the applicable contract takes precedence.

---

2. Support Request Categories

Customer requests are classified into one of the following categories:

- TECHNICAL — Machine faults, alarms, error codes, configuration, diagnostics, and technical questions.
- MAINTENANCE — Preventive maintenance, corrective maintenance, service requests, and maintenance scheduling.
- ORDER — Product orders, order status, order modifications, and order-related questions.

- SHIPPING — Shipment status, delivery delays, carrier information, and logistics issues.
- WARRANTY — Warranty coverage, warranty claims, and warranty interventions.
- BILLING — Invoices, payments, account balances, and financial questions.
- GENERAL — General information and requests that do not belong to another category.

---

3. Ticket Priorities

Every support ticket must have a priority.

P1 — Critical

P1 is used when the incident has a critical operational impact.

Typical examples include:

- Production completely stopped.
- A critical machine failure prevents production from continuing.
- A safety-related issue requires immediate attention.
- A critical system condition has a significant impact on the customer's operation.

P1 incidents require immediate escalation according to the applicable critical-support process.

Initial response target: 30 minutes.

P2 — High

P2 is used when the machine or service remains operational but has a significant degradation.

Examples include:

- Major reduction in production capacity.
- Repeated machine faults.
- Important functionality unavailable.
- Significant operational degradation.

Initial response target: 2 hours.

P3 — Normal

P3 is used for standard technical or operational requests that do not have a major production impact.

Examples include:

- General technical questions.
- Non-critical configuration issues.
- Documentation requests.
- Minor operational problems.

Initial response target: 1 business day.

P4 — Information

P4 is used for informational requests that do not require urgent action.

Examples include:

- General product information.
- Documentation questions.
- General process questions.
- Non-urgent requests.

Initial response target: 2 business days.

---

4. Priority Assignment

Priority should be determined primarily by **business and operational impact**, not only by the technical error code.

For example, the same machine error may have different priorities depending on whether:

- Production is completely stopped.
- Production continues at reduced capacity.

- The machine is not currently being used.
- The issue is informational.

Support personnel should record the reason for the selected priority.

---

5. Required Ticket Information

A technical ticket should contain as much of the following information as possible:

1. Customer identifier.
2. Customer contact.
3. Machine serial number.
4. Product model.
5. Machine operating hours.
6. Error code or alarm.
7. Description of the observed behavior.
8. Time when the issue occurred.
9. Production impact.
10. Actions already performed.
11. Relevant maintenance information.
12. Relevant diagnostic information.

Incomplete information may increase the time required for diagnosis.

---

6. Technical Support Process

The standard technical-support process consists of the following stages:

Stage 1 — Ticket Creation

Customer Support records the request and verifies the available information.

Stage 2 — Classification

The ticket is assigned:

- Category
- Priority
- Customer
- Machine
- Assigned support team

Stage 3 — Initial Investigation

Customer Support may use approved documentation and basic diagnostic information to determine the appropriate escalation path.

Stage 4 — Technical Investigation

Technical Support performs technical analysis when required.

Stage 5 — Resolution or Escalation

If the problem can be resolved using approved procedures, the solution is communicated to the customer.

If the issue cannot be resolved, it may be escalated to Engineering or field service.

Stage 6 — Closure

A ticket may be closed once:

- The issue has been resolved.
- The customer has received the applicable information.
- Required actions have been completed.
- No further action is pending.

---

7. Escalation Rules

P1 incidents must be escalated immediately.

P2 incidents should be escalated when:

- Standard troubleshooting does not resolve the issue.
- Specialist intervention is required.

- The expected response target is at risk.
- The issue affects multiple machines or customers.

Technical issues may be escalated from Technical Support to Engineering when product-level analysis is required.

---

8. Human Handoff

The AI support assistant may assist with:

- Documentation retrieval.
- Product questions.
- Troubleshooting guidance.
- Order-status lookup.
- Shipment-status lookup.
- Support-ticket lookup.
- Maintenance information.
- Ticket triage.

The assistant must hand the request to an authorized human when:

- A restricted operation requires human approval.
- A warranty decision is required.
- A contractual interpretation is required.
- A security incident is suspected.
- The available troubleshooting procedure does not resolve the issue.
- Engineering analysis is required.
- The requested operation is outside the assistant's permitted capabilities.

The assistant must not claim that a human has performed an action unless the action was actually executed and confirmed by the relevant system.

---

9. Critical Incidents

For a P1 incident, Customer Support must ensure that:

1. The ticket is correctly classified.
2. Technical Support is notified.
3. The production impact is clearly recorded.
4. The customer receives appropriate communication.
5. Escalation is performed according to the applicable service agreement.

Safety-related incidents must be handled according to the relevant safety procedures.

---

10. Security Incidents

Requests involving suspected security incidents must not be treated as ordinary technical tickets.

Examples include:

- Compromised credentials.
- Unauthorized access.
- Suspected data leakage.
- Suspicious authentication activity.
- Malicious system behavior.
- Unauthorized access to customer information.

Such incidents must be escalated to IT & Security.

---

11. Customer Data Access

Customer Support personnel and automated systems may access only the customer information required for the requested task.

A customer user must not receive:

- Another customer's orders.
- Another customer's machine information.

- Another customer's support tickets.
- Internal credentials.
- Passwords.
- Authentication tokens.
- Password hashes.

Successful authentication does not automatically grant access to every AIS resource.

Authorization must be verified for the requested resource and operation.

---

12. AI Assistant Usage

The AIS AI support assistant is an operational support system and not an autonomous authority.

The assistant may retrieve information and perform authorized operations through approved tools.

The assistant must:

- Respect the authenticated user's permissions.
- Use only approved tools.
- Provide information supported by available documentation or system data.
- Clearly distinguish retrieved facts from assumptions.
- Escalate when required.

The assistant must never bypass authorization because a customer explicitly requests access.

---

13. SLA Monitoring

Support systems should monitor:

- Ticket creation time.
- First response time.
- Current priority.
- Escalation time.

- Resolution time.
- SLA deadline.
- Current ticket status.

The following ticket statuses are supported:

- OPEN
- IN_PROGRESS
- WAITING_CUSTOMER
- RESOLVED
- CLOSED

---

14. Document Control

Version	Effective Date	Description
1.0	2024-01-01	Initial policy
1.5	2025-02-01	Updated support categories and escalation
2.0	2026-01-01	Updated priorities, AI assistant controls, and security requirements

Current approved version: 2.0