

SAFETY DATA SHEET PUREACT Gluco D

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : PUREACT Gluco D

Product code : AC-000102
Internal code : 32461
Product description : Mixture
Product type : Liquid.

Chemical name : Decyl Glucoside Aqueous solution

INCI Name : Decyl glucoside

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial applications: Manufacture of cosmetics. Manufacture of personal care products.

1.3 Details of the supplier of the safety data sheet

Supplier : Innospec Limited

Innospec Manufacturing Park

Oil Sites Road Ellesmere Port Cheshire CH65 4EY United Kingdom

Telephone no.: : +44 (0)151 355 3611 (24/7)

Fax no. : +44 (0)151 356 2349

e-mail address of person : sdsinfo@innospecinc.com

responsible for this SDS

NON-emergency enquiries : corporatecommunications@innospecinc.com

1.4 Emergency telephone number

In Europe, Middle East, Africa, Asia Pacific and South America 24 hour / 7 day emergency response for our products is provided by the NCEC CARECHEM 24 global network



The main regional centres are listed here in Section 1. Other local contact numbers for specific language support in Asia Pacific are listed in Section 16.

Country information Emergency telephone Location number Europe (all countries, all languages) : +44 (0) 1235 239 670 London, UK Middle East, Africa (Arabic, French, English) : +44 (0) 1235 239 671 Lebanon Middle East, Africa (French, Portuguese, English) : +44 (0) 1235 239 670 London UK Asia Pacific (all countries except China) : +65 3158 1074 Singapore

Date of issue/Date of revision : 2018-06-04 1/15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

China : +86 10 5100 3039 Beijing China

South America (all countries except Brazil and Mexico) : +1 215 207 0061 Philadelphia USA

 Brazil
 : +55 11 3197 5891
 Brazil

 Mexico
 : +52 555 004 8763
 Mexico

In USA, Canada and North America, 24 h/7 days of emergency response for our product is provided by the CHEMTREC(R) Emergency Call Center based in the USA.

Country information : Emergency telephone number

USA : 800 424 9300

Canada, Puerto Rico, Virgin Islands : +1 800 424 9300 In case of difficulty using the toll-free number, or for : +1 703 527 3887

ships at sea, call See section 16.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

kin Irrit. 2, H315 Eye Dam. 1, H318

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word : Danger

Hazard statements : H318 - Causes serious eye damage.

H315 - Causes skin irritation.

Supplemental label

elements

: Not applicable.

Precautionary statements

General : Not applicable.

Prevention: P280 - Wear protective gloves. Wear eye or face protection.

P264 - Wash hands thoroughly after handling.

Response : P305 + P351 + P310 - IF IN EYES: Rinse cautiously with water for several minutes.

Immediately call a POISON CENTER or physician.

Storage : Not applicable.

Disposal : Not applicable.

Hazardous ingredients : d-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides ; D-

Glucopyranose, oligomers, decyl octyl glycosides

Special packaging requirements

Containers to be fitted

with child-resistant

: Not applicable.

fastenings

Tactile warning of danger: Not applicable.

Date of issue/Date of revision : 2018-06-04 2/15

SECTION 2: Hazards identification

2.3 Other hazards

Other hazards which do not result in classification

: None known.

SECTION 3: Composition/information on ingredients

Substance/mixture : Mixture

Product/ingredient name	Identifiers	%	Classification Regulation (EC) No. 1272/2008 [CLP]	Туре
g-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides D-Glucopyranose, oligomers,	REACH #: 01-2119489418-23 EC: 600-975-8 CAS: 110615-47-9 REACH #: 01-2119488530-36	≥10 - ≤25 ≥10 -	Skin Irrit. 2, H315 Eye Dam. 1, H318 Eye Dam. 1, H318	[1]
decyl octyl glycosides	EC: 500-220-1 CAS: 68515-73-1	≤25	See Section 16 for the full text of the H statements declared above.	

Additional information

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Our REACH (pre-) registrations DO NOT cover the following:

- 1. The manufacture of these products by our company outside the EU unless covered by the Only Representative provisions, and
- 2. The importation of these products into Europe by other companies. Re-importation by other companies is not covered by our (pre-) registrations Customers and other third parties importing and/or re-importing our products into Europe will need either:
- Their own (pre-) registration for substances contained in the imported product, or constituent monomers (imported above 1 tonne per year and >2% by weight) in the case of imported polymers, or
- In the case of importation only, to make use of the "Only Representative" provisions, if available.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Date of issue/Date of revision : 2018-06-04 3/15

SECTION 4: First aid measures

Ingestion

: Get medical attention immediately. Call a poison center or physician. Remove dentures if any. Wash out mouth with water. Stop if the exposed person feels sick as vomiting may be dangerous. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes skin irritation.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Date of issue/Date of revision : 2018-06-04 4/15

SECTION 5: Firefighting measures

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Date of issue/Date of revision : 2018-06-04 5/15

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not available. : Not available. **Industrial sector specific** solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

procedures

Recommended monitoring: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DELs available.

PNECs

Date of issue/Date of revision : 2018-06-04 6/15

SECTION 8: Exposure controls/personal protection

No PECs available.

8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. [Viscous liquid. Aqueous media.]

Colour : Yellowish.

Odour : Characteristic. [Slight]

Odour threshold : Not available.

pH : 11.5 to 12.5 [Conc. (% w/w): 10%]

Melting point/freezing point : 10°C

Date of issue/Date of revision : 2018-06-04 7/15

SECTION 9: Physical and chemical properties

Initial boiling point and

boiling range

: Lowest known value: 100°C (212°F) (water). Weighted average: 153.33°C

(308°F)

Flash point Closed cup: >100°C (>212°F)

Evaporation rate : Not available. Not available. Flammability (solid, gas) **Burning time** : Not applicable. **Burning rate** : Not applicable. Upper/lower flammability or : Not available.

explosive limits

Vapour pressure : Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water).

Vapour density Not available. **Relative density** Not available.

1.08 g/cm3 [20°C (68°F)] **Density**

Solubility(ies) : Easily soluble in the following materials: cold water, hot water.

Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature : >150°C (>302°F) **Decomposition temperature** : Not available.

Viscosity : Kinematic (room temperature): 25.5 cm²/s (2550 cSt)

Explosive properties : Not available. **Oxidising properties** Not available.

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : Reactive or incompatible with the following materials:

acids

10.6 Hazardous

decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Date of issue/Date of revision : 2018-06-04 8/15

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Test	Species	Result	Dose
g-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides	-	Rat	LD50 Dermal	>5000 mg/kg -
	-	Rat	LD50 Oral	>5000 mg/kg -
D-Glucopyranose, oligomers, decyl octyl glycosides	-	Rabbit	LD50 Dermal	>5000 mg/kg - (read across from similar material)
	OECD 423 Acute Oral toxicity - Acute Toxic Class Method	Rat	LD50 Oral	>2000 mg/kg -

Irritation/Corrosion

Product/ingredient name	Test	Species	Result	
dg-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides	404 Acute Dermal Irritation/ Corrosion	Rabbit	Skin - Erythema/ Eschar	2.9
3,3,444	404 Acute Dermal Irritation/	Rabbit	Skin - Oedema	2.1
D-Glucopyranose, oligomers, decyl octyl glycosides	EU 404 Acute Dermal Irritation/Corrosion B.4 Acute Toxicity: Dermal Irritation/corrosion	Rabbit	Skin - Erythema/ Eschar	1.3
	EU 404 Acute Dermal Irritation/Corrosion B.4 Acute Toxicity: Dermal Irritation/corrosion	Rabbit	Skin - Oedema	0
	405 Acute Eye Irritation/ Corrosion (read across from similar material)	Rabbit	Eyes - Cornea opacity	1
	405 Acute Eye Irritation/ Corrosion (read across from similar material)	Rabbit	Eyes - Redness of the conjunctivae	3
	405 Acute Eye Irritation/ Corrosion (read across from similar material)	Rabbit	Eyes - Oedema of the conjunctivae	1.7

Sensitisation

Product/ingredient name	Test	Species	Result
d-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides	OECD 406 Skin Sensitization	Guinea pig	Not sensitizing -
D-Glucopyranose, oligomers, decyl octyl	406 Skin Sensitization (read across from similar material)	Guinea pig	Not sensitizing -

Potential chronic health effects

SECTION 11: Toxicological information

Product/ingredient name	Test	Species	Result	Dose
oligomers, decyl octyl glycosides	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents (read across from similar material)	Rat	NOAEL	100 mg/kg bw/day

Mutagenicity

Product/ingredient name	Test	Experiment	Result
d-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Positive
	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative

Information on likely routes: Not available.

of exposure

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Date of issue/Date of revision : 2018-06-04 10/15

SECTION 11: Toxicological information

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Test	Species	Exposure	Result
d-glucopyranose, oligomeric, c10-16(even numbered) alkyl glycosides	-	Algae	72 hours	Acute EC50 19 mg/l
3,444	-	Daphnia	48 hours	Acute EC50 7 mg/l
	-	Fish	96 hours	Acute LC50 2.95 mg/l
	-	Daphnia		Chronic NOEC 1 mg/l
	-	Fish	28 days	Chronic NOEC 1.8 mg/l

12.2 Persistence and degradability

Product/ingredient name	Test	Result
c10-16(even numbered)	OECD 301E Ready Biodegradability - Modified OECD Screening Test	100 % - Readily - 28 days
alkyl glycosides	OECD 301D Ready Biodegradability - Closed Bottle Test	88 % - Readily - 28 days
D-Glucopyranose, oligomers, decyl octyl glycosides	OECD 301F Ready Biodegradability - Manometric Respirometry Test	>60 % - Readily - 28 days

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
g -glucopyranose, oligomeric, c10-16(even numbered)	-	-	Readily
alkyl glycosides D-Glucopyranose, oligomers, decyl octyl glycosides	-	-	Readily

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition : Not available.

coefficient (Koc)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

Date of issue/Date of revision : 2018-06-04 11/15

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

Packaging

Methods of disposal

- : The classification of the product may meet the criteria for a hazardous waste.
- : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	
14.6 Special precautions for user			,	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code				

Date of issue/Date of revision : 2018-06-04 12/15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions

: Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Black List Chemicals : Not listed

Priority List Chemicals : Not determined

Industrial emissions (integrated pollution

prevention and control) -

Air

Industrial emissions (integrated pollution

prevention and control) -

Water

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons

Convention List Schedule II

Chemicals

Chemical Weapons

Convention List Schedule III

Chemicals

: Not listed

International lists

Australia inventory (AICS) : All components are listed or exempted. Canada inventory : All components are listed or exempted. China inventory (IECSC) : All components are listed or exempted.

EU Inventory (EINECS/

ELINCS/NLP)

: All components are listed or exempted.

Japan inventory (ENCS) Japan inventory (ENCS): All components are listed or exempted. **Japan inventory (ISHL)**: All components are listed or exempted.

Korea inventory (KECI) **New Zealand Inventory of**

Chemicals (NZIoC)

Philippines inventory (PICCS)

All components are listed or exempted. All components are listed or exempted.

: All components are listed or exempted.

Taiwan inventory (TCSI) **United States inventory**

(TSCA 8b)

: All components are listed or exempted. : All components are listed or exempted.

Date of issue/Date of revision : 2018-06-04 13/15

SECTION 15: Regulatory information

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and

: ATE = Acute Toxicity Estimate acronyms

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification **Justification** Skin Irrit. 2, H315 Expert judgment Eye Dam. 1, H318 On basis of test data

Full text of abbreviated H

statements

: H315 Causes skin irritation.

Causes serious eye damage. H318

Full text of classifications

Country information

[CLP/GHS]

: Eve Dam. 1. H318 Skin Irrit. 2, H315

Languages supported

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1

Location

SKIN CORROSION/IRRITATION - Category 2

Telephone no:

Date of printing : 2018-06-06 Date of issue/ Date of

revision

: 2018-06-04

Date of previous issue : 2017-03-02

: 7 Version

Emergency contact numbers for local language support in Asia Pacific region

Country information	Languages supported	relephone no	Location
Australia	English	+61 2 8014 4558	Australia
Bangladesh	Bengali, English	+65 3158 1200	Singapore
China	Mandarin, English	+86 10 5100 3039	Beijing China
India	Hindi, English	+65 3158 1198	Singapore
India (local toll free number)	Hindi, English	000800 100 7479	India
Indonesia (local toll free number)	Bahasa Indonesian, English	00780 3011 0293	Indonesia
Japan	Japanese, English	+81 3 4578 9341	Japan
Korea	Korean, English	+65 3158 1285	Singapore
Malaysia	Bahasa Malaysian, English	+60 3 6207 4347	Malaysia
New Zealand	English	+64 9929 1483	New Zealand
Pakistan	Urdu, English	+65 3158 1329	Singapore
Philippines	Tagalog, English	+65 3158 1203	Singapore
Sri Lanka	Sinhalese, English	+65 3158 1195	Singapore
Thailand (local toll free number)	Thai, English	001800 1 2066 6751	Thailand
Vietnam	Vietnamese, English	+65 3158 1255	Singapore

Date of issue/Date of revision : 2018-06-04 14/15 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

PUREACT Gluco D

SECTION 16: Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2018-06-04 15/15