Technical Data Sheet	control date 15.06.16	document code TS.3293.V03.00	page 1 of 5

A			NOMENCLATURE	
A	1		Trade Name	**HYALURAMINE**
A	2		Vevy codex	**17.0255**
A	3		Chemical description	Biological precursor of mucopolysaccharides. Glucosaminoglycans fraction with catalyst to promote the moisturizing effect.
A	4		Registrations	
A	4	1	INCI name	Hydrolyzed Glycosaminoglycans
A	4	2	CAS No	156715-51-4
A	4	3	EC No	/
A	4	4	DIIC No	580400
A	4	5	FDA CRMCS No	R-0013116*
A	5		Available on the market	Since 1963
A	6		Total Quality Assurance	DCG [Dermo&Cosmetic Grade]. [see page 5]
A	7		REACH position	In compliance

B			USE	
B	1		Use levels	0.1% - 1% in creams, lotions, aqueous or alcohol-water face, hair tonics and in creams used to smoothen the rough areas of the skin (knee, elbow, foot).
B	2		Applications	Products for ageing skin; skin care, sunscreen, after shave, hair care, make-up and depilatory preparations.
B	3		Properties	Hyaluramine hydrophilic and lipophilic characteristics, when adequately incorporated into the right carrier, and the low molecular weight allow full absorption through the skin where it is utilized to improve moisture (Vevy Experimental References).

C			IDENTIFICATION	
C	1		Analytical data	
C	1	1	Appearance	Crystalline powder
C	1	2	Odour	Odorless
C	1	3	Colour	White
C	1	6	Solubility	Water, alcohol-water and glycerol-water solutions. Partially soluble in ethanol.
C	1	7	pH	[Disp. H_2O 10%, 20°C]: 3.0 – 5.0 [Method: pHmeter Hanna Instrument HI 8417/pHmeter 212 - Mettler Toledo InLab 412]
C	1	24	Preservatives	None
C	1	30	Loss on drying	< 0.2% [Method: weight 1g sample in a weighing bottle, dried at 105°C for 2 hours]

Vevy Europe S.p.A. • 16A via Semeria • 16131 Genova • Italy
Phone +39 010 5225 1 • Fax +39 010 5225 025
E-mail: info@vevy.com • www.vevy.com

C	1	49	Iron	< 10 ppm [Method ICP - 6010C]
C	1	51	Lead	< 5 ppm [Method ICP - 6010C]
C	2		Microbiology	
C	2	1	Total microbial count	0 – 100 CFU/g
C	2	2	Pathogens	None

D			STANDARD CHARTS	
D	2		I.R.	See page 5

E			STORAGE	
E	1		Industrial packing	Kg 5 - 25
E	2		Storage conditions	**Avoid light and humidity.** **Hyaluramine is thermolabile, consequently it should be incorporated in preparations after emulsification below 45°C. Hyaluramine shows incompatibility with some alkaline agents (e.g. tetrasodium EDTA, triethanolamine and sodium hydroxide). Its weakness to light, observed in the earlier years of production, has been eliminated.** Store in the original sealed containers in a clean, dark, cool place. Once the container is opened take care to prevent secondary microbial contamination and/or chemical side reaction. As such and as possible products of degradation, it is not included in the list of prohibited or liable to restricted utilization substances (in accordance with EU Directive CE1223/2009). When heated up to 183°C, it does not cause reactions liable for producing harmful effects in any way to persons and equipment (in accordance with Italian Ministry of Labour circular letter No 84, dated 21 October 1976)

H			REFERENCES	
H	1		Remarks	Changes in the supplied data and information may occur at any time due to updated scientific research and in compliance with Italian, EU and USA laws. The information contained in this data sheet, although valuable for qualified technicians, should not be construed as suggestions for indiscriminate use. We make no warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of this information for their particular use.
H	2		Bibliography	

Vevy Europe S.p.A. • 16A via Semeria • 16131 Genova • Italy
Phone +39 010 5225 1 • Fax +39 010 5225 025
E-mail: info@vevy.com • www.vevy.com

1. “Problemi di dermofarmaceutica e cosmetica”. Relata Technica 1978, 17:4.
2. “L’evoluzione della cosmetologia”. Relata Technica 1978, 17:4.
3. “Plastic and energetic needs of the skin”. Relata Technica 1979, 18.
4. “Valutazione sperimentale dell’effetto cutaneo della Ialuramina”. Relata Technica 1980, 22:9-18.
5. “Experimental evaluation of cutaneous effect of Ialuramina”. Relata Technica 1980, 22:9-18.
6. “Ialuramina, Collagenon, Carbossalina: le associazioni della cosmetologia scientifica”. Relata Technica 1980, 22:21-30.
7. “Ialuramina, Collagenon, Carbossalina: scientific cosmetology combinations”. Relata Technica 1980, 22:21-30.
8. “Valutazione sperimentale nel ratto e nell’uomo, degli effetti eutrofizzanti cutanei di una crema O/A contenente il 5% di Collagenon e l’1% di Ialuramina”. Relata Technica 1980, 24:11-20.
9. “Experimental evaluation in the rat and in man of the eutrophic skin effects of an O/W cream containing 5% Collagenon and 1% Ialuramine”. Relata Technica 1980, 24:11-20.
10. “Idratazione cutanea”. Panorama Farmacuetico 1980, 7.
11. “Skin moisturizing”. Panorama Farmacuetico 1980, 7.
12. “Valoración experimental del efecto cutáneo de la amina del ácido hialurónico”. Nueva Estetica 1981, Julio-Agosto:41-42.
13. “Experimental evaluation of cutaneous effect of Ialuramina”. Nueva Estetica 1981, Julio-Agosto:41-42.
14. “Il controllo insulinico del trofismo cutaneo”. Relata Technica 1981, 29:31-36.
15. “Mucopolysaccharides for cosmetics”. Relata Technica 1982, 30:65-68.
16. “Ialuramina: un precursore dei mucopolisaccaridi per l’idratazione cutanea”. Relata Technica 1982, 33:31-37.
17. “Ialuramina: a mucopolysaccharide precursor bfor skin moisturizing”. Relata Technica 1982, 33:31-37.
18. “Skin aging”. D&CI 1983, October.
19. “Chimica, biologia, fisiopatologia dei mucopolisaccaridi in generale e negli impianti”. Odontostomatologia e Implantoprotesi, 1984, 3.
20. “Idratazione cutanea: attiva o passiva?”. Lexicon Vevy Europe 1984, 5:3-6.
21. “Valutazione quantitativa dell’effetto idratante indiretto”. Lexicon Vevy Europe 1984, 5:7.
22. “Valutazione istochimica dell’effetto idratante cutaneo della Ialuramina”. Lexicon Vevy Europe 1984, 5:8-9.
23. “Valutazione dell’effetto idratante cutaneo della Ialuramina mediante la tecnica della risonanza magnetica nucleare”. Lexicon Vevy Europe 1984, 5:10-14.
24. “Evaluation on the effects of cutaneous chemical agents by nuclear magnetic resonance techniques”. Bas. Appl. Histochem. 1986, 30:463-467.
25. “Problemi del capello e soluzioni cosmetiche razionali”. Lexicon Vevy Europe 1987, 6:104-108.
26. “Il contributo italiano in cosmetologia”. Lexicon Vevy Europe 1988, 6:80.
27. “Idratazione e Ialuramina”. Lexicon Vevy Europe 1989, 2:33-35.
28. “European ingredients for topical use”. Lexicon Vevy Europe 1990, 2:40-42.
29. “Hydratation et Hyaluramine”. Lexicon Vevy Europe 1990, 3:55-57.
30. “Idratazione passiva ed idratazione attiva”. Lexicon Vevy Europe 1990, 4:66-67.
31. “Passive hydration and active hydration”. Lexicon Vevy Europe 1990, 4:68-69.
32. “Hydratation passive et hydratation active”. Lexicon Vevy Europe 1990, 4:70-71.
33. “Moisturizing and Hyaluramine”. Lexicon Vevy Europe 1990, 4:72-74.
34. “Hydratation und Hyaluramine”. Lexicon Vevy Europe 1990, 4:74-76.
35. “Vevy Europe Seminars”. Lexicon Vevy Europe 1990, 9:167-171.
36. “News and views”. Lexicon Vevy Europe 1991, 2:54-55.
37. “News and views”. Lexicon Vevy Europe 1991, 2:56-57.
38. “News and views”. Lexicon Vevy Europe 1991, 2:58-59.
39. “La fisiologia odierna dello strato corneo”. Lexicon Vevy Europe 1991, 4:96-101.
40. “The basis of La Nouvelle Cosmetique”. Lexicon Vevy Europe 1991, 4:102-103.
41. “Le basi de La Nouvelle Cosmetique”. Lexicon Vevy Europe 1991, 4:103-104.
42. “Les bases La Nouvelle Cosmetique”. Lexicon Vevy Europe 1991, 4:104-108.
43. “Physiologie actuelle de la couche cornee”. Lexicon Vevy Europe 1991, 5:112-116.
44. “Skin enzymes, hair and collagen”. Lexicon Vevy Europe 1991, 9:201-202.
45. “Enzimi cutanei, capelli e collagene”. Lexicon Vevy Europe 1991, 9:202-203.
46. “Hydratacion activa y hydratacion pasiva”. Lexicon Vevy Europe 1992, 2:43-44.
47. “Collagen, fibronectin and hyaluronic acid”. Lexicon Vevy Europe 1992, 2:50-51.
48. “Collagene, fibronectina ed acido ialuronico”. Lexicon Vevy Europe 1992, 2:50-51.
49. “Topics in Lexicon Vevy Europe. Skin hydration”. Lexicon Vevy Europe 1992, 2:52.
50. “La cute: sede di assorbimento ed organo bersaglio”. Lexicon Vevy Europe 1992, 4:54-57.
51. “La cute: sede di assorbimento ed organo bersaglio”. Lexicon Vevy Europe 1992, 5:70-73.
52. “Why study cutaneous enzyme kinetics?”. Lexicon Vevy Europe 1992, 5:74-76.
53. “Perché studiare l’enzimocinesi cutanea?”. Lexicon Vevy Europe 1992, 5:77-80.
54. “La cute: sede di assorbimento ed organo bersaglio”. Lexicon Vevy Europe 1992, 6:86-91.

Vevy Europe S.p.A. • 16A via Semeria • 16131 Genova • Italy
Phone +39 010 5225 1 • Fax +39 010 5225 025
E-mail: info@vevy.com • www.vevy.com

55. “La cute: sede di assorbimento ed organo bersaglio”. Lexicon Vevy Europe 1992, 7:102-105.
56. “La cute: sede di assorbimento ed organo bersaglio”. Lexicon Vevy Europe 1992, 8:118-121.
57. “Vevy Europe Seminar. Abstracts”. Lexicon Vevy Europe 1992, 8:122-136.
58. “Skin ageing”. Lexicon Vevy Europe 1992, 8:139.
59. “Invecchiamento cutaneo”. Lexicon Vevy Europe 1992, 8:139.
60. “La cute: sede di assorbimento ed organo bersaglio”. Lexicon Vevy Europe 1992, 9:142-146.
61. “Skin ageing”. Lexicon Vevy Europe 1993, 1:15-16.
62. “Invecchiamento cutaneo”. Lexicon Vevy Europe 1993, 1:15.
63. “Le bien-etre cutane encore et toujours”. Lexicon Vevy Europe 1993, 2/3:20-29.
64. “The tools for La Nouvelle Cosmetique”. Lexicon Vevy Europe 1993, 4:34.
65. “La peau: siege d’absorption et organe cible”. Lexicon Vevy Europe 1993, 4:35-41.
66. “La peau: siege d’absorption et organe cible”. Lexicon Vevy Europe 1993, 5:53-57.
67. “La peau: siege d’absorption et organe cible”. Lexicon Vevy Europe 1993, 6:68-74.
68. “Das wohlbefinden der haut”. Lexicon Vevy Europe 1993, 6:78-87.
69. “Skin protection in the 21st century”. Lexicon Vevy Europe 1993, 8/9:106-107.
70. “La protezione della cute nel 21° secolo”. Lexicon Vevy Europe 1993, 8/9:107-108.
71. “La protection cutanee dans l’environnement des annees 2000”. Lexicon Vevy Europe 1993, 8/9:109-110.
72. “Der shutz der haut in der umwelt des jahres 2000”. Lexicon Vevy Europe 1993, 8/9:110-111.
73. “La peau: siege d’absorption et organe cible”. Lexicon Vevy Europe 1993, 8/9: 112-113.
74. “La peau: siege d’absorption et organe cible”. Lexicon Vevy Europe 1994, 1:3-4.
75. “La peau: siege d’absorption et organe cible”. Lexicon Vevy Europe 1994, 2:33-37.
76. “Nuclear Magnetic Resonance in the evaluation of low molecular weight precursor of mucopolysaccharides activity”. Relata Technica 1995, 1:3-4.
77. “Absolute breakthrough in hair care treatment”. Lexicon Vevy Europe 1996, 2:19-20.
78. “Nouveaute absolue pour le traitement des cheveux”. Lexicon Vevy Europe 1996, 2:21.
79. “Novità assoluta per il trattamento dei capelli”. Lexicon Vevy Europe Lexicon Vevy Europe 1996, 2:21-22.

* “The FDA Cosmetic Raw Material Composition Statement number is assigned for raw material identification purposes only and does not in any way denote approval of the firm or the raw material by the Food and Drug Administration.” (see 21 CFR 720.9 b)

The DCG® trademark (Dermo Cosmetic Grade) identifies the highly specialized products of Vevy Europe Fine Chemical division and certifies that each product is:
• Designed and developed for cutaneous application;
• Tested according to rigorous toxicological, cryptotoxicological, enzyme-kinetic and dermatological activity protocols, and consequently, does not interfere with the biochemistry of the cutaneous apparatus;
• Up-dated on the basis of scientific progress;
• Compliant with national and international regulations.
These premises lead to the development of projects and products, regardless of their source, that are characterized by:
• Safety (absence of harmful effects);
• Effectiveness (compliance with the promised and expected requirements);
• Stability (persistence of the stated characteristics).
Each ingredient is presented in a wrapping of specialized services, which range from its scientific and technical documentation to the specific and qualified support for its proper use.

Vevy Europe S.p.A. • 16A via Semeria • 16131 Genova • Italy
Phone +39 010 5225 1 • Fax +39 010 5225 025
E-mail: info@vevy.com • www.vevy.com

D	2		I.R.	



Spectrum IR

17.0255 Hyaluramine batch 46968UA

Vevy Europe S.p.A. • 16A via Semeria • 16131 Genova • Italy
Phone +39 010 5225 1 • Fax +39 010 5225 025
E-mail: info@vevy.com • www.vevy.com