

Timestamp	Time	Day	Day period	Day of Week	Month	Dew Point	Process Dew Point	Contact Pressure	Process Contact Pressure	Natural Gas Moisture	Process Natural Gas Moisture	Contact Temperature	Process Contact Temperature	Glycol Moisture	Process Glycol Moisture	Water Inlet Temperature	Process Water Inlet Temperature	Glycol Inlet Temperature	Process Glycol Inlet Temperature	Out Glycol Temperature	Process Out Glycol Temperature	Temperature	Process Temperature	Out Water Temperature	Process Out Water Temperature	Stripping Gas	Process Stripping Gas	Pressure	Process Pressure	Dry Glycol	Process Dry Glycol	Glycol Flow	Process Glycol Flow
01-09-2022	00:00:00	Night	Friday	1	September	-3.075649	Don't Criticize	172.956649	Normal	3.45	Critical	42.2	Low	0.8	Efficient	34.78	Normal	52.05	Low	47.64	Good	175.224011	Not Keep	43.727277	Bad	96.216138	Normal	29.568994	Normal Pressure	1.63	Worrying	1.408146	Changed
11-01-2023	00:02:00	Night	Wednesday	11	January	-5.621632	Don't Criticize	161.305446	Low	2.71	Normal	42.6	Low	0.67	Efficient	34.56	Normal	52.67	Low	40.75	Good	183.626183	Keep	58.359565	Bad	107.583807	Normal	33.85637	Normal Pressure	0.79	Not Worrying	1.925554	OK
14-03-2022	00:04:00	Night	Monday	14	March	2.344799	Don't Criticize	168.959707	Low	1.57	Normal	44.3	Low	1.38	Inefficient	41.38	Normal	64.83	Normal	49.85	Good	178.122859	Not Keep	51.728929	Normal	25.577773	Normal Pressure	0.62	Not Worrying	1.759292	OK		
30-06-2023	00:06:00	Night	Friday	30	June	-13.045739	Don't Criticize	162.760824	Low	1.9	Normal	43.7	Low	0.16	Efficient	35.41	Normal	66.53	Normal	42.09	Good	174.73099	Keep	52.082367	Bad	145.307027	Normal	30.228239	Normal Pressure	1.0	Not Worrying	2.456688	Changed
20-03-2023	00:08:00	Night	Sunday	20	March	-2.433469	Don't Criticize	161.54716	Low	3.71	Normal	43.2	Low	0.01	Efficient	38.37	Normal	63.35	Normal	43.35	Good	188.572268	Not Keep	51.0352	Normal	27.22268	Normal Pressure	1.58	Not Worrying	1.061682	Changed		
15-02-2022	00:10:00	Night	Tuesday	15	February	20.537435	Don't Criticize	171.457465	Normal	2.02	Normal	42.8	Low	1.59	Inefficient	37.25	Normal	77.25	Normal	41.98	Good	183.919859	Not Keep	51.938929	Normal	32.32738	Normal Pressure	0.78	Not Worrying	1.975601	Changed		
09-11-2023	00:12:00	Night	Thursday	9	November	2.34071	Don't Criticize	179.322329	Normal	2.54	Normal	43.8	Low	0.8	Efficient	31.54	Normal	58.7	Low	45.47	Good	182.449737	Keep	48.540813	Bad	98.653426	Normal	25.087911	Normal Pressure	1.1	Not Worrying	1.552341	OK
09-04-2022	00:14:00	Night	Saturday	9	April	0.593364	Don't Criticize	177.388141	Normal	1.71	Normal	48.8	High	0.9	Efficient	28.93	Unwanted	75.44	High	41.63	Good	178.966732	Not Keep	42.785739	Bad	29.650457	Normal Pressure	0.46	Not Worrying	1.721832	OK		
20-07-2023	00:16:00	Night	Thursday	20	July	-9.36048	Don't Criticize	174.250242	Normal	2.32	Normal	48.4	High	1.33	Inefficient	36.59	Normal	57.35	Low	45.12	Good	178.864962	Not Keep	50.742673	Bad	117.332441	Normal	25.461825	Normal Pressure	0.34	Not Worrying	2.066341	Changed
26-02-2022	00:18:00	Night	Saturday	26	February	-11.075474	Don't Criticize	171.392568	Normal	2.75	Normal	45.2	Normal	1.64	Inefficient	44.57	Normal	75.3	High	49.8	Good	175.244645	Not Keep	60.75529	Bad	75.368091	Normal	30.715675	Normal Pressure	1.29	Not Worrying	2.151161	Changed
06-10-2022	00:20:00	Night	Thursday	6	October	-13.78374	Don't Criticize	169.696883	Low	1.83	Normal	42.8	Low	0.85	Efficient	44.92	Normal	77.42	Normal	47.52	Good	184.53869	Keep	53.168893	Bad	103.426402	Normal	27.39201	Normal Pressure	0.42	Not Worrying	2.218149	Changed
05-02-2023	00:22:00	Night	Sunday	5	February	165.010208	Don't Criticize	165.010208	High	50.74	Normal	40.8	Low	1.19	Inefficient	35.74	Normal	66.24	Normal	49.9	Good	177.666248	Not Keep	51.1766208	Bad	94.44371	Normal	28.540085	Normal Pressure	0.24	Not Worrying	1.590208	OK
17-01-2022	00:24:00	Night	Monday	17	January	-23.898387	Don't Criticize	179.735769	Normal	1.66	Normal	45.7	Normal	0.86	Efficient	27.02	Normal	78.41	High	49.53	Good	184.960408	Keep	42.162766	Bad	72.356035	Normal	26.917825	Normal Pressure	0.71	Not Worrying	1.008329	Changed
11-10-2023	00:26:00	Night	Wednesday	11	October	2.533209	Don't Criticize	174.203763	Normal	3.55	Highly Critical	40.3	Low	0.15	Efficient	32.24	Normal	54.51	Low	49.86	Good	179.536395	Not Keep	40.867453	Bad	102.500335	Normal	29.869157	Normal Pressure	0.3	Not Worrying	2.352031	Changed
08-08-2023	00:28:00	Night	Tuesday	8	August	2.620589	Don't Criticize	178.269751	Normal	2.69	Normal	40.8	Low	0.88	Efficient	25.7	Unwanted	71.6	High	48.69	Good	179.399642	Not Keep	41.097795	Bad	34.885499	Normal	29.865499	Normal Pressure	0.69	Not Worrying	1.269675	Changed
01-10-2022	00:30:00	Night	Saturday	1	October	-15.524536	Don't Criticize	175.732901	Normal	3.8	Highly Critical	40.3	High	0.19	Efficient	44.03	Normal	56.59	Low	42.91	Bad	173.870234	Not Keep	47.747886	Bad	130.134614	Normal	30.134614	Normal Pressure	1.98	Worrying	2.270391	Changed
13-10-2023	00:32:00	Night	Friday	13	October	-29.317882	Criticize	172.963803	Normal	2.55	Normal	44.6	Normal	1.77	Inefficient	34.71	Normal	51.41	Low	46.6	Good	183.588542	Keep	58.362455	Bad	133.135098	Normal	31.653277	Normal Pressure	0.38	Not Worrying	1.568471	OK
08-04-2023	00:34:00	Night	Saturday	7	April	-13.69582	Don't Criticize	180.206492	High	2.28	Normal	40.2	Low	0.49	Efficient	36.34	Normal	64.5	Normal	48.5	Good	176.948377	Not Keep	51.247232	Bad	28.543622	Normal	30.840232	Normal Pressure	0.65	Not Worrying	2.345726	Changed
27-01-2023	00:36:00	Night	Friday	27	January	-23.85958	Don't Criticize	168.029044	High	2.61	Highly Critical	44.1	Low	0.25	Efficient	36.39	Normal	62.96	Normal	42.9	Good	182.760319	Keep	60.7718	Bad	125.068895	Normal	34.276243	Normal Pressure	1.58	Not Worrying	2.160023	Changed
19-10-2023	00:38:00	Night	Thursday	19	October	-19.896031	Don't Criticize	165.379454	Normal	2.82	Normal	41.9	Low	0.15	Efficient	26.06	Unwanted	74.05	High	49.2	Good	184.94359	Keep	62.79125	Bad	33.022701	Normal	26.917825	Normal Pressure	0.72	Not Worrying	1.843719	OK
11-02-2022	00:40:00	Night	Friday	11	February	-5.497019	Don't Criticize	167.916666	Low	1.65	Normal	41.4	Low	1.13	Efficient	35.26	Normal	71.77	High	47.79	Good	181.84466	Keep	58.231226	Bad	102.90479	Normal	29.420187	Normal Pressure	1.54	Not Worrying	1.728669	OK
21-12-2022	00:42:00	Night	Wednesday	21	December	-19.390786	Don't Criticize	169.962472	Low	3.15	Critical	45.1	Normal	0.22	Efficient	31.4	Normal	58.15	Low	48.93	Good	175.044954	Not Keep	49.151797	Bad	31.359377	Normal	29.865499	Normal Pressure	1.07	Not Worrying	1.545922	OK
01-04-2023	00:44:00	Night	Saturday	1	April	-26.092476	Criticize	176.544418	Normal	3.81	Highly Critical	43.9	Normal	1.38	Inefficient	30.36	Normal	52.81	Low	40.86	Bad	176.759772	Not Keep	56.189877	Bad	136.416368	Normal	29.10248	Normal Pressure	1.87	Worrying	1.284828	Changed
01-09-2023	00:46:00	Night	Friday	1	September	-7.789073	Don't Criticize	166.538515	Low	1.71	Normal	43.9	Low	0.38	Efficient	31.26	Normal	61.3	Low	51.26	Good	171.946016	Not Keep	51.96917	Bad	33.384035	Normal	30.511768	Normal Pressure	0.88	Not Worrying	2.331206	Changed
07-10-2023	00:48:00	Night	Friday	27	October	184.99048	Don't Criticize	184.99048	High	5.72	Normal	49.15	Normal	0.58	Inefficient	48.15	Normal	72.0	Normal	49.15	Good	180.223001	Not Keep	53.62137	Bad	34.372308	Normal	30.73071	Normal Pressure	0.72	Not Worrying	2.307104	Changed
22-12-2022	00:50:00	Night	Thursday	22	December	-4.060894	Don't Criticize	170.55307	Normal	2.81	Highly Critical	45.8	Normal	0.88	Inefficient	31.27	Normal	72.27	High	45.01	Good	182.211852	Keep	52.984864	Bad	90.420096	Normal	33.576097	Normal Pressure	1.13	Not Worrying	2.367689	OK
31-10-2023	00:52:00	Night	Tuesday	31	October	-26.287443	Criticize	162.879585	Low	3.82	Normal	41.9	Low	1.86	Efficient	35.32	Normal	65.11	Normal	47.63	Good	180.739647	Keep	64.472493	Bad	84.881613	Normal	29.032323	Normal Pressure	0.22	Not Worrying	1.745114	OK
18-06-2023	00:54:00	Night	Sunday	18	June	-14.949459	Don't Criticize	170.542602	Normal	2.32	Normal	40.4	Low	0.32	Efficient	25.65	Unwanted	59.14	Low	42.75	Good	179.472825	Not Keep	57.408797	Bad	123.608131	Normal	28.933335	Normal Pressure	0.4	Not Worrying	2.357008	Changed
30-12-2023	00:56:00	Night	Saturday	30	December	-0.329366	Don't Criticize	174.13384	Normal	3.23	Critical	49.8	High	0.38	Efficient	34.9	Normal	60.44	Normal	43.03	Good	182.058784	Keep	62.33681	Bad	120.003644	Normal	25.318454	Normal Pressure	1.85	Worrying	1.715338	OK
10-12-2022	00:58:00	Night	Saturday	10	December	-15.096169	Don't Criticize	166.574634	Low	3.97	Highly Critical	47.2	High	1.06	Efficient	41.12	Normal	66.43	Normal	48.47	Good	175.08251	Not Keep	49.112343	Bad	32.063548	Normal	22.063548	Normal Pressure	0.89	Not Worrying	1.546798	OK
03-03-2023	01:00:00	Night	Friday	3	March	-7.715879	Don't Criticize	171.529446	Normal	2.05	Normal	40.8	Low	0.38	Efficient	30.38	Normal	60.9	Normal	48.5	Good	181.38887	Not Keep	51.247232	Bad	31.30871	Normal	30.134614	Normal Pressure	0.7	Not Worrying	1.961865	OK
15-07-2023	01:02:00	Night	Saturday	15	July	-8.289812	Don't Criticize	183.4738	High	2.63	Normal	45.1	Low	0.6	Efficient	27.46	Unwanted	53.52	Low	48.99	Good	181.959217	Keep	46.741969	Bad	25.041349	Normal	26.917825	Normal Pressure	1.54	Not Worrying	1.262325	Changed
15-12-2022	01:04:00	Night	Thursday	15	December	-15.75888	Don't Criticize	163.725424	Low	3.34	Critical	48.9	High	0.94	Efficient	37.61	Normal	68.44	Normal	40.21	Good	177.846869	Not Keep	64.019172	Bad	34.446768	Normal	29.865499	Normal Pressure	1.15	Not Worrying	1.616477	OK
17-07-2022	01:06:00	Night	Sunday	17	July	-11.765114	Don't Criticize	173.392245	Normal	3.93	Highly Critical	40.7	Low	0.66	Efficient	26.94	Unwanted	74.6	High	49.31	Good	179.104578	Not Keep	60.167329	Bad	33.262235	Normal	34.262235	Normal Pressure	1.56	Not Worrying	2.45732	Changed
27-07-2022	01:08:00	Night	Wednesday	27	July	0.648979	Don't Criticize	172.038408	Normal	3.36	Critical	46.7	High	1.26	Inefficient	31.39	Normal	51.39	Low	45.14	Good	182.404039	Keep	64.907917	Bad	26.939823	Normal	29.865499	Normal Pressure	0.98	Not Worrying	1.088475	Changed
23-07-2022	01:10:00	Night	Saturday	23	July	-3.163563	Don't Criticize	183.121524	High	3.34	Critical	47.8	High	1.4	Inefficient	33.69	Normal	67.05	Normal	43.7	Good	177.215732	Not Keep	45.853144	Bad	110.994679	Normal	25.801476	Normal Pressure	0.8	Not Worrying	2.418202	Changed
29-10-2023	01:12:00	Night	Sunday	29	October	174.067715	Don't Criticize	174.067715	High	7.84	Normal	41.2	Low	0.32	Efficient	27.22	Normal	72.84	Normal	42.92	Good	181.535024	Not Keep	60.7718	Bad	32.224942	Normal	29.865499	Normal Pressure	1.2	Not Worrying	1.071398	Changed
06-06-2023	01:14:00	Night	Tuesday	6	June	1.327888	Don't Criticize	184.987397	High	2.42	Highly Critical	43.1	Low	0.97	Efficient	42.08	Normal	77.28	High	45.37	Good	175.636211	Not Keep	53.172547	Bad	110.319848	Normal	26.520838	Normal Pressure	0.72	Not Worrying	1.336082	Changed
16-01-2022	01:16:00	Night	Sunday	16	January	2.090604	Don't Criticize	184.892094	High	2.31	Normal	44.2	Low	0.47	Efficient	39.89	Normal	63.84	Normal	43.62	Good	181.478407	Keep	49.188961	Bad	30.828368	Normal						