Warning The type attribute is unnecessary for JavaScript resources. 1. From line 39, column 9; to line 39, column 39 <script type="text/javascript">←  $\hookrightarrow$ Warning The type attribute is unnecessary for JavaScript resources. 2. From line 43, column 9; to line 43, column 81 <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js defer></scri</pre> >← Warning The type attribute is unnecessary for JavaScript resources. 3. From line 44, column 9: to line 44, column 83 <script type="text/javascript" src=http://127.0.0.1:8000/js/admin.js defer></scri</pre> >← Warning The type attribute is unnecessary for JavaScript resources. From line 45, column 9: to line 45, column 82 <script type="text/javascript" src=http://127.0.0.1:8000/js/help.js defer></scri</pre> >← Warning The type attribute is unnecessary for JavaScript resources. 5. From line 46, column 9; to line 46, column 82 <script type="text/javascript" src=http://127.0.0.1:8000/js/post.js defer></scri</pre> >← Warning The type attribute is unnecessary for JavaScript resources. 6. From line 47, column 9; to line 47, column 82 <script type="text/javascript" src=http://127.0.0.1:8000/js/user.js defer></scri</pre> >← Warning The type attribute is unnecessary for JavaScript resources.

7.

```
From line 48, column 9: to line 48, column 83
    >←
                <script type="text/javascript" src=http://127.0.0.1:8000/js/image.js defer></scri</pre>
     Warning The type attribute is unnecessary for JavaScript resources.
8.
     From line 49, column 9; to line 49, column 84
                <script type="text/javascript" src=http://127.0.0.1:8000/js/search.js defer></scri</pre>
    >←
     Warning The type attribute is unnecessary for JavaScript resources.
9.
    From line 50, column 9; to line 50, column 85
                <script type="text/javascript" src=http://127.0.0.1:8000/js/message.js defer></scri</pre>
     >←
     Warning The type attribute is unnecessary for JavaScript resources.
10.
    From line 51, column 9; to line 51, column 81
                <script type="text/javascript" src=http://127.0.0.1:8000/js/faq.js defer></scri</pre>
     >←
     Error Attribute logged-user not allowed on element nav at this point.
11.
     From line 56, column 25; to line 56, column 66
                <nav class="menu-lateral" logged-user="1">

    Attributes for element <u>nav</u>:
       Global attributes
     Error Duplicate ID last-link.
12.
     From line 109, column 21; to line 109, column 75
                <div id="last-link" class="bar-link btn-group dropend">←
     Warning The first occurrence of ID last-link was here.
13.
     From line 83, column 21; to line 83, column 75
```

```
<div id="last-link" class="bar-link btn-group dropend">←
     Error Duplicate ID last-link.
14.
    From line 115, column 33; to line 115, column 113
           <a href="http://127.0.0.1:8000/post/create" class="dropdown-item" id="last-link">New Po
     Warning The first occurrence of ID last-link was here.
15.
    From line 83, column 21: to line 83, column 75
               <div id="last-link" class="bar-link btn-group dropend">←
     Error Duplicate ID last-link.
16.
    From line 116, column 33; to line 116, column 114
           <a href="http://127.0.0.1:8000/group/create" class="dropdown-item" id="last-link">New Gr
     Warning The first occurrence of ID last-link was here.
17.
    From line 83, column 21; to line 83, column 75
               <div id="last-link" class="bar-link btn-group dropend">←
     Warning Consider using the hi element as a top-level heading only (all hi elements are treated as top-level headings
18.
    by many screen readers and other tools).
    From line 127, column 9: to line 127, column 12
    >←
               <h1>Travel
     Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings
19.
    by many screen readers and other tools).
    From line 132, column 13; to line 132, column 16
               <h1>About
```

20. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 122, column 5; to line 122, column 23

/nav>
/nav>
/nav>
/nav>
/nav>

21. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 55, column 13; to line 55, column 34

<section id="content"> $\stackrel{\hookleftarrow}{=}$ .

Document checking completed.

## Source

```
1. ←
 2. <!DOCTYPE html>←
3. <html lang="en">↔
4.
        <head>←
5.
            <meta charset="utf-8">←
           <meta http-equiv="X-UA-Compatible" content="IE=edge">←
6.
7.
           <meta name="viewport" content="width=device-width, initial-scale=1">↔
8. ←
9.
           <!-- CSRF Token -->↔
           <meta name="csrf-token" content="QwyNTcm7wErSwP1eEd6TKoYa5Wq5k9kiGtLyg7T6">←
10.
11. ←
12.
           <title>
                      About Us | Travellers↔
13. </title>↔
14.
           <link rel="icon" href="http://127.0.0.1:8000/logo.png" type="image/x-icon">↔
15. ←
           <!-- Styles -->↔
16.
17.
           <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">↔
           <link href="http://127.0.0.1:8000/css/sidebar.css" rel="stylesheet">↔
18.
           <link href="http://127.0.0.1:8000/css/login register.css" rel="stylesheet">←
19.
```

```
20.
            <link href="http://127.0.0.1:8000/css/profile.css" rel="stylesheet">↔
21.
            <link href="http://127.0.0.1:8000/css/feed.css" rel="stvlesheet">↔
22.
            <link href="http://127.0.0.1:8000/css/topbar.css" rel="stylesheet">←
23.
            <link href="http://127.0.0.1:8000/css/adminpage.css" rel="stylesheet">←
24.
            <link href="http://127.0.0.1:8000/css/post.css" rel="stylesheet">↔
25.
            <link href="http://127.0.0.1:8000/css/comment.css" rel="stylesheet">↔
26.
            <link href="http://127.0.0.1:8000/css/notifications.css" rel="stylesheet">←
27.
            <link href="http://127.0.0.1:8000/css/group.css" rel="stylesheet">↔
            <link href="http://127.0.0.1:8000/css/message.css" rel="stylesheet">↔
28.
29.
            <link href="http://127.0.0.1:8000/css/recovery.css" rel="stylesheet">↔
30.
          \hookrightarrow
31.
            <script src="https://kit.fontawesome.com/a2d4a9c2fb.js" crossorigin="anonymous"></script>↔
32.
            <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
   integrity="sha384-T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">↔
33.
            <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-</pre>
   C6RzsynM9kWDrMNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV80yq46cDfL" crossorigin="anonymous"></script>↔
34.
            <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.2/font/bootstrap-icons.min.css">↔
35.
            <script src="https://js.pusher.com/7.0/pusher.min.js" defer></script>↔
36. ←
37.
            \leftarrow
38. ←
39.
           <script type="text/javascript">←
40.
               // Fix for Firefox autofocus CSS bug↔
               // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↔
41.
42.
            </script>←
            <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js defer></script>↩
43.
            <script type="text/javascript" src=http://127.0.0.1:8000/js/admin.js defer></script>←
44.
45.
            <script type="text/javascript" src=http://127.0.0.1:8000/js/help.js defer></script>↔
46.
            <script type="text/javascript" src=http://127.0.0.1:8000/js/post.js defer></script>↔
            <script type="text/javascript" src=http://127.0.0.1:8000/js/user.js defer></script>↔
47.
48.
            <script type="text/javascript" src=http://127.0.0.1:8000/js/image.js defer></script>←
49.
            <script type="text/javascript" src=http://127.0.0.1:8000/js/search.js defer></script>←
50.
            <script type="text/javascript" src=http://127.0.0.1:8000/js/message.js defer></script>←
            <script type="text/javascript" src=http://127.0.0.1:8000/js/faq.js defer></script>↔
51.
52.
        </head>↔
53.
        <body>←
54.
            <main>←
55.
                <section id="content">←
56.
                            <nav class="menu-lateral" logged-user="1">←
57.
                ←
                    class="menu-item">↔
58.
59.
                        <a class="bar-link" href="http://127.0.0.1:8000/home">←
```

```
60.
                           <span class="icon"><i class="bi bi-house"></i></span>←
61.
                          <span class="txt-link">Home</span>←
62.
                      </a>←
63.
                   ←
64.
                   class="menu-item">←
65.
                       <a class="bar-link" href="http://127.0.0.1:8000/user/1">↔
66.
                          <span class="icon"><i class="bi bi-person"></i></span>←
67.
                          <span class="txt-link">Profile</span>←
68.
                       </a>←
69.
                   ↔
70.
                   class="menu-item">←
71.
                      <a class="bar-link" href="http://127.0.0.1:8000/notifications">↔
72.
                                                 <span class="icon"><i class="bi bi-bell"></i></span>←
73.
                           <span class="txt-link">Notifications</span>←
74.
                      </a>←
75.
                   ↔
76.
                   class="menu-item">←
77.
                       <a class="bar-link" href="http://127.0.0.1:8000/messages">←
78.
                          <span class="icon"><i class="bi bi-messenger"></i></span>←
79.
                          <span class="txt-link">Messages</span>←
80.
                       </a>←
81.
                   ↔
82.
                   class="menu-item">←
83.
                       <div id="last-link" class="bar-link btn-group dropend">←
                          <span class="icon"><i class="bi bi-three-dots"></i></span>←
84.
85.
                          <button type="button" class="txt-link dropdown-toggle" data-bs-toggle="dropdown" aria-</pre>
   expanded="false">↔
86.
                              More↩
87.
                           </button>←
                          ←
88.
89.
                              <a href="http://127.0.0.1:8000/helps" class="dropdown-item" >Help</a>

90.
                              <a href="http://127.0.0.1:8000/faqs" class="dropdown-item">FAQ</a>
91.
                              <a href="http://127.0.0.1:8000/about" class="dropdown-item">About Us</a>↔
92.
                              <a href="http://127.0.0.1:8000/terms" class="dropdown-item">Terms of Use and Privacy</a>
   Policy</a>↔
93.
                          ←
94.
                       </div>←
95.
                   ↩
96.
                                      class="menu-item">↔
97.
                          <a class="bar-link" href="http://127.0.0.1:8000/user/1/ownedGroups">↔
                                                         <span class="icon"><i class="bi bi-collection"></i></span>←
98.
99.
                              <span class="txt-link">My Groups</span>←
```

```
100.
                           </a>←
101.
                       ←
102.
                                                     class="menu-item">↔
103.
                           <a class="bar-link" href="http://127.0.0.1:8000/admin">←
104.
                               <span class="icon"><i class="bi bi-fingerprint"></i>
105.
                               <span class="txt-link">Admin Console</span>←
106.
                           </a>←
107.
                       ↔
108.
                                   class="menu-item">←
                       <div id="last-link" class="bar-link btn-group dropend">←
109.
                           <span class="icon"><i class="bi bi-patch-plus"></i>
110.
111.
                           <button type="button" class="txt-link dropdown-toggle" data-bs-toggle="dropdown" aria-</pre>
    expanded="false">←
112.
                               Create↔
113.
                           </button>←
                           ←
114.
115.
                               <a href="http://127.0.0.1:8000/post/create" class="dropdown-item" id="last-link">New</a>
    Post</a>↔
116.
                               <a href="http://127.0.0.1:8000/group/create" class="dropdown-item" id="last-link">New</a>
    Group</a>←
117.
                           ←
118.
                       </div>↩
119.
                   ↔
120.
                ←
121.
            </nav>←
122.
        <section id="feed">←
123.
124. <section id="top-bar">↔
125.
        <a href="http://127.0.0.1:8000/home" class="logo">←
126.
            <img class="logo-img" src="http://127.0.0.1:8000/logo.png" alt="Travellers Logo">←
127.
            <h1>Travellers</h1>↔
128.
        </a>←
129. </section>↔
130. ←
131.
            <section class="notifications-container" >←
132.
                <h1>About Us - Traveller</h1>←
133.
                <div class="divider">←
134.
                   The project was born out of a semester's work in the "Database and Web"
    Applications Laboratory" course in the Degree in Informatics and Computer Engineering at the Faculty of Engineering of the
    University of Porto and the idea came from our special love of travelling and getting to know the world.
135. ←
```

```
136.
                  This product is designed with individual users in mind, catering to those who
    wish to share their travel experiences and discover what fellow travellers are doing in specific cities or countries.
137. ←
138.
                  The primary aim of this project is to create a social media website that serves
    as a global hub for travellers around the world, allowing them to connect and exchange their individual experiences. Users
    have the ability to share their travel stories, access content related to the countries they are visiting, and communicate
    with both local residents and fellow travellers.
←
139. ←
140.
                  We hope you enjoy using our website as much as we enjoyed creating it!
141.
               </div>←
142.
           </section>←
143.
           <div class="container-md photos-about">←
144.
               <div class="person-container d-inline-block">←
145.
                  <img src="../admin1.jpg" class="img-thumbnail about-img" alt="...">↔
146.
                  francisco Campos

147.
               </div>←
148. ←
149.
               <div class="person-container d-inline-block">←
150.
                  <img src="../admin2.png" class="img-thumbnail about-img" alt="...">↔
151.
                  António Romão←
152.
               </div>←
153. ←
154.
               <div class="person-container d-inline-block">←
155.
                  <img src="../admin3.jpg" class="img-thumbnail about-img" alt="...">↔
156.
                  Henrique Pinheiro
157.
               </div>←
158.
           </div>↩
159.
        </section>←
160. ←
161.
               </section>←
162.
           </main>↔
163.
        </body>←
164. </html>
```