

# Level 5 | Bandit | OverTheWire

---

Bandit Level 4 → Level 5

English | [Spanish](#)

[PDF version.](#)

---

## Challenge description.

---

The password for the next level is stored in the only human-readable file in the inhere directory.

Tip: if your terminal is messed up, try the “reset” command.

## Information given by the challenge.

---

Useful information given by the previous level.

- *hostname*: " bandit.labs.overthewire.org ".
- *port*: " 22 " (2220).
- *user*: " bandit4 ".
- *password*: " 2WmrDFRmJlq3lPxneAaMGhap0pFhF3NJ ".

Commands you may need to solve this level.

- [ls](#), [cd](#), [cat](#), [file](#), [du](#), [find](#).
-

## Procedure.

---

1. We use the `ls` command to check for contents of the home folder.

```
bandit4@bandit:~$ ls
```

---

2. After getting the location of the "inhere" directory with the previous command, we use the `cd` command to change our location into that directory.

```
bandit4@bandit:~$ cd inhere
```

---

3. Once inside "inhere", we use the `ls` command once again to check for the contents of the folder.

```
bandit4@bandit:~/inhere$ ls
```

---

4. After the last use of the `ls` command, we get as the output 10 different files named from "-file00" to "-file09".

So, knowing this, we apply the `cat` command to every single one of the files looking for the one that has human readable output in it, that should be the one that has the flag of the level according to the description of the challenge.

```
bandit4@bandit:~/inhere$ cat "./-file00"

bandit4@bandit:~/inhere$ cat "./-file01"

bandit4@bandit:~/inhere$ cat "./-file02"

[...]

bandit4@bandit:~/inhere$ cat "./-file07"
4oQYVPkxZOOEOO5pTW81FB8j8lXGUQw

bandit4@bandit:~/inhere$ cat "./-file08"

bandit4@bandit:~/inhere$ cat "./-file09"
```

---

5. The output of those commands shows us that the file that has the flag is "-file07", with an output of "4oQYVPkxZOOEOO5pTW81FB8j8lXGUQw".

---

## Attachment.

---

Enjoy your stay!

```
bandit4@bandit:~$ pwd
/home/bandit4
bandit4@bandit:~$ ls
inhere
bandit4@bandit:~$ cd inhere/
bandit4@bandit:~/inhere$ ls
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08 -file09
bandit4@bandit:~/inhere$ cat "./-file00"
I
bandit4@bandit:~/inhere$ cat "./-file01"
`n
bandit4@bandit:~/inhere$ cat "./-file02"
CF
bandit4@bandit:~/inhere$ cat "./-file03"
{
bandit4@bandit:~/inhere$ cat "./-file04"
f
bandit4@bandit:~/inhere$ cat "./-file05"
s
bandit4@bandit:~/inhere$ cat "./-file06"
a~0ed(
bandit4@bandit:~/inhere$ cat "./-file07"
?z=J"
bandit4@bandit:~/inhere$ cat "./-file08"
4oQYVPkxZ00E005pTW81FB8j81xXGUQw
bandit4@bandit:~/inhere$ cat "./-file09"
Z
bandit4@bandit:~/inhere$
```