

Cross-site AUC				
				
0.5 0.6 0.7 0.8 0.9				
	Silicic	Adv. Argillic	Argillic-Phyllic	Propylitic
[Classical] Clay Ratio (B11/B12)	0.700	0.689	0.589	0.683
[Classical] Iron Oxide (B04/B02)	0.528	0.680	0.569	0.810
[Classical] Ferrous (B12/B8A)	0.527	0.581	0.602	0.709
[Classical] Alunite Idx (ASTER nomenclature)	0.700	0.689	0.589	0.683
[Classical] OH Minerals (ASTER nomenclature)	0.537	0.709	0.561	0.824
[Classical] Silica (ASTER nomenclature)	0.700	0.689	0.589	0.683
[Classical] NDVI	0.835	0.588	0.522	0.563
[SR] B04 – 0.135 (Silicic)	0.864	0.532	0.566	0.545
[SR] 0.83 – B02/B05 (Adv. Argillic)	0.504	0.695	0.555	0.807
[SR] 0.09/B05 (Argillic-Phyllic)	0.859	0.570	0.574	0.584
[SR] B03 – 0.48·B11 (Propylitic)	0.583	0.727	0.543	0.817
[SR] $(\sqrt{B12-B11})^2$ (Iron Oxide)	0.745	0.697	0.561	0.735
[SR] $B03-B12/B07^2-0.45$ (Pot.-Skarn)	0.501	0.617	0.601	0.538