

Cross-site AUC				
				
0.5 0.6 0.7 0.8 0.9				
	Silicic	Adv. Argillic	Argillic-Phyllic	Propylitic
Clay Ratio (B11/B12)	0.700	0.689	0.589	0.683
Iron Oxide (B04/B02)	0.528	0.680	0.569	0.810
Ferrous (B12/B8A)	0.527	0.581	0.602	0.709
Alunite Idx (ASTER nomenclature)	0.700	0.689	0.589	0.683
OH Minerals (ASTER nomenclature)	0.537	0.709	0.561	0.824
Silica (ASTER nomenclature)	0.700	0.689	0.589	0.683
NDVI	0.835	0.588	0.522	0.563
SR: B04 – 0.135 (Silicic)	0.864	0.532	0.566	0.545
SR: 0.83 – B02/B05 (Adv. Argillic)	0.504	0.695	0.555	0.807
SR: 0.09/B05 (Argillic-Phyllic)	0.859	0.570	0.574	0.584
SR: B03 – 0.48·B11 (Propylitic)	0.583	0.727	0.543	0.817
SR: $(\sqrt{B12-B11})^2$ (Iron Oxide)	0.745	0.697	0.561	0.735
SR: $B03 \cdot B12 / B07^2 - 0.45$ (Pot.-Skarn)	0.501	0.617	0.601	0.538