# The Timing of Complementary Innovations

Duke

December, 2021

### One goal of innovation policy:

Orient resources toward the R&Ds projects that are most (socially) valuable.

- Diagnosis & treatment for medical condition
- \* (Quantum) hardware & software

### One goal of innovation policy:

Orient resources toward the R&Ds projects that are most (socially) valuable.

- Diagnosis & treatment for medical condition
- \* (Quantum) hardware & software

### One goal of innovation policy:

Orient resources toward the R&Ds projects that are most (socially) valuable.

- Diagnosis & treatment for medical condition
- \* (Quantum) hardware & software

### One goal of innovation policy:

Orient resources toward the R&Ds projects that are most (socially) valuable.

- $^{\bullet}$  Diagnosis & treatment for medical condition.
- (Quantum) hardware & software.

### R&D projects carry high levels of uncertainty.

Uncertainty is (partially) resolved as the projects are pursued

- Some projects are successfully completed.
- \* Some are found to be more challenging than originally expected

$$A \rightarrow B$$
?  
 $B \rightarrow A$ ? A & B simultaneously? when to stop?

R&D projects carry high levels of uncertainty.

Uncertainty is (partially) resolved as the projects are pursued:

- \* Some projects are successfully completed.
- Some are found to be more challenging than originally expected.

$$A \rightarrow B$$
?

 $A \& B \text{ simultaneously?}$  when to stop?

R&D projects carry high levels of uncertainty.

Uncertainty is (partially) resolved as the projects are pursued:

- Some projects are successfully completed.
- Some are found to be more challenging than originally expected

$$A \rightarrow B$$
?  
 $B \rightarrow A$ ? A & B simultaneously? when to stop?

R&D projects carry high levels of uncertainty.

Uncertainty is (partially) resolved as the projects are pursued:

- Some projects are successfully completed.
- Some are found to be more challenging than originally expected.

$$A \rightarrow B$$
?  
 $B \rightarrow A$ ? A & B simultaneously? when to stop?

R&D projects carry high levels of uncertainty.

Uncertainty is (partially) resolved as the projects are pursued:

- Some projects are successfully completed.
- Some are found to be more challenging than originally expected.

Question 1: What is the *efficient timing* for complementary, uncertain innovations?

 $A \rightarrow B$ ?  $B \rightarrow A$ ? A & B simultaneously? when to stop?

2

In some industries, multiple firms or individuals that compete to develop the innovations.

Two potential inefficiencies:

- 1. Underdevelopment.
  - From imperfect appropriability of the rents from subsequent complementary innovations.
- 2. Inefficient timing
  - Competing firms might focus on casy innovations to capture
     a higher share of total rents.

In some industries, multiple firms or individuals that compete to develop the innovations.

#### Two potential inefficiencies:

- 1. Underdevelopment
  - From imperfect appropriability of the rents from subsequent complementary innovations.

### 2. Inefficient timing.

 Competing firms might focus on easy innovations to capture a higher share of total rents.

In some industries, multiple firms or individuals that compete to develop the innovations.

Two potential inefficiencies:

#### 1. Underdevelopment.

 From imperfect appropriability of the rents from subsequent complementary innovations.

### 2. Inefficient timing

 Competing firms might focus on easy innovations to capture a higher share of total rents.

In some industries, multiple firms or individuals that compete to develop the innovations.

Two potential inefficiencies:

#### 1. Underdevelopment.

 From imperfect appropriability of the rents from subsequent complementary innovations.

### 2. Inefficient timing.

 Competing firms might focus on easy innovations to capture a higher share of total rents.

In some industries, multiple firms or individuals that compete to develop the innovations.

Two potential inefficiencies:

#### 1. Underdevelopment.

 From imperfect appropriability of the rents from subsequent complementary innovations.

### 2. Inefficient timing.

 Competing firms might focus on easy innovations to capture a higher share of total rents.

### Introduce a dynamic model of R&D.

- **Endogenous timing**: Development requires resources that are not project-specific:
  - time,
  - money,
  - attention,
  - etc.

• **Experimentation**: As the projects are pursued, their prospects change (stochastically).

Introduce a dynamic model of R&D.

- Endogenous timing: Development requires resources that are not project-specific:
  - time,
  - money,
  - attention,
  - etc.

• **Experimentation**: As the projects are pursued, their prospects change (stochastically).

Introduce a dynamic model of R&D.

- Endogenous timing: Development requires resources that are not project-specific:
  - time,
  - money,
  - attention,
  - etc.

• Experimentation: As the projects are pursued, their prospects change (stochastically).

### Efficient Allocation: (Planner/Single agent problem).

- Multidimensional experimentation problem with interrelated payoffs.
- Not possible to apply a general result (e.g. Gittins index).
  - Working on a project reveals information about its viability.
     Returns from a success depend on the prospects for the remaining project.

### Efficient Allocation: (Planner/Single agent problem).

- Multidimensional experimentation problem with interrelated payoffs.
- Not possible to apply a general result (e.g. Gittins index)
  - Working on a project reveals information about its viability
     Returns from a success depend on the prospects for the remaining project.

### Efficient Allocation: (Planner/Single agent problem).

- Multidimensional experimentation problem with interrelated payoffs.
- Not possible to apply a general result (e.g. *Gittins index*).
  - Working on a project reveals information about its viability
  - Returns from a success depend on the prospects for the remaining project.

### Efficient Allocation: (Planner/Single agent problem).

- Multidimensional experimentation problem with interrelated payoffs.
- Not possible to apply a general result (e.g. *Gittins index*).
  - Working on a project reveals information about its viability.
  - Returns from a success depend on the prospects for the remaining project.

### Efficient Allocation: (Planner/Single agent problem).

- Multidimensional experimentation problem with interrelated payoffs.
- Not possible to apply a general result (e.g. *Gittins index*).
  - Working on a project reveals information about its viability.
  - Returns from a success depend on the prospects for the remaining project.

### Efficient Allocation: (Planner/Single agent problem).

- Multidimensional experimentation problem with interrelated payoffs.
- Not possible to apply a general result (e.g. *Gittins index*).
  - Working on a project reveals information about its viability.
  - Returns from a success depend on the prospects for the remaining project.

Parametric family of problems: Constant Unknown Rate of Success.

1. Simple conditions that determine qualitative features of the efficient allocation.

Efficient to complete projects:

In Sequence

Simultaneously

Conditions under which it is possible to implement the efficient allocation with decentralized incentives.

Parametric family of problems: Constant Unknown Rate of Success.

1. Simple conditions that determine qualitative features of the efficient allocation.

Efficient to complete projects:

In Sequence Simu

Simultaneously

2. Conditions under which it is possible to implement the efficient allocation with **decentralized incentives**.

# Complementary innovations:

Scotchmer and Green (1990), Fershtman and Kamien (1992), Green and Scotchmer (1995), Ménière (2008), Gilbert and Katz (2011), Biagi and Denicolò (2014), Bryan and Lemus (2017), Moroni (2019).

Prospect dynamics and endogenous timing.

# Information acquisition from multiple sources:

Nikandrova and Pancs (2018), Che and Mierendorff (2017), Mayskaya (2019). Olszewski and Wolinsky (2016). Ke and Villas-boas (2019), Liang and Mu (2020)

# Complementary innovations:

Scotchmer and Green (1990), Fershtman and Kamien (1992), Green and Scotchmer (1995), Ménière (2008), Gilbert and Katz (2011), Biagi and Denicolò (2014), Bryan and Lemus (2017), Moroni (2019).

Prospect dynamics and endogenous timing.

Information acquisition from multiple sources: Nikandrova and Pancs (2018), Che and Mierendorff (2017), Mayskaya (2019). Olszewski and Wolinsky (2016). Ke and Villas-boas (2019), Liang and Mu (2020)

# Complementary innovations:

Scotchmer and Green (1990), Fershtman and Kamien (1992), Green and Scotchmer (1995), Ménière (2008), Gilbert and Katz (2011), Biagi and Denicolò (2014), Bryan and Lemus (2017), Moroni (2019).

Prospect dynamics and endogenous timing.

# Information acquisition from multiple sources:

Nikandrova and Pancs (2018), Che and Mierendorff (2017), Mayskaya (2019). Olszewski and Wolinsky (2016). Ke and Villas-boas (2019), Liang and Mu (2020)

# Complementary innovations:

Scotchmer and Green (1990), Fershtman and Kamien (1992), Green and Scotchmer (1995), Ménière (2008), Gilbert and Katz (2011), Biagi and Denicolò (2014), Bryan and Lemus (2017), Moroni (2019).

Prospect dynamics and endogenous timing.

# Information acquisition from multiple sources:

Nikandrova and Pancs (2018), Che and Mierendorff (2017), Mayskaya (2019). Olszewski and Wolinsky (2016). Ke and Villas-boas (2019), Liang and Mu (2020)

# Roadmap

General Model

Equivalence Result

CURS Model

Efficient Allocation

Competitive Allocation

Extensions

### **Table of Contents**

#### General Model

Equivalence Result

CURS Model

Efficient Allocation

Competitive Allocation

Extensions

# Two projects $\{A, B\}$ .

Time is continuous

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

$$\tau_i \sim F_i$$

Two projects  $\{A, B\}$ .

Time is continuous.

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

$$\tau_i \sim F_i$$

Two projects  $\{A, B\}$ .

Time is continuous.

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

$$\tau_i \sim F_i$$

Two projects  $\{A, B\}$ .

Time is continuous.

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

$$\tau_i \sim F_i$$

Two projects  $\{A, B\}$ .

Time is continuous.

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

The completion amounts  $\tau_i$  are random and independent.

$$\tau_i \sim F_i$$

Two projects  $\{A, B\}$ .

Time is continuous.

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

The completion amounts  $\tau_i$  are random and independent.

$$\tau_i \sim F_i$$

Two projects  $\{A, B\}$ .

Time is continuous.

Agent decides: *stopping* and *allocation*.

Each instant before stopping, the agent allocates a unit of *attention* to the projects

$$x_A(t) + x_B(t) \leqslant 1$$

Project *i* is *completed* when the cumulative attention  $X_i(t)$  reaches the *completion amount*  $\tau_i$ .

Project completion is observable.

$$S_t := \{i : \tau_i \leqslant X_i(t)\}$$

The completion amounts  $\tau_i$  are random and independent.

$$\tau_i \sim F_i$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### Definition

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\lbrace A, B \rbrace) \underbrace{+ q(\emptyset)}_{=0}$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) = 0$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### Definition

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\{A, B\}) + q(\emptyset)$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) = 0$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c.

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### Definition

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\{A, B\}) + q(\emptyset)$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) = 0$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c.

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### Definition

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\{A, B\}) + q(\emptyset)$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) =$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c.

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### Definition

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\{A, B\}) + q(\emptyset)$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) = 0$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c.

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### **Definition**

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\{A, B\}) \underbrace{+ q(\emptyset)}_{=0}$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) = 0$$

If the agent stops at time T, he gets  $q(S_T)$ .

Free disposal: q is increasing.

Developing is costly: flow cost c.

Payoff of an agent that stops at time T and completed projects  $S_T$  is:

$$q(S_T) - c \cdot T$$

Agent maximizes expected payoff.

#### Definition

The projects are *complements* if q is supermodular, i.e.

$$q(A) + q(B) \leqslant q(\{A, B\}) \underbrace{\qquad \qquad \qquad }_{=0} + \underbrace{q(\emptyset)}$$

Marginal value increasing in the set of completed projects.

$$q(i,j) - q(j) \geqslant q(i) - q(\emptyset)$$

$$q(A) = q(B) = 0$$

### Strategies: maps from histories to the set of actions.

WLOO (deterministic) stationary strategies: depend only on  $S_t$  and X(t).

- Do <u>not</u> depend on:
  - The order in which attention was allocated.
  - The time at which projects in S were completed.

(S,X): state.  $\mathcal{X}$ : Set of stationary strategies with typical element x.

WLOG no attention is wasted:  $x_A(S,X) + x_B(S,X) = 1$ 

Strategies: maps from histories to the set of actions.

WLOO (deterministic) stationary strategies: depend only on  $S_t$  and X(t).

- Do <u>not</u> depend on:
  - The order in which attention was allocated.
  - The time at which projects in S were completed.

(S,X): state.  $\mathcal{X}$ : Set of stationary strategies with typical element x.

WLOG no attention is wasted:  $x_A(S,X) + x_B(S,X) = 1$ 

Strategies: maps from histories to the set of actions.

WLOO (deterministic) stationary strategies: depend only on  $S_t$  and X(t).

- Do <u>not</u> depend on:
  - The order in which attention was allocated.
  - The time at which projects in S were completed.

(S,X): state.  $\mathcal{X}$ : Set of stationary strategies with typical element x.

WLOG no attention is wasted:  $x_A(S, X) + x_B(S, X) = 1$ 

Strategies: maps from histories to the set of actions.

WLOO (deterministic) stationary strategies: depend only on  $S_t$  and X(t).

- Do <u>not</u> depend on:
  - The order in which attention was allocated.
  - The time at which projects in S were completed.

(S,X): state.  $\mathcal{X}$ : Set of stationary strategies with typical element x.

WLOG no attention is wasted:  $x_A(S,X) + x_B(S,X) = 1$ 

Strategies: maps from histories to the set of actions.

WLOO (deterministic) stationary strategies: depend only on  $S_t$  and X(t).

- Do <u>not</u> depend on:
  - The order in which attention was allocated.
  - The time at which projects in S were completed.

(S,X): state.  $\mathcal{X}$ : Set of stationary strategies with typical element x.

WLOG no attention is wasted:  $x_A(S, X) + x_B(S, X) = 1$ .

### **Table of Contents**

General Model

## Equivalence Result

CURS Model

Efficient Allocation


Competitive Allocation

Extensions

Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple threshold

For complements, optimal stationary strategy involves higher thresholds than optimal stopping.




 $q(\{A\}) - c(\tau_A + \bar{X}_B)$ 

Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple threshold.

For complements, optimal stationary strategy involves higher thresholds than optimal stopping.




 $q(\{A\}) - c(\tau_A + X_B)$ 

Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple threshold.


For complements, optimal stationary strategy involves higher thresholds than optimal stopping.



Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple *threshold*.


For complements, optimal stationary strategy involves higher thresholds than optimal stopping.



Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple threshold.

For complements, optimal stationary strategy involves higher thresholds than optimal stopping.




$$q(\{A\}) - c(\tau_A + \bar{X}_B)$$

Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple *threshold*.

For complements, optimal stationary strategy involves higher thresholds than optimal stopping.




$$q(\{A,B\}) - c(\tau_A + \tau_B)$$

Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple *threshold*.

For complements, optimal stationary strategy involves higher thresholds than optimal stopping.




$$-c(X_A^* + X_B^*)$$

Each stationary strategy delineates a **plan** conditional on no success (path + stopping point)

After a success, efficient continuation is a simple *threshold*.


For complements, optimal stationary strategy involves higher thresholds than optimal stopping.



$$q(\{A,B\}) - c(\tau_A + \tau_B)$$

In general, one should treat **Red** and **Blue** differently.


For complements, they can be treated like the same.



$$q(\{A,B\}) - c(\tau_A + \tau_B)$$

In general, one should treat **Red** and **Blue** differently.

For complements, they can be treated like *the same*.



$$q(\{A,B\}) - c(\tau_A + \tau_B)$$

## Take a state (S, X).

All uncertainty is in  $\tau$ . For each stationary strategy x and realization of  $\tau$ , there is:

- $^{\circ}$  a (deterministic) remaining time  $ilde{T}$
- " a (deterministic) set of completed projects at the stopping time eras. S.

$$V(S, X) = \max_{x \in \chi} \quad \mathbb{E}_{\tau} \left[ q(\tilde{S}(x, \tau)) - c \cdot \tilde{T}(x, \tau) \mid (S, X) \right]$$

Take a state (S, X).

All uncertainty is in  $\tau$ . For each stationary strategy x and realization of  $\tau$ , there is:

- $^{\bullet}$  a (deterministic) remaining time  $\tilde{T}$
- \* a (deterministic) set of completed projects at the stopping time  $\tilde{S}$ .

$$V(S, X) = \max_{x \in \chi} \quad \mathbb{E}_{\tau} \left[ q(\tilde{S}(x, \tau)) - c \cdot \tilde{T}(x, \tau) \mid (S, X) \right]$$

Take a state (S, X).

All uncertainty is in  $\tau$ . For each stationary strategy x and realization of  $\tau$ , there is:

- a (deterministic) remaining time  $\tilde{T}$
- \* a (deterministic) set of completed projects at the stopping time  $\tilde{S}$ .

$$V(S, X) = \max_{x \in \chi} \quad \mathbb{E}_{\tau} \left[ q(\tilde{S}(x, \tau)) - c \cdot \tilde{T}(x, \tau) \mid (S, X) \right]$$

Take a state (S, X).

All uncertainty is in  $\tau$ . For each stationary strategy x and realization of  $\tau$ , there is:

- \* a (deterministic) remaining time  $\tilde{T}$
- 'a (deterministic) set of completed projects at the stopping time  $\tilde{S}.$

$$V(S, X) = \max_{x \in \chi} \quad \mathbb{E}_{\tau} \left[ q(\tilde{S}(x, \tau)) - c \cdot \tilde{T}(x, \tau) \mid (S, X) \right]$$

Take a state (S, X).

All uncertainty is in  $\tau$ . For each stationary strategy x and realization of  $\tau$ , there is:

- \* a (deterministic) remaining time  $\tilde{T}$
- \* a (deterministic) set of completed projects at the stopping time  $\tilde{S}$ .

$$V(S,X) = \max_{x \in \chi} \quad \mathbb{E}_{\tau} \left[ q(\tilde{S}(x,\tau)) - c \cdot \tilde{T}(x,\tau) \mid (S,X) \right]$$

### Order-independent problem:

given a state (S, X), the agent decides how much attention to *pledge* to each remaining project.

- Allocates these pledged resources *independently* (order is irrelevant).
  - If a project is completed before the pledge, he can stop allocating attention to that project.
  - He must complete all pledges to projects that remain uncompleted.

After pledged attention is allocated, if the agent succeeded in (at least) one project he can make a new pledge (otherwise stops).

value: 
$$\hat{V}(S,X)$$
 optimal pledge:  $X^*(S,X)$ 

### Order-independent problem:

given a state (S, X), the agent decides how much attention to pledge to each remaining project.

- Allocates these pledged resources *independently* (order is irrelevant).
  - If a project is completed before the pledge, he can stop allocating attention to that project.
  - He must complete all pledges to projects that remain uncompleted.

After pledged attention is allocated, if the agent succeeded in (at least) one project he can make a new pledge (otherwise stops).

value:  $\hat{V}(S, X)$  optimal pledge:  $X^*(S, X)$ 

14

### Proposition 1.

If the projects are complements then  $V \equiv \hat{V}$ . (If the projects are not complements, there exists  $\{F_i\}$  such that  $V \neq \hat{V}$ .)

#### This is useful:

- For complements, it reduces the strategy space to a few parameters.
  - Find X\* with standard optimization tools.
- Any strategy with such stopping points solves the allocation problem (multiple solutions if optimal pledge is interior).
- \* No assumptions on  $F_i$ , beyond independence.

### Proposition 1.

If the projects are complements then  $V \equiv \hat{V}$ . (If the projects are not complements, there exists  $\{F_i\}$  such that  $V \neq \hat{V}$ .)

#### This is useful:

- For complements, it reduces the strategy space to a few parameters.
  - Find  $X^*$  with standard optimization tools.
  - Any strategy with such stopping points solves the allocation problem (multiple solutions if optimal pledge is interior).
- No assumptions on  $F_i$ , beyond independence.

### Proposition 1.

If the projects are complements then  $V \equiv \hat{V}$ . (If the projects are not complements, there exists  $\{F_i\}$  such that  $V \neq \hat{V}$ .)


#### This is useful:

- For complements, it reduces the strategy space to a few parameters.
  - Find  $X^*$  with standard optimization tools.
  - Any strategy with such stopping points solves the allocation problem (multiple solutions if optimal pledge is interior).
- No assumptions on  $F_i$ , beyond independence.

# In Sequence

### Definition

It is efficient to complete the projects in sequence if  $X^*(S, X)$  is a corner solution.



## **Table of Contents**

General Model

Equivalence Result

CURS Model

Efficient Allocation

Competitive Allocation

Extensions

## Perfect complements,

- $q({A}) = q({B}) = 0,$
- $q({A,B}) = \gamma$ .

#### Constant unknown hazard rate of success

- \* Each project  $i \in \{A, B\}$  is either easy or difficults.
  - $au_i \sim ext{Exp}(1+\delta)$  with probability  $p_i$  , and
  - $au_i \sim ext{Exp}(1-\delta)$  with probability  $(1-p_i)$

## Perfect complements,

- $q({A}) = q({B}) = 0,$
- $q({A,B}) = \gamma$ .

#### Constant unknown hazard rate of success

- \* Each project  $i \in \{A, B\}$  is either easy or difficult:
  - $au_i \sim \operatorname{Exp}(1+\delta)$  with probability  $p_i$ , and
  - $au_i \sim \operatorname{Exp}(1-\delta)$  with probability  $(1-p_i)$

## Perfect complements,

- $q({A}) = q({B}) = 0,$
- $q({A,B}) = \gamma$ .

#### Constant unknown hazard rate of success

Each project  $i \in \{A, B\}$  is either easy or difficults

 $\tau_i \sim \operatorname{Exp}(1+\delta)$  with probability  $p_i$ , and

 $au_i \sim ext{Exp}(1-\delta)$  with probability  $(1-p_i)$ 

## Perfect complements,

- $q({A}) = q({B}) = 0,$
- $q({A,B}) = \gamma$ .

#### Constant unknown hazard rate of success:

• Each project  $i \in \{A, B\}$  is either easy or difficult

$$au_i \sim \operatorname{Exp}(1+\delta)$$
 with probability  $p_i$ , and  $au_i \sim \operatorname{Exp}(1-\delta)$  with probability  $(1-p_i)$ 

Perfect complements,

- $q({A}) = q({B}) = 0,$
- $q({A,B}) = \gamma$ .

Constant unknown hazard rate of success:

• Each project  $i \in \{A, B\}$  is either easy or difficult:

$$\tau_i \sim \text{Exp}(1+\delta)$$
 with probability  $p_i$ , and  $\tau_i \sim \text{Exp}(1-\delta)$  with probability  $(1-p_i)$ .

As attention is allocated to a project and this is not completed, agent assigns higher probability to the project being difficult.

$$p_i(X_i)$$
 decreasing

Subjective completion rate:

$$h_i(X_i) := (1 - p_i(X_i))(1 - \delta) + p_i(X_i)(1 + \delta).$$

After first success: only project i is left, continue as long as

$$h_i(X_i) \cdot \gamma - c \geqslant 0$$

As attention is allocated to a project and this is not completed, agent assigns higher probability to the project being difficult.

$$p_i(X_i)$$
 decreasing

Subjective completion rate:

$$h_i(X_i) := (1 - p_i(X_i))(1 - \delta) + p_i(X_i)(1 + \delta).$$

After first success: only project i is left, continue as long as

$$h_i(X_i) \cdot \gamma - c \geqslant 0$$

As attention is allocated to a project and this is not completed, agent assigns higher probability to the project being difficult.

$$p_i(X_i)$$
 decreasing

Subjective completion rate:

$$h_i(X_i) := (1 - p_i(X_i))(1 - \delta) + p_i(X_i)(1 + \delta).$$

After first success: only project i is left, continue as long as

$$h_i(X_i) \cdot \gamma - c \geqslant 0$$

As attention is allocated to a project and this is not completed, agent assigns higher probability to the project being difficult.

$$p_i(X_i)$$
 decreasing

Subjective completion rate:

$$h_i(X_i) := (1 - p_i(X_i))(1 - \delta) + p_i(X_i)(1 + \delta).$$

After first success: only project i is left, continue as long as

$$h_i(X_i) \cdot \gamma - c \geqslant 0$$

## **Table of Contents**

General Model

Equivalence Result

CURS Model

Efficient Allocation

Competitive Allocation

Extensions

When the rates are  $\underline{\mathbf{known}}$ , the timing of development does not affect payoff.

Only question: is it worth it to complete the projects or not?

Worth completing 
$$\Leftrightarrow$$
  $c \cdot (E[\tau_A] + E[\tau_B]) < \gamma$ 

Interesting case:

$$\frac{1-\delta}{2} < \frac{c}{\gamma} < \frac{1+\delta}{2}$$

- If both projects are easy, worth completing
- If both projects are difficult, not worth completing. Otherwise trivial.

When the rates are  $\underline{\mathbf{known}}$ , the timing of development does not affect payoff.

Only question: is it worth it to complete the projects or not?

Worth completing 
$$\Leftrightarrow$$
  $c \cdot (E[\tau_A] + E[\tau_B]) < \gamma$ 

Interesting case:

$$\frac{1-\delta}{2} < \frac{c}{\gamma} < \frac{1+\delta}{2}$$

- If both projects are easy, worth completing
- If both projects are difficult, not worth completing. Otherwise trivial

When the rates are  $\underline{\mathbf{known}}$ , the timing of development does not affect payoff.

Only question: is it worth it to complete the projects or not?

Worth completing 
$$\Leftrightarrow$$
  $c \cdot (E[\tau_A] + E[\tau_B]) < \gamma$ 

Interesting case:

$$\frac{1-\delta}{2}<\frac{c}{\gamma}<\frac{1+\delta}{2}$$

- If both projects are easy, worth completing.
- If both projects are difficult, not worth completing. Otherwise trivial.

If one of the projects is known to be difficult and one easy:

Worth completing 
$$\Leftrightarrow \frac{c}{1-\delta} + \frac{c}{1+\delta} < \gamma$$

$$\Leftrightarrow 2 \cdot \frac{c}{\gamma} + \delta^2 < 1$$

## Proposition 2.

For uncertain rates,

- 1. If g > 1,
  - it is efficient to develop the projects in sequence,
  - starting from the **least** promising project.
- 2. If g < 1, it is efficient to pledge more attention to the **most** promis ing project:

$$X_i^*(\emptyset, X) - X_i > X_j^*(\emptyset, X) - X_j \qquad \Leftrightarrow \qquad p_i(X) > p_j(X)$$

## Proposition 2.


For uncertain rates,

- 1. If g > 1,
  - it is efficient to develop the projects in sequence,
  - starting from the **least** promising project.
- 2. If g < 1, it is efficient to pledge more attention to the **most** promising project:

$$X_i^*(\emptyset, X) - X_i > X_j^*(\emptyset, X) - X_j \qquad \Leftrightarrow \qquad p_i(X) > p_j(X)$$

## Belief space


In **red**, the stopping boundary (before a success).



Solution for g > 1.

### Belief space


In **red**, the stopping boundary (before a success).



Solution for g > 1.

## Belief space


In **red**, the stopping boundary (before a success).



Solution for g > 1.


## Belief space

In **red**, the stopping boundary (before a success).




Solution for g > 1.

- If p ≥ p°, it is efficient to work in sequence (starting from the most promising project).
- If p > p°, it is efficient to work on the projects until the posterior is p°.
- Solution is not unique.




Solution for g < 1.

- If p ≥ p°, it is efficient to work in sequence (starting from the most promising project).
- If p > p°, it is efficient to work on the projects until the posterior is p°.
- \* Solution is not unique.




Solution for g < 1.

- If p ≥ p°, it is efficient to work in sequence (starting from the most promising project).
- If p > p°, it is efficient to work on the projects until the posterior is p°.
- \* Solution is not unique.




Solution for g < 1.

- If p ≥ p°, it is efficient to work in sequence (starting from the most promising project).
- If p > p°, it is efficient to work on the projects until the posterior is p°.
- Solution is not unique.



Solution for g < 1.

- If p ≥ p°, it is efficient to work in sequence (starting from the most promising project).
- If p > p°, it is efficient to work on the projects until the posterior is p°.
- Solution is not unique.



Solution for g < 1.

### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

#### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

#### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

#### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

#### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

#### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

#### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

#### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

#### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

#### g > 1:

Having one difficult project is sufficient bad news to stop.

Relevant info: are both easy or not?

Most efficient way to *learn* about this is to concentrate the resources in one project.

Projects are developed in sequence.

#### g < 1:

Having only one difficult project is not sufficient bad news to stop.

Relevant info: are both difficult or not?

Most efficient way to *learn* about this is to spread resources.

## **Proof**

As were defined before, we have:

• Value if *i* is the only project left:

$$v_i(X_i) := V(\{j\}, X_i).$$

Subjective completion rate

$$h_i(X_i) := p_i(X_i)(1+\delta) + (1-p_i(X_i))(1-\delta).$$

Both are decreasing. **Key**: how relatively fast

**Proof step 1:** 
$$\frac{h_i}{v_i}$$
 monotonic.  $\frac{h_i}{v_i}$   $\nearrow$  if and only if  $g > 1$ 

### **Proof**

As were defined before, we have:

• Value if *i* is the only project left:

$$v_i(X_i) := V(\{j\}, X_i).$$

Subjective completion rate

$$h_i(X_i) := p_i(X_i)(1+\delta) + (1-p_i(X_i))(1-\delta).$$

Both are decreasing. **Key**: how relatively fast

**Proof step 1:** 
$$\frac{h_i}{v_i}$$
 monotonic.  $\frac{h_i}{v_i} \nearrow$  if and only if  $g > 1$ 

### **Proof**

As were defined before, we have:

• Value if i is the only project left:

$$v_i(X_i) := V(\{j\}, X_i).$$

Subjective completion rate

$$h_i(X_i) := p_i(X_i)(1+\delta) + (1-p_i(X_i))(1-\delta).$$

Both are decreasing. **Key**: how relatively fast.

**Proof step 1:** 
$$\frac{h_i}{v_i}$$
 monotonic.  $\frac{h_i}{v_i}$  if and only if  $g > 1$ 

### **Proof**

As were defined before, we have:

• Value if i is the only project left:

$$v_i(X_i) := V(\{j\}, X_i).$$

• Subjective completion rate

$$h_i(X_i) := p_i(X_i)(1+\delta) + (1-p_i(X_i))(1-\delta).$$

Both are decreasing. **Key**: how relatively fast.

**Proof step 1:**  $\frac{h_i}{v_i}$  monotonic.  $\frac{h_i}{v_i} \nearrow$  if and only if g > 1.

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) -$$

Thus

$$\frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)} \geqslant \frac{h_B(X_B^*)}{v_B(X_B^*)} > \frac{h_B(X_B - dt)}{v_B(X_B^* - dt)}$$



Symmetrically

$$\frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)} > \frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)}.$$

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) - c$$

Thus

$$\frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)} \ge \frac{h_B(X_B^*)}{v_B(X_B^*)} > \frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)}$$



Symmetrically

$$\frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)} > \frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)}.$$

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


### The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) - c$$

Thus

$$\frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)} \ge \frac{h_B(X_B^*)}{v_B(X_B^*)} > \frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)}$$



Symmetrically

 $\frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)} > \frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)}.$ 

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) - c$$

Thus

$$\frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)} \ge \frac{h_B(X_B^*)}{v_B(X_B^*)} > \frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)}$$



Symmetrically

 $\frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)} > \frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)}.$ 

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) - c$$

Thus,

$$\frac{h_A(X_A^*-\ dt)}{v_A(X_A^*-\ dt)}\geqslant \frac{h_B(X_B^*)}{v_B(X_B^*)}>\frac{h_B(X_B^*-\ dt)}{v_B(X_B^*-\ dt)}$$



Symmetrically

 $\frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)} > \frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)}.$ 

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) - c$$

Thus,

$$\frac{h_A(X_A^*-\ dt)}{v_A(X_A^*-\ dt)}\geqslant \frac{h_B(X_B^*)}{v_B(X_B^*)}>\frac{h_B(X_B^*-\ dt)}{v_B(X_B^*-\ dt)}$$



 $\operatorname{Symmetrically}$ 

$$\frac{h_B(X_B^* - dt)}{v_B(X_B^* - dt)} > \frac{h_A(X_A^* - dt)}{v_A(X_A^* - dt)}.$$

$$h_i/v_i \nearrow \Rightarrow$$
 efficient in sequence

Assume  $X^*$  is interior.


The red path is efficient.

In the last instant it is better to allocate to A than to B.

$$h_A(X_A^* - dt)v_B(X_B^*) - c \geqslant h_B(X_B^*)v_A(X_A^* - dt) - c$$

Thus,

$$\frac{h_A(X_A^*-\ dt)}{v_A(X_A^*-\ dt)}\geqslant \frac{h_B(X_B^*)}{v_B(X_B^*)}>\frac{h_B(X_B^*-\ dt)}{v_B(X_B^*-\ dt)}$$



Symmetrically,

$$\frac{h_B(X_B^* - \, dt)}{v_B(X_B^* - \, dt)} > \frac{h_A(X_A^* - \, dt)}{v_A(X_A^* - \, dt)}.$$

### **Table of Contents**

General Model

Equivalence Result

#### CURS Model

Efficient Allocation

Competitive Allocation

Extensions

- Pool of n agents
- At time zero, one agent is picked uniformly at random.
  - For time [0, d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion.
    - At time d a new agent is selected (with replacement), etc.
- Agents can stop at any point (in which case they are removed from the pool).

- Pool of n agents.
- At time zero, one agent is picked uniformly at random.
  - For time [0, d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion
    - At time d a new agent is selected (with replacement), etc.
- Agents can stop at any point (in which case they are removed from the pool).

- Pool of n agents.
- At time zero, one agent is picked uniformly at random.
  - For time [0,d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion.
  - At time d a new agent is selected (with replacement), etc
- Agents can stop at any point (in which case they are removed from the pool).

- Pool of n agents.
- At time zero, one agent is picked uniformly at random.
  - For time [0, d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion.
  - At time d a new agent is selected (with replacement), etc
- Agents can stop at any point (in which case they are removed from the pool).

- Pool of n agents.
- At time zero, one agent is picked uniformly at random.
  - For time [0, d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion.
  - At time d a new agent is selected (with replacement), etc.
- Agents can stop at any point (in which case they are removed from the pool).

- Pool of n agents.
- At time zero, one agent is picked uniformly at random.
  - For time [0, d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion.
  - At time d a new agent is selected (with replacement), etc.
- Agents can stop at any point (in which case they are removed from the pool).

- Pool of n agents.
- At time zero, one agent is picked uniformly at random.
  - For time [0, d) selected agent chooses how to allocate attention and pays the cost of it.
  - All agents observe attention allocation and project completion.
  - At time d a new agent is selected (with replacement), etc.
- Agents can stop at any point (in which case they are removed from the pool).

Principal wants to implement efficient allocation. Observes:

- Identity of agents that completed projects.
- Time of completion of projects  $\tau_A, \tau_B$ .
- Stopping decision of agents.

Principal knows parameters, but does not know initial beliefs  $p_A$ ,  $p_B$ .

When all agents stop, Principal rewards or taxes the agents.

- Symmetric schemes.
- Interest in d small.
- $\delta + c/\gamma < 1$  (always efficient to complete the second project.)

Principal wants to implement efficient allocation. Observes:

- Identity of agents that completed projects.
- Time of completion of projects  $\tau_A, \tau_B$ .
- Stopping decision of agents.

Principal knows parameters, but does not know initial beliefs  $p_A$ ,  $p_B$ .

When all agents stop, Principal rewards or taxes the agents.

- Symmetric schemes.
- Interest in d small
- $\delta + c/\gamma < 1$  (always efficient to complete the second project.)

Principal wants to implement efficient allocation. Observes:

- Identity of agents that completed projects.
- Time of completion of projects  $\tau_A, \tau_B$ .
- Stopping decision of agents.

Principal knows parameters, but does not know initial beliefs  $p_A$ ,  $p_B$ .

When all agents stop, Principal rewards or taxes the agents.

- Symmetric schemes.
- Interest in d small.
- $\delta + c/\gamma < 1$  (always efficient to complete the second project.)

Principal wants to implement efficient allocation. Observes:

- Identity of agents that completed projects.
- Time of completion of projects  $\tau_A, \tau_B$ .
- Stopping decision of agents.

Principal knows parameters, but does not know initial beliefs  $p_A$ ,  $p_B$ .

When all agents stop, Principal rewards or taxes the agents.

- Symmetric schemes.
- Interest in d small.
- $\delta + c/\gamma < 1$  (always efficient to complete the second project.)

# Benchmark: Sequential Innovation

As a benchmark, suppose that

- fixed sequence in which projects have to be completed  $A \to B$ .
- If project A is completed, agents complete project B but derive zero expected value from doing so.
- principal knows  $p_B$ .

A way to implement the efficient allocation in the first stage,

$$\pi_A = v_B(0)$$

These reward provides the right incentives for stopping.

# **Benchmark: Sequential Innovation**

As a benchmark, suppose that

- fixed sequence in which projects have to be completed  $A \to B$ .
- If project A is completed, agents complete project B but derive zero expected value from doing so.
- principal knows  $p_B$ .

A way to implement the efficient allocation in the first stage,

$$\pi_A = v_B(0)$$

These reward provides the right incentives for *stopping*.

# Benchmark: Sequential Innovation

As a benchmark, suppose that

- fixed sequence in which projects have to be completed  $A \to B$ .
- If project A is completed, agents complete project B but derive zero expected value from doing so.
- principal knows  $p_B$ .

A way to implement the efficient allocation in the first stage,

$$\pi_A = v_B(0)$$

These reward provides the right incentives for *stopping*.

### Back to endogenous timing:

•  $\pi_1, \pi_2$  rewards associated with 1st and 2nd project completion.

#### Candidate reward scheme: one in which

- First agent to develop one of the innovations captures all continuation value.
- Agents in the second stage capture no value at all

### Back to endogenous timing:

•  $\pi_1, \pi_2$  rewards associated with 1st and 2nd project completion.

#### Candidate reward scheme: one in which

- First agent to develop one of the innovations captures all continuation value.
- Agents in the second stage capture no value at all.

# First-Capture Reward Scheme

#### Definition

A reward scheme is first-capture if:

- $E[\pi_1|\tau_1=t]=v_2(X_2(t))$
- Agents derive zero value from second stage: at  $\tau_1$ , agents are indifferent between completing the remaining project and stopping.

### Proposition

Fix n. For d small enough, if the reward scheme is first-capture then there is an SPE in which agents allocate attention efficiently for all initial beliefs.

# First-Capture Reward Scheme

#### Definition

A reward scheme is *first-capture* if:

- $E[\pi_1|\tau_1=t]=v_2(X_2(t))$
- Agents derive zero value from second stage: at  $\tau_1$ , agents are indifferent between completing the remaining project and stopping.

#### Proposition

Fix n. For d small enough, if the reward scheme is first-capture then there is an SPE in which agents allocate attention efficiently for all initial beliefs.

Consider the problem of a  $\mathbf{myopic}$  agent that maximizes:

$$E$$
 [Payoff from next  $d$ ] (1)

For d sufficiently small, the myopic agent works on the project with highest flow expected payoff:

$$h_i(X_i) \times E[\pi_i | \tau_i = t] - c$$

For  $E[\pi_1|\tau_1=t]=v(X_2(t))$ , myopic agent pays attention to the project with highest h/v:

$$h_A(X_A) \cdot v_B(X_B) - c \geqslant h_B(X_B) \cdot v_A(X_A) - c$$
  
 $\Leftrightarrow \frac{h_A(X_A)}{v_A(X_A)} \geqslant \frac{h_B(X_B)}{v_B(X_B)}$ 

Consider the problem of a **myopic** agent that maximizes:

$$E$$
 [Payoff from next  $d$ ] (1)

For d sufficiently small, the myopic agent works on the project with highest flow expected payoff:

$$h_i(X_i) \times E[\pi_i | \tau_i = t] - c$$

For  $E[\pi_1|\tau_1=t]=v(X_2(t))$ , myopic agent pays attention to the project with highest h/v:

$$h_A(X_A) \cdot v_B(X_B) - c \geqslant h_B(X_B) \cdot v_A(X_A) - c$$

$$\Leftrightarrow \frac{h_A(X_A)}{v_A(X_A)} \geqslant \frac{h_B(X_B)}{v_B(X_B)}$$

Consider the problem of a **myopic** agent that maximizes:

$$E$$
 [Payoff from next  $d$ ] (1)

For d sufficiently small, the myopic agent works on the project with highest flow expected payoff:

$$h_i(X_i) \times E[\pi_i | \tau_i = t] - c$$

For  $E[\pi_1|\tau_1=t]=v(X_2(t))$ , myopic agent pays attention to the project with highest h/v:

$$\begin{array}{ccc} h_A(X_A) \cdot v_B(X_B) - c & \geqslant & h_B(X_B) \cdot v_A(X_A) - c \\ \\ \Leftrightarrow & \frac{h_A(X_A)}{v_A(X_A)} & \geqslant & \frac{h_B(X_B)}{v_B(X_B)} \end{array}$$

If g > 1,

- h/v is increasing in resources allocated (decreasing in beliefs).
  - The project with highest h/v is the least promising one.

If g < 1,

- h/v is decreasing in resources allocated (increasing in beliefs).
  - The project with highest h/v is the most promising one


If 
$$g > 1$$
,

- h/v is increasing in resources allocated (decreasing in beliefs).
  - The project with highest h/v is the least promising one.

If g < 1,

- h/v is decreasing in resources allocated (increasing in beliefs).
  - The project with highest h/v is the most promising one.

# **Myopic Allocation**



When g > 1 agents works always on the least promising project.

When g < 1 agents works always on the most promising project.

Suppose all future agents will chose the efficient allocation. Non-myopic agent at t maximizes:

$$E\left[\text{Payoff from next }d + \frac{1}{n} \cdot \text{Total continuation value}\right] \qquad (2)$$

This is a linear combination of the social welfare and the myopic objective function!

- \* The solution to this problem must be efficient as well
  - Doing backward induction, all agents choose efficient allocation

#### **Proof Sketch**

Suppose all future agents will chose the efficient allocation. Non-myopic agent at t maximizes:

$$E\left[\text{Payoff from next } d + \frac{1}{n} \cdot \text{Total continuation value}\right]$$
 (2)

This is a linear combination of the social welfare and the myopic objective function!

- The solution to this problem must be efficient as well
- Doing backward induction, all agents choose efficient allocation

#### **Proof Sketch**

Suppose all future agents will chose the efficient allocation. Non-myopic agent at t maximizes:

$$E\left[\text{Payoff from next } d + \frac{1}{n} \cdot \text{Total continuation value}\right]$$
 (2)

This is a linear combination of the social welfare and the myopic objective function!

- The solution to this problem must be efficient as well.
- Doing backward induction, all agents choose efficient allocation

#### **Proof Sketch**

Suppose all future agents will chose the efficient allocation. Non-myopic agent at t maximizes:

$$E\left[\text{Payoff from next } d + \frac{1}{n} \cdot \text{Total continuation value}\right]$$
 (2)

This is a linear combination of the social welfare and the myopic objective function!

- The solution to this problem must be efficient as well.
- · Doing backward induction, all agents choose efficient allocation.

#### Intuition

#### Consider

$$x^* \in \arg\max \quad f(x) + g(x)$$
 
$$x^* \in \arg\max \quad f(x)$$
 
$$f(x^*) + g(x^*) \geqslant f(x) + g(x)$$
 
$$f(x^*) \geqslant f(x)$$

 $f(x^*) + \alpha \cdot g(x^*) \geqslant f(x) + \alpha \cdot g(x)$ 

### Is there a first-capture reward scheme?

Consider the following:

· Agents that complete projects get

$$\pi_1 = \gamma - c \cdot (\tau_2 - \tau_1)$$

$$\pi_2 = \gamma$$

• Every agent that didn't stop right after  $\tau_1$  pays  $\frac{1}{n} [\gamma - c \cdot (\tau_2 - \tau_1)]$ .

- is first-capture.
- \* is budget-balanced
- " does not depend on  $\delta$

Is there a first-capture reward scheme?

Consider the following:

• Agents that complete projects get

$$\pi_1 = \gamma - c \cdot (\tau_2 - \tau_1)$$
$$\pi_2 = \gamma$$

• Every agent that didn't stop right after  $\tau_1$  pays  $\frac{1}{n}[\gamma - c \cdot (\tau_2 - \tau_1)]$ .

- ' is first-capture.
- \* is budget-balanced
- \* does not depend on  $\delta$ ...

Is there a first-capture reward scheme?

Consider the following:

• Agents that complete projects get

$$\pi_1 = \gamma - c \cdot (\tau_2 - \tau_1)$$

$$\pi_2 = \gamma$$

• Every agent that didn't stop right after  $\tau_1$  pays  $\frac{1}{n}[\gamma - c \cdot (\tau_2 - \tau_1)]$ .

- is first-capture
- is budget-balanced.
- does not depend on  $\delta$ .

Is there a first-capture reward scheme?

Consider the following:

• Agents that complete projects get

$$\pi_1 = \gamma - c \cdot (\tau_2 - \tau_1)$$

$$\pi_2 = \gamma$$

• Every agent that didn't stop right after  $\tau_1$  pays  $\frac{1}{n}[\gamma - c \cdot (\tau_2 - \tau_1)]$ .

- is first-capture.
- is budget-balanced
- does not depend on  $\delta$ .

Is there a first-capture reward scheme?

Consider the following:

• Agents that complete projects get

$$\pi_1 = \gamma - c \cdot (\tau_2 - \tau_1)$$

$$\pi_2 = \gamma$$

• Every agent that didn't stop right after  $\tau_1$  pays  $\frac{1}{n}[\gamma - c \cdot (\tau_2 - \tau_1)]$ .

- is first-capture.
- $^{ullet}$  is budget-balanced.
- does not depend on  $\delta$ .

Is there a first-capture reward scheme?

Consider the following:

• Agents that complete projects get

$$\pi_1 = \gamma - c \cdot (\tau_2 - \tau_1)$$

$$\pi_2 = \gamma$$

• Every agent that didn't stop right after  $\tau_1$  pays  $\frac{1}{n}[\gamma - c \cdot (\tau_2 - \tau_1)]$ .

- is first-capture.
- is budget-balanced.
- does not depend on  $\delta$ .

### **Table of Contents**

General Model

Equivalence Result

CURS Model

Efficient Allocation

Competitive Allocation

Extensions

# Different Supports

## Project dependent difficulties:

• Rate of completion of project i is  $\lambda_i \in \{\lambda_i^L, \lambda_i^H\}$ 

#### Proposition

Let 
$$g_i := 2\frac{c/\gamma}{\bar{\lambda}_i} + \left(\frac{\delta_i}{\bar{\lambda}_i}\right)^2$$
, where  $\bar{\lambda}_i := 0.5(\lambda_i^H + \lambda_i^L)$ .

• If  $g_i > 1$  for both projects, then it is efficient to work on them in sequence.

# Different Supports

In this case, first-capture does not guarantee efficiency in the first stage for d small.

Example: One of the projects has constant success rate  $\lambda_A = 1$ .

#### Proposition

- When  $\lambda_A = 1$ :
  - It is always efficient to complete the tasks in sequence, starting from B.
  - For  $d \to 0$ , a first-capture reward scheme does not implement the efficient allocation if  $\lambda_B^H < 1$  and  $p_B$  is large enough.

**Proposition 1** can be used to obtain a solution for supermodular q and general  $\{F_i\}$  using standard optimization techniques.

- Moreover, Proposition 1 can be easily generalized to
  - Discrete time.
  - Asymmetric and non-constant flow cost of development

**Proposition 1** can be used to obtain a solution for supermodular q and general  $\{F_i\}$  using standard optimization techniques.

- Moreover, **Proposition 1** can be easily generalized to
  - Discrete time,
  - Asymmetric and non-constant flow cost of development.

#### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.

```
Counter-example (in the paper).

Stronger complementarity is required (log-supermodularity?
```

**Proposition 2** only uses the comonotonicity of h/v.

Moreover, when h/v is decreasing for both projects

#### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.

```
Counter-example (in the paper).

Stronger complementarity is required (log-supermodularity?
```

**Proposition 2** only uses the comonotonicity of h/v.

Moreover, when h/v is decreasing for both projects,

### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.
  - Counter-example (in the paper).
  - Stronger complementarity is required (log-supermodularity?)

**Proposition 2** only uses the comonotonicity of h/v.

Moreover, when h/v is decreasing for both projects,

#### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.
  - Counter-example (in the paper).
  - Stronger complementarity is required (log-supermodularity?)

**Proposition 2** only uses the comonotonicity of h/v.

Moreover, when h/v is decreasing for both projects,

#### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.
  - Counter-example (in the paper).
  - Stronger complementarity is required (log-supermodularity?)

**Proposition 2** only uses the comonotonicity of h/v.

Moreover, when h/v is decreasing for both projects,

#### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.
  - Counter-example (in the paper).
  - Stronger complementarity is required (log-supermodularity?)

## **Proposition 2** only uses the comonotonicity of h/v.

Moreover, when h/v is decreasing for both projects,

#### More than two projects:

- Monotonicity of the solution implies the equivalence result (Proposition 1).
- However: supermodularity is not sufficient to guarantee monotonicity.
  - Counter-example (in the paper).
  - Stronger complementarity is required (log-supermodularity?)

**Proposition 2** only uses the comonotonicity of h/v.


Moreover, when h/v is decreasing for both projects,

$$h_i/v_i \searrow \Rightarrow$$

highest h/v is leads to the efficient pledge  $X_{B\uparrow}$ 

Consider the path that always chooses the project with highest h/v.

$$\frac{h_A(X_A^* - m)}{v_A(X_A^* - m)} > \dots > \frac{h_A(X_A^* - 1)}{v_A(X_A^* - 1)} \geqslant \frac{h_B(X_B^*)}{v_B(X_B^*)}$$




$$h_i/v_i \searrow \Rightarrow$$

highest h/v is leads to the efficient pledge  $X_{B\uparrow}$ 

Consider the path that always chooses the project with highest h/v.

$$\frac{h_A(X_A^* - m)}{v_A(X_A^* - m)} > \dots > \frac{h_A(X_A^* - 1)}{v_A(X_A^* - 1)} \geqslant \frac{h_B(X_B^*)}{v_B(X_B^*)}$$




$$h_i/v_i \searrow \Rightarrow$$

highest h/v is leads to the efficient pledge  $X_{B\uparrow}$ 

Consider the path that always chooses the project with highest h/v.

$$\frac{h_A(X_A^* - m)}{v_A(X_A^* - m)} > \dots > \frac{h_A(X_A^* - 2)}{v_A(X_A^* - 2)} > \frac{h_B(X_B^*)}{v_B(X_B^*)}$$




$$h_i/v_i \searrow \Rightarrow$$

highest h/v is leads to the efficient pledge  $X_{B\uparrow}$ 

Consider the path that always chooses the project with highest h/v.

$$\frac{h_A(X_A^* - m)}{v_A(X_A^* - m)} > \dots > \frac{h_A(X_A^* - 2)}{v_A(X_A^* - 2)} > \frac{h_B(X_B^*)}{v_B(X_B^*)}$$



### Model with endogenous timing of complementary innovations.

- Complementarities in the value derived from innovation relates to properties of the solution.
- Connection between properties of the hazard-to-value ratio and the optimal timing of development.

A key insight from sequential innovation is that, to achieve efficiency, early innovators should capture the increase in value of subsequent complementary innovations.

Model with endogenous timing of complementary innovations.

- Complementarities in the value derived from innovation relates to properties of the solution.
- Connection between properties of the hazard-to-value ratio and the optimal timing of development.

A key insight from sequential innovation is that, to achieve efficiency, early innovators should capture the increase in value of subsequent complementary innovations.

Model with endogenous timing of complementary innovations.

- Complementarities in the value derived from innovation relates to properties of the solution.
- Connection between properties of the hazard-to-value ratio and the optimal timing of development.

A key insight from sequential innovation is that, to achieve efficiency, early innovators should capture the increase in value of subsequent complementary innovations.

Model with endogenous timing of complementary innovations.

- Complementarities in the value derived from innovation relates to properties of the solution.
- Connection between properties of the hazard-to-value ratio and the optimal timing of development.

A key insight from sequential innovation is that, to achieve efficiency, early innovators should capture the increase in value of subsequent complementary innovations.

Model with endogenous timing of complementary innovations.

- Complementarities in the value derived from innovation relates to properties of the solution.
- Connection between properties of the hazard-to-value ratio and the optimal timing of development.

A key insight from sequential innovation is that, to achieve efficiency, early innovators should capture the increase in value of subsequent complementary innovations.

- Biagi, A. and Denicolò, V. (2014). Timing of discovery and the division of profit with complementary innovations. *Journal of Economics and Management Strategy*, 23(1):89–102.
- Bryan, K. A. and Lemus, J. (2017). The direction of innovation. Journal of Economic Theory, 172:247–272.
- Che, Y.-k. and Mierendorff, K. (2017). Optimal Sequential Decision with Limited Attention.
- Fershtman, C. and Kamien, M. I. (1992). Cross licensing of complementary technologies. *International Journal of Industrial Organization*, 10(3):329–348.
- Gilbert, R. J. and Katz, M. L. (2011). Efficient division of profits from complementary innovations. *International Journal of Industrial Organization*, 29(4):443–454.
- Green, J. R. and Scotchmer, S. (1995). On the Division of Profit in Sequential Innovation. *RAND Journal of Economics*, 26(1):20–33.

- Ke, T. T. and Villas-boas, J. M. (2019). Optimal learning before choice. *Journal of Economic Theory*, 180:383–437.
- Liang, A. and Mu, X. (2020). Complementary Information and Learning Traps. *The Quarterly Journal of Economics*, 135(1):389–448.
- Liang, A., Mu, X., and Syrgkanis, V. (2018). Optimal and myopic information acquisition. ACM EC 2018 - Proceedings of the 2018 ACM Conference on Economics and Computation, pages 45–46.
- Mayskaya, T. (2019). Dynamic Choice of Information Sources.
- Ménière, Y. (2008). Patent law and complementary innovations. European Economic Review, 52(7):1125–1139.
- Moroni, S. (2019). Experimentation in Organizations.
- Nikandrova, A. and Pancs, R. (2018). Dynamic project selection. *Theoretical Economics*, 13(1):115–143.
- Olszewski, W. and Wolinsky, A. (2016). Search for an object with two attributes. *Journal of Economic Theory*, 161:145–160.
- Scotchmer, S. and Green, J. (1990). Novelty and Disclosure in Patent Law. RAND Journal of Economics, 21(1):131–146.