

SI 506: Last Assignment

1.0 Dates

- Available: Tuesday, 5 December 2023, 4:00 PM Eastern
- Due: on or before Friday, 15 December 2023, 11:59 PM Eastern

! No late submissions submitted via Slack or by email will be accepted for scoring.

2.0 Overview

The last assignment is open network, open readings, and open notes. You may refer to code in previous lecture exercises, lab exercises, and problem sets for inspiration.

The teaching team recommends that at a minimum you bookmark the following [w3schools](#) Python pages and/or have them open in a set of browser tabs as you work on the last assignment:

- [Python keywords](#)
- [Python operators](#)
- [Python built-in functions](#)
- [Python dict methods](#)
- [Python list methods](#)
- [Python str methods](#)
- [Python tuple methods](#)
- [SWAPI documentation](#)

You are permitted to leverage generative artificial intelligence (AI) tools while working to complete this programming assignment. Consider signing up for Github's student developer pack to utilize without charge the VS Code [Github Copilot](#) generative AI extension.

Approach such tools and their output with caution. AI tools are imperfect and can produce content that is inappropriate, offensive, or otherwise problematic. AI tools can produce code that is inelegant, inefficient, insecure, unreliable, unreadable, and/or unmaintainable. AI tools can produce code that performs the desired computation but nevertheless fails to meet the requirements of an assignment problem or challenge.

You are responsible for all the code you submit. If you are unfamiliar with the syntax, structure, and/or semantics of AI-generated code do not include the code in your assignment solution.

:exclamation: If you cannot explain to your instructor the computations that AI-generated code performs **do not** include the code in your assignment solution. You do yourself no favors by submitting code that you do not understand.

3.0 Points

The last assignment is worth **1800 points** and you accumulate points by passing a series of autograder tests.

4.0 Final course grade

Per the [Syllabus](#), section 5.4, you *must* meet the following two (2) requirements in order to earn a final course grade of **A**:

1. Earn a minimum **4650** course points.
2. [Attempt](#) all challenges comprising the last assignment.

5.0 Solo effort

Please abide by the following rules:

You are **prohibited from soliciting assistance or accepting assistance** from any person. The coding solution that you submit **must constitute your own work**.

- If you have formed or participated in an SI 506 study group please **suspend all study group activities** for the duration of this assignment.
- If you work with a tutor please **suspend contact** with the tutor for the duration of the assignment.

Likewise, you are **prohibited from assisting any other student** who is required to complete this assignment. This includes students attempting the assignment during the regular exam period as well as those who may attempt the assignment at another time and/or place due to scheduling conflicts or other issues.

6.0 Tools

Please review the SI 506 [install guides](#) and confirm that you have installed and configured [VS Code](#) as recommended. This includes installation of all required extensions, debugger setup, and settings adjustments. Windows users should also confirm that they have installed [git for windows](#) and configured *Git Bash* as the default VS Code terminal.

Please ensure that both your terminal and VS Code "point" to the same Python installation. From the terminal issue the following command:

macOS

```
python3 --version
Python 3.11.6
```

Windows

```
python --version
Python 3.11.6
```

Compare the version returned to the version displayed in the VS Code status bar (lower right). If a mismatch exists please contact the teaching team via the Slack [# installs](#) channel.

Recall that you can also run the last assignment script/program from the terminal:

macOS

```
cd Documents/umich/courses/SI506/assignments/last_assignment
python3 last_assignment.py
```

Windows

```
cd Documents/umich/courses/SI506/assignments/last_assignment
python last_assignment.py
```

7.0 Questions/Help

Direct all **questions** regarding the assignment to the Slack SI 506 workspace # `last_assignment` channel. Do not post code snippets to the # `last_assignment` channel. Avoid sending private direct messages (DMs) to teaching team members about issues. Doing so is inefficient since it limits the response to a single team member and increases the likelihood of a delayed response. Surfacing your question on the # `last_assignment` channel also helps reduce message duplication.

That said, if a personal issue arises during the assignment period please send a private DM to a GSI or Anthony.

Please adopt the following rules when asking assignment-related questions in the Slack # `last_assignment` channel:

7.1 Message prefix

Please prefix each message with a bracket `[...]` that indicates the challenge number and any relevant sub-number:

[< Challenge number>. < sub-number >] ...

[1.0] ...

[3.2] ...

[7.1.5] ...

7.2 One issue per message

To ensure that the prefixing approach is more focused please limit each message to a *single* issue. If you have more than one issue, create one message for each. If you overload a message with references to multiple issues we will ask you to break them out into separate messages.

7.3 Short description required

When posting on Slack you *must* attempt to **describe the issue** impacting your last assignment code. If the teaching team encounters a message that lacks a description we deem sufficient we will ask you to edit your message and provide one.

If your code generates a runtime exception please include the error message in your description (e.g., "NameError: name 'anakin' is not defined.", "SyntaxError: invalid syntax ...").

8.0 Theme, files, imports, and caching

The Star Wars saga has spawned films, animated series, books, music, artwork, toys, games, fandom websites, emojis, cosplayers, scientific names for new organisms (e.g., *Trigonopterus yoda*), and even a Darth Vader *grotesque* attached to the [northwest tower](#) of the Washington National Cathedral. Leading US news sources such as the [New York Times](#) cover the Star Wars phenomenon on a regular basis.

The last assignment adds yet another Star Wars-inspired artifact to the list. The data used in this assignment is sourced from the [Star Wars API](#) (SWAPI), [Wookieepedia](#), [Wikipedia](#), and the [New York Times](#).

8.1 Files

In line with the weekly lab exercises and problem sets you will be provided with a number of files:

1. `last_assignment-README.md`: assignment instructions
2. `last_assignment.py`: script including a `main()` function and other definitions and statements
3. `five_oh_six.py`: module containing utility functions and constants
4. One or more `*.csv` and/or `*.json` files that contain assignment data
5. One or more `fxt_*.json` test fixture files that you must match with the files you produce

Please download the assignment files from Canvas Files as soon as they are released. This is a timed event and delays in acquiring the assignment files will shorten the time available to engage with the challenges. The clock is not your friend.

! *DO NOT* modify or remove the scaffolded code that we provide in the Python script or module files unless instructed to do so.

8.1.1 `last_assignment.py`

The `last_assignment.py` "script" contains function definitions that you will implement along with a `main()` function that serves as the entry point for the script (also known as a program).

From `main()` you will implement the script's workflow that will involve the following operations:

- Import modules
- Access data from local files (`*.csv`, `*.json`)
- Retrieve items from a local cache and/or issue HTTP GET requests to the remote SWAPI service
- Call functions and perform computations
- Transform data
- Assign values to specified variables
- Write data to local files encoded as JSON

Implementing functions involves *replacing* the placeholder `pass` statement with working code. You may be asked to add missing parameters to function definitions. A function may need to delegate one or more tasks to other functions. You may also be asked to define a function in its entirety (less the docstring) as directed per the instructions.

8.1.2 five_oh_six.py

The `five_oh_six.py` module contains both constants (e.g., `SWAPI_ENDPOINT = 'https://swapi.py4e.com/api'`) and functions, a number of which you will be asked to implement. You will import the `five_oh_six` module into `last_assignment.py` so that you can access the module's statements and definitions in your program.

! While you may refer to the problem set 11 `five_oh_six.py` module do not use it in this assignment.

8.1.3 CSV and JSON files

We will supply you with CSV and JSON files that include data for use in your program. Locate the files in the **same directory** where you place your templated script and module files.

8.1.4 Test fixture JSON files

You will also be supplied with a set of test fixture JSON files (prefixed with `fxt-`). Each represents the correct file output that *must* be generated by the program you write. Use them at periodic intervals to compare your current output against the expected output.

! Your output **must** match the fixture files line for line, indent for indent, and character for character. Review these files; they constitute the answer keys and should be utilized for comparison purposes as you work your way through the assignment.

8.2 Module imports

The template file `last_assignment.py` includes the following `import` statements:

```
import copy
import five_oh_six as utl

from pathlib import Path
```

The utilities module `five_oh_six.py` includes the following `import` statements:

```
import csv
import json
import requests

from urllib.parse import quote, urlencode, urljoin
```

! **Do not** comment out or remove these `import` statements. That said, check your `import` statements periodically. If you discover that other `import` statements have been added to your Python files remove them. In such cases, VS Code is attempting to assist you by inserting additional `import` statements based on your keystrokes. Their presence can trigger `ModuleNotFoundError` runtime exceptions when you submit your code to Gradescope.

8.3 Caching

As discussed in class, this assignment utilizes a caching workflow that eliminates otherwise duplicate HTTP GET requests made to SWAPI by storing the SWAPI responses locally. Caching is implemented *fully* and all you need do is call the function `get_swapi_resource()` whenever you need to retrieve a SWAPI representation of a person/droid, planet, species, or starship, either locally from the cache or remotely from SWAPI. The cache dictionary is serialized as JSON and written to `CACHE.json` every time you run `last_assignment.py`.

! **Do not** call the function named `utl.get_resource` directly. Doing so sidesteps the cache and undercuts the caching optimization strategy.

9.0 Challenges

The last assignment comprises a maximum of twenty (20) challenges. The teaching team recommends that you complete each challenge in the order specified in the README.

Certain challenges can be solved with a single line of code. Others may involve writing several lines of code including implementing one or more functions in order to solve the challenge.

The challenges draw upon topics introduced between weeks 01 and 14 and outlined both in the [syllabus](#) and below:

1. Basic syntax and semantics

- Values (objects), variables, variable assignment
- Expressions and statements
- Data types
 - numeric values (`int`, `float`)
 - boolean values (`True`, `False`)
 - `NoneType` object (`None`)
 - sequences: `list`, `range`, `str`, `tuple`
 - associative array: `dict`
- Operators: arithmetic, assignment, comparison, logical, membership
- Escape sequences (e.g., newline `\n`)

2. String formatting: formatted string literal (f-string)

3. Data structures

- Sequences
 - Indexing and slicing (subscript operator)
 - List creation, mutation (add, modify, remove elements), and element unpacking
 - `list` methods
 - Sequence packing (creation) and unpacking
 - `tuple` methods
 - `str` methods
 - String, list, and tuple concatenation
- Associative array
 - Dictionary creation (add, modify, remove key-value pairs), subscript notation
 - `dict` methods
- Working with nested lists, tuples, and dictionaries

- List and dictionary comprehensions
- `del()` statement

4. Control flow

- Iteration
 - `for` loop, `for i in range()` loop, `while` loop
 - Accumulator pattern
 - Counter usage (e.g. `count += 1`)
 - `break` and `continue` statements
 - Nested loops
- Conditional execution
 - `if`, `if-else`, `if-elif-else` statements
 - Truth value testing (`if object:`)
 - Compound conditional statements using the logical operators `and` and `or`
 - Negation with `not` operator
 - ternary operator

5. Functions

- Built-in functions featured in lecture notes/code, lab exercises and problem sets
 - Literacy/competency
 - `print()`
 - `len()`
 - `type()`,
 - `int()`, `float()`
 - `min()`, `max()`, `sum()`
 - `round()`
 - `open()`
 - `sorted()`
 - `isinstance()`
 - Awareness
 - `dict()`, `dir()`, `id()`, `enumerate()`, `list()`, `slice()`, `str()`, `tuple()`
- Object methods encountered during lectures, assignments, or readings
 - Literacy/competency
 - Dictionary (`dict`)
 - `dict.get()`
 - `dict.items()`
 - `dict.keys()`
 - `dict.update()`
 - `dict.values()`
 - List (`list`)
 - `list.append()`
 - `list.clear()`
 - `list.extend()`
 - `list.index()`
 - `list.insert()`
 - `list.sort()`
 - String (`str`)
 - `str.endswith()`, `str.startswith()`

- `str.find()`
 - `str.join()`
 - `str.isnumeric()`
 - `str.lower()`, `str.upper()`
 - `str.replace()`
 - `str.split()`, `str.splitlines()`
 - `str.strip()`
 - Awareness
 - All other `dict`, `list`, `str`, and `tuple` methods described the various w3schools pages linked above.
 - User-defined functions
 - Defining a function with/without parameters, parameters with default values, and with/without a `return` statement
 - Calling a function and passing to it arguments by position and/or keyword arguments
 - Calling a function or functions from within another function's code block
 - Passing a function to a higher-order function as an argument
 - Assigning a function's return value to a variable
 - Reading and interpreting function docstrings
 - `main()` function (entry point for program or script)
 - `lambda` anonymous functions (sorting only)
 - Variable scope (global and local variables)
6. Files read/write
- Creating absolute and relative filepaths with `pathlib.Path()`
 - `with` statement
 - Reading from and writing to *.txt files
 - `file_obj.read()`, `file_obj.readline()`, `file_obj.readlines()`
 - Reading from and writing to *.csv files
 - `csv` module import; `csv.reader()`, `csv.writer()`, `csv.DictReader()`, `csv.DictWriter()`
 - Reading from and writing to *.json files
 - `json` module import; `json.load()`, `json.dump()`
7. Modules
- Importing modules
 - Creating and using user-defined modules
8. Web API
- `requests` module installation and use
 - HTTP GET request/response
 - JSON messages (e.g., SWAPI response)
 - caching (implemented on your behalf)
9. Exceptions, exception handling, and debugging
- `try` and `except` statements
 - `assert` statement
 - `print()` function
 - VS Code debugger
 - VS Code file compare
10. Code styling

- [Black](#) code formatter
- [PEP 8](#) styling guidelines as interpreted by [Black](#)

11. Generative AI (optional)

- generate, debug, and comprehend code
- [UMGPT](#) use
- Github Copilot use

10.0 A note on code styling

The auto grader will include tests that check whether or not your code adheres to Python's [PEP 8](#) styling guidelines as interpreted by [Black](#). The goal is to encourage you to write code that adheres to the Python community's styling practices. Doing so enhances code readability and aligns you with other Python programmers. We think it best to learn how to style your code now using standard tooling rather than unlearn practices that diverge from community styling.

The teaching team assumes that you have installed VS Code's [Black Formatter](#) extension and are using it to format your code. If you have yet to install the extension please do so now.

! After installing the Black Formatter extension you must change the maximum line length from 88 characters (default) to 100 characters. See the SI 506 VS Code [install guide](#) relevant for your operating system (macOS, Windows) for instructions on how to override Black's default settings.

See the "[The Black code style](#)" for a discussion of Black's current approach to Python code styling.

11.0 Testing and debugging

As you write your code take advantage of the built-in [print](#) function, VS code's debugger, and VS Code's file comparison feature to check your work.

11.1 The built-in [print](#) function is your friend

As you work through the challenges make frequent use of the built-in [print\(\)](#) function to check your variable assignments. Recall that you can call [print](#) from inside a function, loop, or conditional statement. Use f-strings and the newline escape character [\n](#) to better identify the output that [print](#) sends to the terminal.

```
print(f"\nSOME_VAL = {some_val}")
```

11.2 [assert](#) statements

You may encounter commented out [assert](#) statements in the template file. Uncomment the statements as necessary to check your code. If an [assert](#) statement triggers a runtime [AssertionError](#) review your code to determine why the assertion failed.


! If you submit a partial solution to Gradescope be sure to comment out [assert](#) statements that trigger runtime exceptions. Failure to do so will result in the same exception being triggered in the Gradescope environment. A runtime exception occurring anywhere in your code will terminate execution of your program/script resulting in the auto grader returning a score of zero (0) for the current submission.

11.3 VS Code debugger

You can also use the debugger to check your code. If you have yet to configure your debugger see the instructions at <https://si506.org/guides/>. You can then set breakpoints and review your code in action by "stepping over" lines and "stepping into" function calls.

11.4 File compare

As noted above the last assignment includes one or more test fixture files (prefixed with `fmt-`) that represents the correct file output that *must* be generated by the program you write. You should compare the file you produce against the appropriate text fixture to confirm that what you produce matches the expected output.

 In VS Code you can compare or "diff" the file you generate against the appropriate test fixture file. After calling the `write_csv` function and generating a new file do the following:

1. Hover over your `stu-*.csv` file with your cursor, then right click and choose the "Select for Compare" option.
2. Next, hover over the appropriate `fmt-*.csv` test fixture file, then right click and choose the "Compare with Selected" option.
3. Lines highlighted in red indicate row mismatches. If any mismatches are encountered close the comparison pane, revise your code, regenerate your file, and compare it again to the test fixture file. Repeat as necessary until the files match.

! Your output **must** match the test fixture file line for line and character for character. Review the test fixture file; they are akin to answer keys and should be utilized for comparison purposes as you work your way through the assignment.

12.0 Gradescope submissions

You may submit your assignment to Gradescope as many times as needed before the expiration of the exam time.

! You must submit *both* the `last_assignment.py` (program/script) and `five_oh_six.py` (module) files to Gradescope in order to earn points.

The autograder runs a number of tests against the Python file you submit, which the autograder imports as a module so that it can gain access to and inspect the functions and other objects defined in your code. The functional tests are of two types:

1. The first type will call a function passing in known argument values and then perform an equality comparison between the return value and the expected return value. If the function's return value does not equal the expected return value the test will fail.
2. The second type of test involves checking variable assignments or expressions in `main()` and other functions. This type of test evaluates the code you write, character for character, against an expected line of code using a [regular expression](#) to account for permitted variations in the statements that you

write. The test searches `main()` or another function for the expected line of code. If the code is not located the test will fail.

If your final submission results in a score that is lower than a previous submission score you will be permitted to activate the earlier submission and claim the higher score.

If the auto grader is unable to grade your submission successfully with a score of 1800 points the teaching team will grade your submission **manually**. Partial credit **may** be awarded for submissions that fail one or more autograder tests if the teaching team (at their sole discretion) deems a score adjustment warranted.

If you submit a partial solution, feel free to include comments (if you have time) that explain what you were attempting to accomplish in the area(s) of the program that are not working properly. We will review your comments when determining partial credit.

! You *must* submit your solution to *Gradescope* before the expiration of the assignment time. Solution files sent to the teaching team after the expiration of exam time will receive a score of zero (0).