



INCISEE

INCISEE ROTOMATIC PVT LTD

India's No.1 e-PTFE Membrane Manufacturer

NO : 42, JAK INDUSTRIAL ESTATE, ALMATHY ROAD, VELLANUR, AVADI, CHENNAI, TAMILNADU, INDIA - 600062.

WWW.INCISEROTOMATIC.COM | INFO@INCISEROTOMATIC.COM | +91-9884554999.

INCISEE ROTOMATIC PVT LTD

Web Converting Solutions for Global Industries



Quality / Delivery / Reliability


An IATF 16949 Certified Organization

Intro

- Incisee Rotomatic, a member of the Incise Group established in 2018, is a premier provider of precision die-cut and web converting solutions.
- We specialize in high-performance products including Pressure Relief Valves, ePTFE Membranes, and Thermal Pads for the automotive and electronics industries.
- Our operations are IATF 16949 certified, ensuring world-class quality systems and full material traceability for global OEMs.
- We prioritize dimensional accuracy and on-time delivery to provide reliable, long-life components for the most demanding applications.
- By combining technical expertise with manufacturing excellence, we enable our partners to meet the highest industry standards.



Our Journey



Manufacturing Strength and Capacity

Manufacturing capacity

Installed Capacity: 35 million die-cut parts per month

Current Utilization: 6–8 million parts (~25%)

Available Capacity: 22–24 million parts for immediate allocation

Shift Capability

Operating in 1 shift currently

2 additional shifts available for rapid scale-up


Facility Overview

Total Plant Area: 1,200 Sq. m

Shop Floor & Built-up Area: 60%

Expansion Potential: 40% available

Core Capability - Slitting and Rewinding



Model OD550 Log Roll Slitter – GAWAN

Spec	Maximum Cutting OD	500 mm
	Core Inner Diameter	77 mm (3 inch)
	Minimum Slit Width	3 mm
	Maximum Log Width	1,400 mm (1.4 m)

Application Designed for high-precision slitting of:
Masking tapes, Double-sided tapes, Foam tapes
Cloth tapes Suitable for tape converting

Model High-Accuracy Slitting Machine – HANYUAN

Spec	Maximum Cutting OD	350 mm
	Core Inner Diameter	77 mm (3 inch)
	Minimum Slit Width	0.5 mm
	Slitting Accuracy	±0.03 mm
	Maximum Log Width	1,400 mm (1.4 m)

Application Designed for high-precision slitting of:
Masking tapes, Double-sided tapes, Foam tapes
Cloth tapes Suitable for tape converting



Model Automatic Slitting & Rewinding Machine

Spec	Max web width	1300 – 1600 mm
	Max unwind diameter	800 – 1000 mm
	Rewind diameter	Up to 500 mm
	Slitting accuracy	±0.1 mm

Application Designed for high-precision slitting of:
Masking tapes, Double-sided tapes, Foam tapes
Cloth tapes Suitable for tape converting

Core Capability - Die cutting



Model

10-Station Rotary Die Cutting Machine

Spec

Number of Stations	10
Maximum Web Width	300 mm
Cutting Accuracy	±0.05 mm
Max Production Speed	50 m/min

Application

Designed for multi-layer precision converting of:
Foam gaskets, Adhesive tapes, PE / PET films, ePTFE membranes
Suitable for medical, automotive, electronics & healthcare industries



Model

7-Station Rotary Die Cutting Machine – HOACO

Spec

Number of Stations	7
Maximum Web Width	300 mm
Cutting Accuracy	±0.05 mm
Max Production Speed	50 m/min

Application

Designed for multi-layer precision converting of:
Foam gaskets, Adhesive tapes, PE / PET films, ePTFE membranes
Suitable for medical, automotive, electronics & healthcare industries

Core Capability - Die cutting



Model	Multi-Station Rotary Die Cutting Machine - IDENT UK	
Count	4	
Spec	Maximum roll diameter - Unwind	600 mm
	Maximum web width	175 mm
	Maximum operating speed	75 m/min
	Maximum roll diameter - Rewind	450 mm
Application	Designed for high-volume precision converting of: Foam gaskets, Adhesive tapes, PE / PET films, ePTFE membranes Suitable for medical, automotive, electronics & healthcare industries	



Model	FPL320D - Flatbed Die Cutting & Lamination Machine - YONGCH	
Count	2	
Spec	Maximum Web Width	300 mm
	Maximum Cutting Area	300 × 300 mm
	Cutting Accuracy	±0.05 mm
	Production Speed	50 cycles/min
Application	Designed for high-precision sheet & roll converting of: Foam gaskets, Adhesive tapes, PE / PET films, ePTFE membranes Suitable for medical, automotive, electronics & healthcare industries	

Core Capability - Die cutting



Model CNC XY Digital Cutting Machine
(Oscillating Knife Type)

Count 1

Spec	Working Area	1300 × 1600 mm
	Cutting Thickness	Up to 20 mm
	Cutting Tool	Oscillating knife +
	Positioning Accuracy	±0.05 mm

Application Designed for tool-less digital cutting of:
Foam gaskets, Adhesive tapes, PSA laminates,
PET / PE films, ePTFE membranes, Non-woven
fabrics, Rubber sheets & medical components



Model CO₂ Laser Engraving & Cutting Machine – GCC
LaserPro (30W)

Count 2

Spec	Laser Type	CO ₂ sealed laser tube
	Laser Power	30 Watts
	Working Area	300 × 200 mm
	Positioning Accuracy	±0.025 mm

Application Designed for tool-less digital cutting of:
Foam gaskets, Adhesive tapes, PSA laminates,
PET / PE films, ePTFE membranes, Non-woven
fabrics, Rubber sheets & medical components



Model CO₂ Laser Cutting Machine (VIZZAC)

Count 1

Spec	Laser Type	CO ₂ sealed laser tube
	Laser Power	100 Watts
	Working Area	1300 x 900 mm
	Positioning Accuracy	±0.025 mm

Application Designed for tool-less digital cutting of:
Foam gaskets, Adhesive tapes, PSA laminates,
Rubber sheets & acrylic sheet

Core Capability - Class 10,000 Clean Room

Type

Class 10,000 Clean Room (ISO Class 7) Manufacturing Facility

Specifications

Cleanliness Class	Class 10,000 (ISO 7)
Particle Limit ($\geq 0.5 \mu\text{m}$)	Max 352,000 particles / m^3
Air Filtration	HEPA filters (99.97% @ $0.3 \mu\text{m}$)
Air Change Rate	60 – 90 air changes per hour
Temperature Control	$22 \pm 2 \text{ }^\circ\text{C}$
Humidity Control	40 – 60 % RH
Room Pressure	Positive pressure
Flooring	Anti-static epoxy
Lighting	Clean room LED
Gowning	Cap, mask, gloves, ESD shoes

Application

Designed for contamination-controlled production of:
Medical ECG patches, Skin-contact adhesives, Foam laminates, ePTFE membranes, Wearable sensor components and healthcare device assemblies. Ensures particle-free, hygienic and regulatory-compliant manufacturing

Area

Controlled Production Zone with 2 rotary die cut machine installed
1. Multi-Station Rotary Die Cutting Machine - IDENT UK
2. 7-Station Rotary Die Cutting Machine – HOACO



Core Capability - Material & Product Sample Library

Membranes	Thickness: 10 – 200 μm Oleophobic Hydrophobic IP-rated protection Automotive-grade ePTFE
Meshes	Aperture size: 20 – 500 μm Open area control Filtration & airflow EMI & dust protection
Adhesive Tapes	Thickness: 20 – 2000 μm Acrylic, rubber & silicone adhesives High-temperature & pressure-sensitive grades
Non Adhesive films	Thickness: 12 – 500 μm PET, TPU, PI, PE Electrical, insulation & structural films
Protective films	Thickness: 20 – 150 μm Low-tack to medium-tack Clean peel Surface scratch protection up to 250deg
Masking tapes	Temperature resistance: 80°C – 260°C Clean removal Paint & plasma process compatible
VHB Tapes	Thickness: 0.2 – 2.3 mm High-strength acrylic foam Vibration & shock resistant Structural bonding

Designed for rapid NPD and customer development by providing: Material selection, benchmarking, prototyping and customer sample approvals Supports medical, automotive, electronics & industrial tape projects



Industries we serve



Automotive | Aerospace | Telecom | EV | Healthcare




Product Portfolio




Membrane and Mesh Die cut



VHB Tapes



Thermal Pads



Double Sided Tape



Adhesive Tape



Medical Assembly



PRV Valves



EMI Gaskets



EP Valves



TPU/TPV Die cuts


Product Portfolio



Adhesive vent stickers



Protective films



Silicon Foam Gaskets



Rubber Gaskets



Polyester tape diecut




VHB Tapes



Polyamide Tapes



XLPE Foam gaskets



Vent Stickers



Protective films

State of the Art Testing Facility



Name Digital Water Permeability (Hydrostatic Pressure) Tester

Spec Hydrostatic pressure range 0–100 kPa, digital control for measuring waterproof & breathable performance of fabrics



Name Air Permeability Tester

Spec Measures airflow through fabrics in the range of 1–10,000 mm/s to evaluate breathability of textiles, non-wovens, films and medical laminates.



Name Universal Tensile Testing Machine (UTM)

Spec Used to evaluate tensile strength, peel strength, elongation, and bonding performance of ePTFE membranes



Name VMM – Visual Measuring Machine -

Spec High-resolution camera with CNC XY table for precise dimensional inspection, contour measurement and quality verification.

Materials - Membranes and Meshes



Digital Speedometer



Automotive Lightings



Electronic Speakers



Instrument Cluster

Automotive ePTFE Membrane Solutions


High-performance venting membranes engineered to protect critical automotive electronics from water, dust and pressure imbalance.

Why ePTFE?


- Allows air to pass, blocks liquids
- Prevents condensation & fogging
- Withstands heat, oil, UV & chemicals
- Supports IP67 / IP68 protection

Higher IP rating • Longer product life • Zero field failures


Materials - Thermal Pads




Electronic PCB Units



EV PCB Units



Heat sink Applications



Heat Sink Cooling

Thermal Pad Solutions for Automotive & Electronics

High-performance thermal interface materials designed to efficiently transfer heat away from critical electronic components.

Why Thermal Pads?

- High thermal conductivity
- Fills air gaps between components & heat sinks
- Maintains stable operating temperature
- Electrically insulating & vibration resistant

Improved heat dissipation • Longer electronics life • Reliable performance

Materials - Protective films

Available Types


- PE protective films
- PET protective films
- Static cling films
- Silicone coated films
- UV-resistant and anti-scratch films

Applications

- Automotive interior & exterior trims
- Touch screens and displays
- Medical device housings
- Optical and polished metal parts
- Electronic panels and nameplates

Our Capability

Incisee provides precision die-cut, laminated and roll-converted protective films with tight dimensional control and clean-room handling to ensure zero surface damage to customer components.



Zero surface damage • Higher product yield • Improved customer appearance

Materials - Vent Plugs



EP Valve - 600



EP Valve - 400



EP Valve - M42



EP Valve - AL M20



EP Valve - AL 200



EP Valve - AL 200

Explosion Proof Pressure Relief Valves

Advanced safety venting solutions designed to protect sealed automotive and electronic enclosures from dangerous pressure build-up.



PRV - M16*1.5



PRV - M12*1.5



PRV - M20*1.5



Snap-in Vent 10d



Snap-in Vent 7d



PRV - M8*1.5

Ordinary Pressure Relief Valves

Engineered venting components designed to release excess internal pressure and protect sealed enclosures from deformation and leakage.

Stable enclosure pressure • Improved IP rating • Long-term reliability

Quality And Certifications

Certified for global automotive standards.

Incisee Rotomatic LLP is certified to IATF 16949:2016, the globally recognized Quality Management System standard for the automotive industry, ensuring consistent product quality, process control, and customer satisfaction.

IATF 16949 ensures that Incisee products meet global automotive quality, safety and reliability standards, reducing risk and ensuring long-term supply stability.

MS1147228

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



CERTIFICATE

Certificate Registration No.: 12 111 66109 TMS / IATF Certificate No.: 0478645
IATF USI: CKCA3F

The Certification Body
of TÜV SÜD Management Service GmbH
certifies that the organization

INCISEE ROTOMATIC LLP
389/3 SRIKRISHNA NAGAR, THIRUMUDIVAKKAM,
CHENNAI - 600044, TAMILNADU
INDIA

for the scope

Die cutting of
adhesive, non-adhesive, Foam gaskets, VHB tapes,
Protective film, Silicon pads and EPTFE membranes
(without Product Design as per Chapter 8.3)

has established and applies a Quality Management System.

An audit was performed and has furnished proof
that the requirements according to

IATF 16949
First Edition 2016-10-01

are fulfilled.

Issue date: 2023-07-13

Expiry date: 2026-07-12


TÜV SÜD Management Service GmbH • Zertifizierungsstelle • Ridlerstrasse 57 • 80339 München • Germany
www.tuv-sued.de/certificate-validity-check

TÜV®

Organization's Shopfloor



INCISEE – End-to-End Development & Manufacturing Flow



From drawing to delivery, every step is engineered, controlled, and validated in-house

Why We are Strong

- In-house Tool Design & Process Control ensuring speed, confidentiality, and precision
- 100% Tooling Success Rate with first-time-right development
- Averaging <6Hr Sampling turnaround time for Enquiries on customer RFQ
- 90% Localized Materials & Processes for supply chain stability and cost efficiency
- ERP-Driven Manufacturing Environment for real-time planning and traceability
- 0 PPM Quality Performance with zero customer complaints
- 90% Overall Equipment Effectiveness (OEE) ensuring high productivity
- <1% Process Scrap Rate through robust process controls
- 20–30 Kaizen Improvements per Month driving continuous operational excellence
- Successfully developed more than 55 variants of the membrane as per customer requirements

Trusted By



About INCISE PRECISION

Precision CNC Machining and Fabrication

AN ISO 9001:2015

CERTIFIED COMPANY



HG-TECH LASER MACHINE

POWER :2KW
BED SIZE:30MX 1500MM
CUTTINGTHICKNESS:
MS-0.8-16.0MM SS-0.2-5.0MM
AL-0.2-5.0MM BR-0.2-5.0MM



Press Brake

1600MM/40T
THICKNESS UP TO 3MM



Laser Welding Machine

WELDING THICKNESS:
MS-3MM AL-3MM
BRASS -3MM SS-3MM





E - Vehicle



Battery Enclosure



Aluminium Enclosures



Battery Enclosures



Laser Engraving



Work Stations



Display Board & Welding Board



Office Furniture's



Peg Board



Safety Board & SOP Stand



Tools Trolley with Peg



Tools Trolley



Truck Customisation





INCISEE

Thankyou

Your success is our priority.

We are committed to delivering world-class solutions that exceed your expectations.

Let's connect.

NO : 42, JAK INDUSTRIAL ESTATE, ALMATHY ROAD, VELLANUR, AVADI, CHENNAI, TAMILNADU, INDIA - 600062.

WWW.INCISEROTOMATIC.COM | INFO@INCISEROTOMATIC.COM | +91-9884554999.