

LangCross

User Guide

2026

Audience: personal-plan users, and all members of an enterprise/team tenant (User, Dept Admin, Org Admin)
Scope: features visible and usable inside a tenant only. Platform-operations functions, and anything related to plans, top-ups, invoicing or promotional activities, are intentionally excluded. UI names follow the product's actual labels; where this guide and the UI differ, trust the UI.

Table of contents

1. [Product overview](#)
2. [Getting started](#)
3. [Roles and permissions](#)
4. [Instant Translation \(workspace\)](#)
5. [Translation Jobs \(document translation\)](#)
6. [Side-by-Side Editor](#)
7. [Knowledge Base and Translation Memory](#)
8. [Account and personal settings](#)
9. [Organization and member management \(Org Admin\)](#)
10. [External calls and integrations \(Org Admin\)](#)
11. [Notifications, feedback and AI Assistant](#)
12. [FAQ](#)
13. [Appendix](#)

1. Product overview

LangCross (能言) is an AI translation collaboration platform for enterprises and teams. It combines three translation workflows with one corporate language-asset system:

Capability	Description
Instant Translation	Chat-style text translation — type and translate, one input to many target languages at once
Translation Jobs	Upload docx / pptx / xlsx / pdf files and run them through "create job → approval → translation → delivery", with translations returned in the original format
Side-by-Side Editor	Source/translation paragraph-by-paragraph review: edit, approve or reject segments with notes
Knowledge Base / Translation Memory (KB/TM)	Company terminology, confirmed bitext and fixed brand names live in the KB and are applied automatically during translation

Highlights:

- **40+ languages**, with the interface itself in 12 languages (Simplified & Traditional Chinese, English, Japanese, Korean, German, French, Spanish, Portuguese, Russian, Arabic — right-to-left layout, and Thai).
 - **Two translation modes**: *Fast* for lightweight, high-throughput work; *Pro* for knowledge-base term calibration, quality evaluation and hard-check gates — suited to publishable content.
 - **Enterprise isolation**: each tenant's data, knowledge bases and members are separate; within an organization, knowledge bases and budgets are further isolated by department.
 - **One voice across surfaces**: besides the web app there is a browser selection-translation extension, a Word add-in, a VS Code extension, and an Open API/SDK — all sharing the same terminology and memory as the web.
-

2. Getting started

2.1 Sign in

Open the address your company provides (the platform domain or your company's dedicated subdomain) and enter your **username** and **password** on the login page.

- **Forgot password**: click "Forgot password" and reset it with a verification code sent to your bound email.
- If your company has single sign-on enabled, the login card shows "Or sign in with your enterprise identity provider" — one click signs you in with your company account.
- **First sign-in**: if the admin who created your account left the email empty, a non-dismissible "Bind Your Email" dialog appears — complete it first. Accounts created in bulk are required to change their password on first login.

2.2 Register / join a company

Two paths:

- **Join an existing company**: at registration, enter the organization code + an **invite code** (required — ask your company admin) to join the matching department as a User. Registering through your company's dedicated subdomain (`code.domain`) pre-fills the company info; that entry only creates ordinary members of that company.
- **Create a new company**: leave the invite code empty to create a new organization — you become its Org Admin and can then invite colleagues (see section 9).

Registration can be guided by an AI assistant: account type (personal/company) → company role (admin creates a company / member joins with an invite code) → industry and job role → account details. Follow the prompts; you can step back at any time. Choosing *personal* opens a Personal plan account — see [3.1 Personal-plan users](#).

2.3 Meet the interface

After signing in you land in the workspace:

Area	Contents
Top bar	Three workspace tabs: Instant Translation , Translation Jobs , Side-by-Side Editor ; on the right: credits balance badge, notification bell, language selector, account menu; Dept Admins and above also see Upload Knowledge Base and the Admin Console entry
"More" drawer	Self-service pages such as My Account, plus the footer
Main area	The active tab's work surface
"AI Assistant" (bottom right)	An always-available assistant widget (see section 11)

- **Switching the interface language:** the top-bar selector lists each language in its own script (e.g. 「日本語」 「한국어」); it applies instantly site-wide. On first visit your browser language is auto-detected.
- **Mobile:** the app adapts to phone/tablet browsers; on narrow screens admin sidebars become a drawer.
- **Account menu** (avatar, top right): Admin Console (Dept Admin and above) / Back to Workspace, Change Password, Change Email, My job role, Logout.

2.4 Your first translation

1. Paste text into the Instant Translation input box;
2. Confirm the source language (default "Auto detect") and pick one or more target languages (candidates are grouped as "KB Languages / Other Languages");
3. Choose a mode (Fast / Pro) and click "Translate";
4. The translation streams into chat bubbles — copy it, show the source, or keep chatting to adjust style.

For files, see section 5.

3. Roles and permissions

There are three in-tenant roles:

Role	Who	What they see
User	Every member	Instant Translation, Translation Jobs (create/view/download), Side-by-Side Editor, notification center, AI Assistant, My Account; interface language and job-role settings

Role	Who	What they see
Dept Admin	Appointed by an Org Admin	Everything a User has, plus the basic admin menus: Overview (incl. usage detail), Feedback / Approval (approve jobs, reply to feedback), Knowledge Base (department & cross-dept packs), top-bar Upload Knowledge Base
Org Admin	At least one per company (creator or delegate)	Everything a Dept Admin has, plus Org & Members (department tree, members, invite codes, budgets), External Calls (API keys, webhooks, SDKs), Knowledge Base in all pack types (org/dept/cross-dept), brand fixed-translation maintenance, and SCIM provisioning

Notes:

- This guide covers the roles above only; platform-operations features are out of scope.
- Actions labelled "Memory Review" or "complete feedback (archive)" on the Feedback screen belong to platform-side processes and do not appear for tenants.
- For permission questions, contact your company's Org Admin.

3.1 Personal-plan users

Choosing the **personal** account type at registration (no organization code or invite code needed) opens a **Personal plan** account — the top-bar identity badge reads "Personal plan". The account is managed solely by you; there are no members or departments.

What a personal account can use:

Feature	Notes
The three workspaces	Instant Translation, Translation Jobs, Side-by-Side Editor — identical to the enterprise experience
Admin Console	Available from the account menu: Knowledge Base (upload and maintain your own terminology, visible only to you), External Calls (self-service API keys — required for the browser extension, Word add-in and SDKs), Overview (your usage detail)
My job role	Same as enterprise — a preset professional role tuned to your work context (see 7.5)
Self-service pages	More → My Account; change password/email, notification center, account deactivation

Differences from an enterprise tenant:

- **No "Org & Members"** — departments, member provisioning and dept budgets simply don't exist;
- **No approval step on jobs** — a created Translation Job goes straight to the queue and never waits in "Pending approval";
- No dedicated company subdomain or shared company KB; platform-wide industry and language-culture packs still apply automatically.

If your personal quota or balance runs low, follow the on-screen prompt.

4. Instant Translation (workspace)

The default page after sign-in: a full-screen dialog — history on top, input docked at the bottom.

4.1 The input area (composer toolbar)

One input card holding an auto-growing input line and a single-row toolbar:

Control	Description
Source · Auto detect	Choose the source language; detection is on by default
Target language	Opens the picker; languages are grouped into "KB Languages" and "Other Languages (AI)", with "More languages..." for full search. Selected languages show as chips — beyond 3 they collapse into "+n"; expand to remove individually
Pro / Fast	Translation mode. <i>Fast</i> = AI draft + proofread, low cost, high throughput; <i>Pro</i> = full pipeline with KB term calibration, quality evaluation and hard gates — for publishable content
Condense	Constrains translation length — handy for titles, button labels and other tight character budgets
Translate (primary button)	Starts translation; "Stop" cancels generation mid-flight

An estimate is shown before sending. If the balance or quota runs out, the UI says so and points you to your administrator.

4.2 Conversation and results

- Source and translation appear in one bubble column; translations stream in segment by segment.
- Each translation is tagged with how it was produced: **Exact match** / **Fuzzy match** / **Semantic match** (from the knowledge base) or **AI translation**; matched KB terms are highlighted.
- Bubble actions: copy translation, show source; keep sending instructions to adjust tone or style — context carries over.
- Pipeline stages (Term retrieval → Machine translation → Term calibration → Translation complete) are surfaced as progress hints.

4.3 Session management

The dialog header offers:

- **Search this chat** (Ctrl/Cmd+K);
- **Export conversation** (Markdown file);
- **Clear chat**.

4.4 Usage display

Consumption is shown uniformly in **credits**, converted to an approximate sentence count. Near the composer you'll see: balance (credits $\approx$ sentences), today's spend, and — if you belong to a budgeted department — the dept budget progress.

5. Translation Jobs (document translation)

All **file translation** starts here and follows the full flow: create → (if your company requires it) approval → translation → delivery.

5.1 Creating a job

Click "Create Translation Job" and pick the Text or File tab:

- **Text:** paste long text, choose target languages and mode, submit as a job.
- **File:** upload one or more files; select several target languages at once (deliverables arrive as a zip).

Key fields:

Field	Description
Delivery	Restore Format (default): translated file in the original layout, plus a text-only .md fallback artifact; Text Only: body text extracted locally, translated and delivered as .md with no layout guarantee (for legacy doc/ppt/xls, odt/epub/rtf etc.)
Mode	Fast (no KB) / Pro Review
Target languages	Multiple selection
Estimate	"Est. {n} sentences · balance {n}" before submitting

Format support:

Category	Formats	Delivery
Layout-restored	docx, pptx, xlsx, pdf, txt, csv, md	Same-format translated file
Bilingual table	srt, vtt, json, yaml, etc.	Source/translation xlsx
Text only	legacy doc/ppt/xls family, odt/ods/odp, rtf, epub	Translated .md

Limits:

- Per-job file count and size are capped; PDFs over 40 MB or 120 pages are rejected with a hint to convert to docx first.
- Scanned PDFs (all images) are not supported; text inside images is not translated by design.

- If layout write-back fails for one file, it automatically degrades to .md delivery with an in-app notice — the whole job never fails for that reason.

5.2 Job states and workflow

"My Jobs" is filterable by state:

```
Queued → Translating → Completed
Pending approval → Approved → Translating ... (when approval is enabled)
                        ↳ Rejected
Any in-progress state → Cancelled
```

- In-progress jobs can be **cancelled**; finished ones can be deleted.
- If your company enables approval, new jobs land in "Pending approval" and a Dept/Org Admin **Approves** or **Rejects** them (with a reason) at the Approval Desk in the admin console.

5.3 Progress and downloads

Open a job to see its Progress stepper — Extract → KB match → AI draft → Pro review → Hard gate → Culture check → Write back (steps shown depend on mode and file type).

- When finished, click Download; the text-only fallback is available via "Download translation text (.md)".
- Multi-language / multi-file jobs download as a zip.

5.4 Quality report

Completed Pro jobs carry a Quality Report: overall verdict (QA passed / QA failed / QA flagged), evaluation scores out of 100, and segment notes. Disagree with a result? Use "Submit feedback" on the job detail — admins see and answer it in the console.

5.5 Hand-off to the editor

Any completed job can be opened directly in the Side-by-Side Editor for human review — next section.

6. Side-by-Side Editor

Manual final review of job translations:

1. Jump from a job's detail page, or "Load" a job by ID on the Side-by-Side Editor page;
2. Source on the left, translation on the right, segment by segment, with KB terms highlighted;
3. Per segment: **approve** / **reject** (with a note/rejection reason) / edit the translation directly;
4. "Save" to keep your revisions.

Human-confirmed segments are prime material for translation memory — your KB admins can import them (section 7).

7. Knowledge Base and Translation Memory

The KB makes translations speak your company's language: consistent terminology, reuse of confirmed translations, and locked-down compliance wording.

7.1 Four layers

Layer	Content	Typical use
L1 Terms	Term pairs (incl. fixed brand/product names)	Enforced consistent wording
L2 Translation Memory	Confirmed source/target sentence pairs	Whole-sentence or fragment reuse
L3 Safety phrases	Style rules / forbidden terms / replacement pairs	Hard culture gates: block or auto-replace in output
L4 Fragments	Loose expressions and pattern references	Example context for fuzzy matching

Match priority during translation: packs on your organization chain (own department → parents → root, nearest wins) > company pack > industry/language-culture packs; cross-department shared packs participate as a fallback layer only when an admin enables sharing.

7.2 Who can maintain what

Action	Minimum role
Top-bar Upload Knowledge Base (recognize file → pick pack → import)	Dept Admin
Create/maintain Department and Cross-dept packs	Dept Admin
Create/maintain the company (org) pack , cross-dept sharing switch, per-pack grants	Org Admin
Maintain brand fixed translations ("Brand names")	Any role that can reach the KB panel
Import bitext / TMX, export TMX	Dept Admin
Maintain Language Culture Rules (safety phrases)	Dept Admin

7.3 Pack types

- **Org pack (company)**: applies enterprise-wide;
- **Department pack**: visible only inside the department and its organization chain — department-level term isolation;
- **Cross-dept shared pack**: private by default; effective for other departments only when both the pack-level "Cross-dept: On" switch and the company policy allow.

7.4 Ways to import

In the admin console under Knowledge Base (Dept Admin and above):

- **File import:** upload a glossary/document; the system recognizes it and writes entries into the chosen pack;
- **Bitext / TMX import:** bulk-write into translation memory, compatible with TMX exported by mainstream CAT tools (Trados/memoQ etc.);
- **TMX export:** take company memory back into your existing toolchain.

The platform also auto-provisions generic industry and language-culture packs for your sector — no maintenance needed; they participate in translation automatically.

7.5 My job role (everyone)

Account menu → "My job role": pick your position from 15+ preset professional roles. The matching role pack is assembled automatically at translation time, tuning terminology and tone to your work context.

8. Account and personal settings

Entry points: the top-right account menu and the "More" drawer.

Item	Where	Notes
My Account	More → My Account	Username/email/role/tenant; Org Admins and above also see the SCIM provisioning card here
Change Password	Account menu	May be enforced at first login
Change Email	Account menu	Used for password reset and notifications
My job role	Account menu	See 7.5
Notifications	Top-bar bell	In-app messages: job status, approvals, delivery downgrades; mark one/all as read
Deactivate Account	Account menu (User role)	Self-service closure, with confirmation
Interface language	Top-bar selector	12 languages, instant

9. Organization and member management (Org Admin)

Entry: account menu → Admin Console → "Org & Members".

9.1 Structure

- **New Org / New Department:** maintain the multi-level company tree; renaming supported.
- **Dept Budget:** "Allocate monthly budget" per department to cap that department's translation usage; members see the budget progress in their UI.

9.2 Members

The "Members" page manages every account in the company:

- **Add User:** create one member with a role (User / Dept Admin / Org Admin) and organization placement;
- **Bulk Import Users (Excel):** provision many members at once — initial passwords arrive by email and must be changed at first login;
- Existing members: **reset password**, **enable/disable**, change role and department.

9.3 Inviting colleagues

"Invite Staff" generates **invite codes** (multiple allowed, each bound to a level of the org tree). Give colleagues the organization code + invite code; entering them at registration joins the right department.

9.4 SCIM provisioning (optional)

The SCIM card on "More → My Account": with an identity provider such as Okta or Entra ID, copy the SCIM endpoint and token to automate member provisioning/deprovisioning; once SSO is on, staff sign in via the login-page identity button.

10. External calls and integrations (Org Admin)

Entry: admin console → "External Calls", with three sub-pages: **Open API**, **Webhooks**, **Official SDKs**.

10.1 API keys

- **Create an API key:** the plaintext is shown **once** at creation — save it immediately;
- Keys support **enable/disable**, **rotation**, **daily limits**, **deletion**;
- A key is bound to your company and its credit balance — API usage bills to the same account as the web UI.

The Open API provides: asynchronous translation tasks (create → poll → download, multi-file & multi-language, zip deliverables), synchronous short-text translation (≤5,000 chars, ≤5 languages), balance & usage queries, and KB statistics. Interactive docs are at `/openapi/docs` on your site.

10.2 Webhooks

Register a callback URL and subscribe to events (e.g. `translation.completed`) to have LangCross push results into your systems. Signature verification (X-Signature), test sends, delivery history and retries are all provided.

10.3 SDKs and plug-ins

The "Official SDKs" page carries install guides and downloads:

Surface	How to get it	What it does
Python	<code>pip install langcross-translator</code>	Programmatic translation, batch jobs
TypeScript	<code>npm i @langcross/translator-sdk</code>	Node/front-end integration
Java	Maven source distribution	Enterprise system integration
Browser extension	zip download on that page (no app-store channel)	Select text on any web page → floating "译" button → translation bubble with one-click copy; shortcut Alt+Shift+T (Alt+T on macOS)
Word add-in	manifest served by the site; in Word use "Insert → Get Add-ins → Upload My Add-in" to side-load	Translate the selection inside Word and insert the result back
VS Code extension	vscode-extension in the repository	In-place translation of selections, term lookup

Configuring extension/add-ins (the browser popup and Word task pane share the same fields): **server address** (site root URL), **API key** (from 10.1), **target languages**, and **mode** (Fast/Pro). Terminology and memory match the web experience.

⚠ After an extension upgrade the style may look unchanged: overwrite the **same directory** with the new zip, then hit **Reload** on the extension's card in `chrome://extensions`.

10.4 For Dept Admins

The External Calls menu is Org-Admin-only — ask your Org Admin to issue an API key for departmental integrations.

11. Notifications, feedback and AI Assistant

11.1 Notification center (everyone)

The top-bar bell polls for unread in-app messages (jobs completed, approvals, delivery downgrade notices...). Mark single or all as read from the dropdown.

11.2 Feedback loop

- **Everyone:** on a completed job, "Submit feedback" with the problematic segments and expectations.
- **Dept/Org Admins:** the admin console's "Feedback / Approval" menu lists company feedback with **reply**, and hosts the Approval Desk for pending jobs.
- "Overview" (Dept Admin and above): company health dashboard and usage detail (CSV export available).

11.3 AI Assistant widget (everyone, even visitors)

The bottom-right "AI Assistant" button opens a chat for product questions, guidance and quick jumps. Conversations survive page refreshes (local cache → server-side history restore).

12. FAQ

Q1: The Translate button is dead / quota messages appear? The balance or department budget is exhausted. Users: contact your company admin; admins can check usage detail in the console.

Q2: Where do I translate a file? The chat box no longer takes attachments? File translation now lives exclusively in Translation Jobs → File. The chat is for text only.

Q3: My PDF job was refused? PDFs over 40 MB / 120 pages must first be converted to docx; scanned (image-only) PDFs are not supported.

Q4: The translation ignores my company's terminology? Check that the terms are imported into a KB pack visible to your department (section 7), and use *Pro* mode for publishable content.

Q5: The delivered docx looks different from the original? Restore Format preserves layout in the vast majority of cases; occasional complex layouts degrade to .md text delivery with an in-app notice. Review in the Side-by-Side Editor or submit feedback.

Q6: The balance didn't move right after a translation? Metering is committed synchronously at completion — refresh the page once; if it persists, file feedback.

Q7: Can I use it on my phone or tablet? Yes via the mobile browser; the layout adapts. Extensions/add-ins are desktop-focused.

Q8: Text is clipped or looks odd in some language (e.g. Arabic)? Switch languages to confirm it's a single string, then send feedback with a screenshot.

13. Appendix

A. UI naming cheat sheet (English / 简体中文)

English	简体中文
Instant Translation	即时翻译
Translation Jobs	翻译工单
Side-by-Side Editor	对照编辑
More	更多
My Account	我的账号
Upload Knowledge Base	上传知识库
Admin Console	进入管理后台
Notifications	通知中心
Pro / Fast	专业校对 / 快速
Condense	缩翻
Auto detect	自动检测
KB Languages / Other Languages (AI)	知识库语言 / 其他语言 (AI翻译)
Create Translation Job	创建翻译工单
Delivery: Restore Format / Text Only	交付方式：还原文件模式 / 纯文案模式
My Jobs	我的工单
Queued / Translating / Pending approval / Approved / Rejected / Completed / Cancelled	排队中 / 翻译中 / 待审批 / 已批准 / 已驳回 / 已完成 / 已取消
Progress	执行进度
Quality Report	质检报告
Approval Desk / Approve / Reject	审批台 / 批准 / 驳回
Knowledge Base	知识库
Tenant / Department / Cross-dept pack	组织包（本企业） / 部门包（本部门） / 跨部门包（共享）
File Import / Bitext · TMX Import	文件导入 / 双语语料 · TMX 导入
Language Culture Rules (Safety Phrases)	语言文化规范（安全句）
Org & Members	组织与成员
Organization / Invite Staff / Members	组织结构 / 邀请员工 / 成员账户

English	简体中文
Dept Budget	部门预算
Add User / Bulk Import Users (Excel)	开通用户 / Excel 批量导入用户
Invite Codes / Generate Code	邀请码管理 / 生成邀请码
User / Dept Admin / Org Admin	普通用户 / 部门管理员 / 组织管理员
External Calls / Open API / Webhooks / Official SDKs	外部调用 / 开放 API / 回调通知 / 官方 SDK
My job role	我的职业角色
Change Password / Change Email / Deactivate Account	修改密码 / 修改邮箱 / 注销账号
credits	积分

B. Interface languages (12)

English · 简体中文 · 繁體中文 · 日本語 · 한국어 · Deutsch · Français · Español · Português · Русский · العربية (RTL layout) · ไทย

C. Shortcuts

Shortcut	Function
Ctrl/Cmd + K	Instant Translation: search this chat
Alt+Shift+T (macOS: Alt+T)	Browser extension: translate selection
Cmd/Ctrl+Alt+T	VS Code extension: translate selection in place

D. File format support

See the table in [5.1 Creating a job](#).

This guide covers tenant-facing product features. For commercial or billing matters, contact your company administrator or the LangCross service team.