## 0.1 Basic States

$$\Psi_1 = -U_1 y$$
  $\Psi_2 = -U_2 y$   $Q_1 = (U_1 - U_2 + \beta) y$   $Q_2 = (U_2 - U_1 + \beta) y$ 

## 0.2 New States and Perturbations

$$\psi_1 = \Psi_1 + \psi_1' \qquad \qquad \psi_2 = \Psi_2 + \psi_2'$$
  
$$q_1' = \nabla^2 \psi_1' - F_1(\psi_1' - \psi_2') \qquad \qquad q_2' = \nabla^2 \psi_2' - F_2(\psi_2' - \psi_1')$$

## 0.3 QG Equations

$$0 = \partial_t q_1' + (u_1' + U_1) \partial_x q_1' + v_1' \partial_y (q_1' + Q_1)$$
  
$$0 = \partial_t q_2' + (u_2' + U_2) \partial_x q_2' + v_2' \partial_y (q_2' + Q_2)$$

## 0.4 Normal Modes

$$\hat{q}'_1 = -\hat{\psi}'_1(F_1 + K^2) + F_1\hat{\psi}'_2 \qquad \qquad \hat{q}'_2 = F_2\hat{\psi}'_1 - \hat{\psi}'_2(F_2 + K^2)$$

$$\hat{\psi}'_1 = \frac{(F_2 + K^2)\hat{q}'_1 + F_1\hat{q}'_2}{F_1F_2 - (F_1 + K^2)(F_2 + K^2)} \qquad \hat{\psi}'_2 = \frac{F_2\hat{q}'_1 + (F_1 + K^2)\hat{q}'_2}{F_1F_2 - (F_1 + K^2)(F_2 + K^2)}$$

$$\hat{u}'_1 = -ik\hat{\psi}'_1 \qquad \qquad \hat{u}'_2 = -ik\hat{\psi}'_2$$

$$\hat{u}'_1 = -il\hat{\psi}'_1 \qquad \qquad \hat{u}'_2 = -il\hat{\psi}'_2$$

$$K^2 = k^2 + l^2$$