

# Git Flow

Using git flow -- or not

---

## Install

### OSX - Homebrew

```
$ brew install git-flow
```

### OSX - Macports


```
$ ports install git-flow
```

### Linux

```
$ apt-get install git-flow
```

### Windows (Cygwin)

```
$ wget -q -O - --no-check-certificate https://github.com/nvie/gitflow/raw/develop/contrib
```



You need wget and util-linux to install git-flow.

# Initialize

```
$ cd my/project
$ git commit -am "Initial commit"
$ git remote add origin git@github.com:username/Project-Name.git
$ git push -u origin main
```

# Prepare Repository for Development

Create development branch, push it to the server

```
$ git checkout -b develop
$ git push -u origin develop
```

Make sure to set the **default branch** to `develop` on github!

# Setup Git Flow

You will be prompted, as seen below, for what branches you'd like to use. You can just hit `enter` for all.

## Notes:

1. To use the defaults you can use the `-d` flag
2. You can set a default version tag prefix if you prefer. eg: `v`

```
$ git flow init [-d]
```

Which branch should be used for bringing forth production releases?

- develop
- main

Branch name for production releases: [main]

Which branch should be used for integration of the "next release"?

- develop

Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?

Feature branches? [feature/]

Release branches? [release/]

Hotfix branches? [hotfix/]

Support branches? [support/]

Version tag prefix? []