

Efficacy of IP6 + inositol in the treatment of breast cancer patients receiving chemotherapy: prospective, randomized, pilot clinical study

Background Prospective, randomized, pilot clinical study was conducted to evaluate the beneficial effects of inositol hexaphosphate (IP6) + Inositol in breast cancer patients treated with adjuvant therapy. **Patients and methods** Patients with invasive ductal breast cancer where polychemotherapy was indicated were monitored in the period from 2005-2007. Fourteen patients in the same stage of ductal invasive breast cancer were involved in the study, divided in two randomized groups. One group was subjected to take IP6 + Inositol while the other group was taking placebo. In both groups of patients the same laboratory parameters were monitored. When the treatment was finished, all patients have filled questionnaires QLQ C30 and QLQ-BR23 to determine the quality of life. **Results** Patients receiving chemotherapy, along with IP6 + Inositol did not have cytopenia, drop in leukocyte and platelet counts. Red blood cell counts and tumor markers were unaltered in both groups. However, patients who took IP6 + Inositol had significantly better quality of life ($p = 0.05$) and functional status ($p = 0.0003$) and were able to perform their daily activities. **Conclusion** IP6 + Inositol as an adjunctive therapy is valuable help in ameliorating the side effects and preserving quality of life among the patients treated with chemotherapy.